

APSEZL/EnvCell/2021-22/080

To

The Inspector General of Forest / Scientist C,
Integrated Regional Office (IRO),
Ministry of Environment, Forest and Climate Change,
Aranya Bhawan, A Wing, Room No. 409,
Near CH 3 Circle, Sector – 10A,
Gandhinagar – 382007.

E-mail: ecomplianace-gui@gov.in, rowz.bpl-mef@nic.in

एकीकृत क्षेत्रीय कार्यालय, गाँधीनगर
Integrated Regional Office, Gandhinagar
पर्यावरण, वन एवं जलवायु परिवर्तन विभाग,
Date: 27.11.2021

Ministry of Environment, Forest and Climate Change
भारत सरकार/पर्यावरण, वन एवं जलवायु परिवर्तन विभाग

कक्ष क्र. 407 व 409, अरुणा भवन,
Room No.407 & 409, Aranya Bhawan

गाँधीनगर (गुजरात)/Gandhinagar (Gujarat)

07/12/2021

Sub : Half yearly Compliance report of Environment Clearance under CRZ notification for "Port expansion project including dry/break bulk cargo container terminal, railway link and related ancillary and back-up facilities at Mundra Port, Dist. Kutch in Gujarat by M/s. Adani Ports & SEZ Limited."

Ref : Environment clearance under CRZ notification granted to M/s Adani Ports & SEZ Limited vide letter dated 20th September, 2000 bearing no. J-16011/40/99-IA.III

Dear Sir,

Please refer to the above cited reference for the said subject matter. In connection to the same, it is to state that copy of the compliance report for the Environmental and CRZ Clearance for the period of April-2021 to September-2021 is being submitted through soft copy (e-mail communication & CD).

Kindly consider above submission and acknowledge.

Thank you,

Yours Faithfully,

For, M/s Adani Ports and Special Economic Zone Limited


Shalin Shah

Head – Environment & Sustainability

Encl: As above

Copy to:

- 1) The Additional Secretary, MoEF&CC, Regional Office (WZ), E-5, Kendriya, Paryavaran Bhawan, Arera Colony, Link Road No. – 3, Bhopal – 462016.
- 2) The Director (IA Division), Ministry of Environment, Forests & Climate Change, Indira Paryavaran Bhawan, Jor Bagh Road, New Delhi-110003.
- 3) The Zonal Officer, Regional Office, CPCB – Western Region, Parivesh Bhawan, Opp. VMC Ward Office No. 10, Subhanpura, Vadodara – 390023.
- 4) The Member Secretary, GPCB – Head Office, Paryavaran Bhawan, Sector 10 A, Gandhi Nagar – 382010.
- 5) The Director, Forests & Environment Department, Block – 14, 8th floor, Sachivalaya, Gandhi Nagar – 382010.
- 6) The Regional Officer, Regional Office GPCB (Kutch-East), Gandhidham – 370201.

Adani Ports and Special Economic Zone Ltd
Adani House,
PO Box No. 1
Mundra, Kutch 370 421
Gujarat, India
CIN: L63090GJ1998PLC034182

Tel +91 2838 25 5000
Fax +91 2838 25 51110
info@adani.com
www.adani.com

Registered Office: Adani Corporate House, Shantigram, Nr. Vaishno Devi Circle, S.G. Highway, Khodiyar, Ahmedabad – 382421, Gujarat, India

Chiragsing Rajput

From: Chiragsing Rajput
Sent: Tuesday, November 30, 2021 7:01 PM
To: 'ecompliance-guj@gov.in'; 'rowz.bpl-mef@nic.in'
Cc: 'ec-rdw.cpcb@gov.in'; 'ro-gpcb-kute@gujarat.gov.in'; 'ms-gpcb@gujarat.gov.in'; 'mefcc.ia3@gmail.com'; 'monitoring-ec@nic.in'; 'direnv@gujarat.gov.in'; Snehal Jariwala
Subject: Half Yearly EC Compliance Report Submission - APSEZ, Mundra - Port Expansion 2000 (Apr'21 to Sep'21)
Attachments: 2. EC Compliance Report_Port Expansion 2000_Apr'21 to Sep'21.pdf



Ports and
Logistics

APSEZL/EnvCell/2021-22/080

To

The Inspector General of Forest / Scientist C,
Integrated Regional Office (IRO),
Ministry of Environment, Forest and Climate Change,
Aranya Bhawan, A Wing, Room No. 409,
Near CH 3 Circle, Sector – 10A,
Gandhinagar – 382007.
E-mail: ecompliance-guj@gov.in, rowz.bpl-mef@nic.in

Sub : Half yearly Compliance report of Environment Clearance under CRZ notifiable project including dry/break bulk cargo container terminal, railway link and related facilities at Mundra Port, Dist. Kutch in Gujarat by M/s. Adani Ports & SEZ Limited

Ref : Environment clearance under CRZ notification granted to M/s Adani Ports & SEZ Limited dated 20th September, 2000 bearing no. J-16011/40/99-IA.III

Dear Sir,

Please refer to the above cited reference for the said subject matter. In connection to the copy of the compliance report for the Environmental and CRZ Clearance for the period September-2021 is being submitted through soft copy (e-mail communication & CD).

Kindly consider above submission and acknowledge.

Thank you,

Yours Faithfully,

For, **M/s Adani Ports and Special Economic Zone Limited**

Shalin Shah

Head – Environment & Sustainability

Encl: As above

Copy to:

- 1) The Additional Secretary, MoEF&CC, Regional Office (WZ), E-5, Kendriya, Paryavaran Link Road No. – 3, Bhopal – 462016.
- 2) The Director (IA Division), Ministry of Environment, Forests & Climate Change, Indira Bagh Road, New Delhi-110003.
- 3) The Zonal Officer, Regional Office, CPCB – Western Region, Parivesh Bhawan, Opp. V Subhas Road, New Delhi – 110027.

Thanks & Regards,

Chiragsing Rajput

Environment Cell | Adani Ports & Special Economic Zone Ltd.

Mob +91 9687678443 | Ext. 59523 | chiragsing.rajput@adani.com | www.adani.com

Adani Corporate House, 8th Floor, East Wing, Shantigram, Ahmedabad - 382421, Gujarat, India.

adani

Growth
with
Goodness

Our Values: Courage | Trust | Commitment



/AdaniOnline

To

The Inspector General of Forest / Scientist C,
Integrated Regional Office (IRO),
Ministry of Environment, Forest and Climate Change,
Aranya Bhawan, A Wing, Room No. 409,
Near CH 3 Circle, Sector – 10A,
Gandhinagar – 382007.
E-mail: ecomplinance-guj@gov.in, rowz.bpl-mef@nic.in

Sub : Half yearly Compliance report of Environment Clearance under CRZ notification for "Port expansion project including dry/break bulk cargo container terminal, railway link and related ancillary and back-up facilities at Mundra Port, Dist. Kutch in Gujarat by M/s. Adani Ports & SEZ Limited."

Ref : Environment clearance under CRZ notification granted to M/s Adani Ports & SEZ Limited vide letter dated 20th September, 2000 bearing no. J-16011/40/99-IA.III

Dear Sir,

Please refer to the above cited reference for the said subject matter. In connection to the same, it is to state that copy of the compliance report for the Environmental and CRZ Clearance for the period of April-2021 to September-2021 is being submitted through soft copy (e-mail communication & CD).

Kindly consider above submission and acknowledge.

Thank you,

Yours Faithfully,

For, **M/s Adani Ports and Special Economic Zone Limited**



Shalin Shah
Head – Environment & Sustainability

Encl: As above

Copy to:

- 1) The Additional Secretary, MoEF&CC, Regional Office (WZ), E-5, Kendriya, Paryavaran Bhawan, Arera Colony, Link Road No. – 3, Bhopal – 462016.
- 2) The Director (IA Division), Ministry of Environment, Forests & Climate Change, Indira Paryavaran Bhawan, Jor Bagh Road, New Delhi-110003.
- 3) The Zonal Officer, Regional Office, CPCB – Western Region, Parivesh Bhawan, Opp. VMC Ward Office No. 10, Subhanpura, Vadodara – 390023.
- 4) The Member Secretary, GPCB – Head Office, Paryavaran Bhawan, Sector 10 A, Gandhi Nagar – 382010.
- 5) The Director, Forests & Environment Department, Block – 14, 8th floor, Sachivalaya, Gandhi Nagar – 382010.
- 6) The Regional Officer, Regional Office GPCB (Kutch-East), Gandhidham – 370201.

Adani Ports and Special Economic Zone Ltd
Adani House,
PO Box No. 1
Mundra, Kutch 370 421
Gujarat, India
CIN: L63090GJ1998PLC034182

Tel +91 2838 25 5000
Fax +91 2838 25 51110
info@adani.com
www.adani.com

Registered Office: Adani Corporate House, Shantigram, Nr. Vaishno Devi Circle, S.G. Highway, Khodiyar, Ahmedabad – 382421, Gujarat, India

Environmental Clearance Compliance Report



Port Expansion Project including Dry/Break Bulk Cargo Container Terminal, Railway Link and related Ancillary and Back-up facilities at Mundra Port, Dist. Kutch, Gujarat

Adani Ports and SEZ Limited

For the Period of:
April – 2021 to September – 2021

Index

Sr. No.	Particulars	Page Nos.
1	EC & CRZ Clearance Compliance Report	01
2	Annexures	
	Annexure – A	37
	Annexure – 1	44
	Annexure – 2	45
	Annexure – 3	47
	Annexure – 4	110
	Annexure – 5	157
	Annexure – 6	159
	Annexure – 7	160
	Annexure – 8	163
	Annexure – 9	174
	Annexure – 10	175
	Annexure – 11	176

**EC & CRZ
Clearance
Compliance
Report**

Status of the conditions stipulated in Environment Clearance under CRZ notification

- Chronology of company name change from **M/s. Gujarat Adani Port Limited** to **M/s. Adani Ports and Special Economic Zone Ltd.** was submitted along with last half yearly EC Compliance report for the period Oct'20 to Mar'21.

Status of the conditions stipulated in Environment Clearance under CRZ notification

- Half yearly Compliance report of Environment Clearance under CRZ notification for “Port expansion project including dry/break bulk cargo container terminal, railway link and related ancillary and back-up facilities at Mundra Port, Dist. Kutch in Gujarat vide letter no. J-16011/40/99-IA.III dated 20th September, 2000’

Sr. No.	Conditions	Compliance Status as on 30-09-2021																																								
A. Specific Condition																																										
i	All the conditions stipulated by the Gujarat Pollution Control Board vide their NOC No. PC/NOC/Kutch/391/184 24 dated 10.6.99 and No. PC/NOC/Kutch/222(2)1 6880 dated 1.5.99 shall be strictly implemented.	<p>Complied.</p> <p>Consent to operate (CC&A) has been renewed from GPCB vide consent no. AWH-88317 valid till 20th November, 2021. The same was submitted along with compliance submission for the period of Oct'16 to Mar'17.</p> <p>Consent to Establish (CtE) and Consent to Operate (CtO) are obtained from GPCB and renewed/amended from time to time as per the progress of the project activity. The present in-force CtE / CtO are mentioned below.</p> <table border="1"> <thead> <tr> <th>Sr. No.</th> <th>Permission</th> <th>Project</th> <th>Ref. No. / Order No.</th> <th>Valid till</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>CtO – Renewal</td> <td>Mundra Port Terminal</td> <td>AWH-83561</td> <td>20.11.2021</td> </tr> <tr> <td>2</td> <td>CtO - Amendment</td> <td>Mundra Port Terminal</td> <td>WH-88317</td> <td>20.11.2021</td> </tr> <tr> <td>3</td> <td>CtO - Amendment</td> <td>Mundra Port Terminal</td> <td>GPCB/CCA-Kutch -39(5)/ ID-17739/473575</td> <td>20.11.2021</td> </tr> <tr> <td>4</td> <td>CtO - Amendment</td> <td>Mundra Port Terminal</td> <td>H-98086</td> <td>20.11.2021</td> </tr> <tr> <td>5</td> <td>CtO - Amendment</td> <td>Mundra Port Terminal</td> <td>H-105708</td> <td>20.11.2021</td> </tr> <tr> <td>6</td> <td>CtE – Amendment</td> <td>WFDP</td> <td>17739 / 15618</td> <td>18.05.2027</td> </tr> <tr> <td>7</td> <td>CtO - Correction</td> <td>Mundra Port Terminal</td> <td>PC/CCA-KUTCH-39(7)/GPCB ID 17739/592900</td> <td>20.11.2021</td> </tr> </tbody> </table> <p>The permissions mentioned above (Sr. No. 1 to 6) were submitted along with earlier compliance report submission. The copy of CtO – Correction (Sr. No. 7) is attached as Annexure – 1.</p> <p>APSEZ has already applied for CC&A Renewal to the GPCB vide Inward No. 202362, dated 25.08.2021, which is under scrutiny. Details of the same are attached as Annexure – 2.</p>	Sr. No.	Permission	Project	Ref. No. / Order No.	Valid till	1	CtO – Renewal	Mundra Port Terminal	AWH-83561	20.11.2021	2	CtO - Amendment	Mundra Port Terminal	WH-88317	20.11.2021	3	CtO - Amendment	Mundra Port Terminal	GPCB/CCA-Kutch -39(5)/ ID-17739/473575	20.11.2021	4	CtO - Amendment	Mundra Port Terminal	H-98086	20.11.2021	5	CtO - Amendment	Mundra Port Terminal	H-105708	20.11.2021	6	CtE – Amendment	WFDP	17739 / 15618	18.05.2027	7	CtO - Correction	Mundra Port Terminal	PC/CCA-KUTCH-39(7)/GPCB ID 17739/592900	20.11.2021
Sr. No.	Permission	Project	Ref. No. / Order No.	Valid till																																						
1	CtO – Renewal	Mundra Port Terminal	AWH-83561	20.11.2021																																						
2	CtO - Amendment	Mundra Port Terminal	WH-88317	20.11.2021																																						
3	CtO - Amendment	Mundra Port Terminal	GPCB/CCA-Kutch -39(5)/ ID-17739/473575	20.11.2021																																						
4	CtO - Amendment	Mundra Port Terminal	H-98086	20.11.2021																																						
5	CtO - Amendment	Mundra Port Terminal	H-105708	20.11.2021																																						
6	CtE – Amendment	WFDP	17739 / 15618	18.05.2027																																						
7	CtO - Correction	Mundra Port Terminal	PC/CCA-KUTCH-39(7)/GPCB ID 17739/592900	20.11.2021																																						

Status of the conditions stipulated in Environment Clearance under CRZ notification

Sr. No.	Conditions	Compliance Status as on 30-09-2021
ii	The conditions stipulated in the letter No ENV-1098-6477-PI dated October 28, 1999 and No. ENV-1099-2702-PI dated 27.12.99 of shall be strictly implemented.	Complied. Point wise compliance report of CRZ recommendations issued vide letter No ENV-1098-6477-PI dated October 28, 1999 and No. ENV-1099-2702-PI dated 27.12.99 is enclosed as Annexure- A .
iii	The turning circle should be increased from 550 m to 600 m.	Complied. Construction activities are completed and project is in operation phase.
iv	A girdle canal with settlement tanks shall be provided around the coal storage area.	Not applicable at present. Coal handling is not practiced at project site.
v	All efforts shall be made for water conservation and rainwater harvesting. Arrangements shall be made for roof top rainwater harvesting from various structures.	Complied. Under the Water Conservation and Optimization Drive at APSEZ, various initiatives were taken for conservation of water such as, <ol style="list-style-type: none"> 1. 100% utilization of treated water for horticultural purpose. 2. Total 128 Water-free urinals are installed and in operation within APSEZ. 3. Recirculation of water from fixed firefighting system to reservoir through flexible pipe during testing of firefighting system. 4. Conservation of Condensate from Air Conditioner and use for gardening. 5. Water flow reducers (total 8740 nos.) are provided in taps of Adani House, Tug Berth, CT2, CT3 & CT4 buildings to reduce the water consumption and are in use. 6. Water Maker machine is installed near Tug Berth jetty which generates drinking water from atmospheric moisture. The capacity of this machine is 250 liters per day. 7. Attending leakages and damages of water lines at various locations of APSEZ. 8. Process optimization Above initiative have saved substantial amount of water consumption.

Status of the conditions stipulated in Environment Clearance under CRZ notification

Sr. No.	Conditions	Compliance Status as on 30-09-2021
		<p>Groundwater recharge cannot be done at the project site since the entire project is in the intertidal / sub tidal areas. Rainwater within project area is managed through storm water drainage.</p> <p>We have installed Rainwater recharge bore well (4 Nos.) within our township to recharge ground water. Details of the same were submitted along with half yearly EC compliance report for the period Apr'19 to Sep'19. During last monsoon Approx. 530 KL of rainwater has been recharged to increase the ground water table.</p> <p>We have also connected roof top rainwater duct of operational building (Tug berth building within MPT) with u/g water tank for utilization of collected rain water for gardening / horticulture purpose. Details of the same were submitted along with EC Compliance report for the period Oct'18 to Mar'19.</p> <p>However, Adani Foundation – CSR arm of Adani Group has carried out rainwater harvesting activities in the nearby villages for benefit of the locals.</p> <p>Water conservation Projects i.e. Roof Top Rain Water Harvesting, Desilting of Check dams, Bore Well Recharge and Pond deepening were taken up in past years, review and monitoring of all water harvesting structures had been taken up.</p> <p>To make connections between human actions and the level of biological diversity found within a habitat and/or ecosystem, this year Adani Foundation launch project "Sanrakshan" in coordination with GUIDE and Sahjeevan.</p> <p>Since 10 years considerable Water Conservation Work carried out in Mundra Taluka. Due to satisfactory rain in current year 1.11 mtr ground water table increased as per increased in coastal belt of Mundra as per Government Figures.</p> <p>Our water conservation work is as below.</p>

Status of the conditions stipulated in Environment Clearance under CRZ notification

Sr. No.	Conditions	Compliance Status as on 30-09-2021
		<ul style="list-style-type: none"> • A large number of water harvesting structure (18 Nos. of check dams incoordination with salinity department) and Augmentation of 2check dams (1 Check dam current year). • Ground recharge activities (pond deepening work for more than 52 ponds) individually and 26 ponds under Sujlam Suflam Jal Abhiyan were built leading to a significant increase in water table and higher returns to the farmers. • Roof Top Rain Water Harvesting 90 Nos. (35 Nos current year) which is having 10,000 litre storage which is sufficient for one year drinking water purpose for 5 people family. • Recharge Borewell 125 Nos (50 Nos current year) which is best ever option to. • Drip Irrigation 980 Farmers (56 Application current year) benefitted in coordination with Gujrat Green Revolution Company. • Bund construction on way of Nagmati River could save more than 575 MCFT water quantity which recharged in ground due to which borewell depth decreased by 50-100 Ft in Zarpara, Bhujpur and Navinal Vadi Vistar. • Luni Pond Bund Repairing Work is completed. <p>With the objective of to preserve the rainwater to reduce the impact of salinity and recharge the ground water (the main source of water) to facilitate the Agricultural activities as well as for drinking water.</p> <p>Please refer Annexure – 3 for full details of CSR activities carried out by Adani Foundation in the Kutch region. Budget for CSR Activity for the FY 2021-22 is to the tune of INR 1628.45 lakh. Out of which, Approx. INR 423.18 lakh are spent during current compliance period i.e. Apr'21 to Sep'21.</p>
vi	To obviate the problem of coastal erosion due to dredging, the setback distance of at least 50 m from the Chart Datum line of Bocha island would be maintained.	Complied. During Maintenance dredging in this area, it is ensured that at least 50 m distance is maintained.
vii	The dredged material shall be disposed of only in the identified locations outside the CRZ area. While	Complied.

Status of the conditions stipulated in Environment Clearance under CRZ notification

Sr. No.	Conditions	Compliance Status as on 30-09-2021																																														
	dumping the dredged material, sufficient distance should be ensured from the existing mangroves so that there is no damage to the ecology. During dumping of dredged material the mitigative measures as suggested by NIO shall be implemented. It shall be ensured that there is no dumping of dredged material in the CRZ.	<p>Capital dredging is completed and only maintenance dredging is being carried out, if required which is being ensured that there no damage of marine ecology.</p> <p>In order to ensure no damage to marine ecology Marine water & sediment monitoring is being carried out once in a month by NABL and MoEF&CC accredited agency namely M/s. Pollucon Laboratories Pvt. Ltd. Summary of the same for duration from Apr'21 to Sep'21 is mentioned below.</p> <p>Total Sampling Locations: 09 Nos.</p> <table border="1"> <thead> <tr> <th rowspan="2">Parameter</th> <th rowspan="2">Unit</th> <th colspan="2">Surface</th> <th colspan="2">Bottom</th> </tr> <tr> <th>Max</th> <th>Min</th> <th>Max</th> <th>Min</th> </tr> </thead> <tbody> <tr> <td>pH</td> <td>--</td> <td>8.47</td> <td>8.02</td> <td>8.48</td> <td>7.95</td> </tr> <tr> <td>TSS</td> <td>mg/L</td> <td>135</td> <td>88</td> <td>133</td> <td>80</td> </tr> <tr> <td>BOD (3 Days @ 27 °C)</td> <td>mg/L</td> <td>5.0</td> <td>2.26</td> <td>ND*</td> <td>ND*</td> </tr> <tr> <td>DO</td> <td>mg/L</td> <td>6.4</td> <td>5.8</td> <td>6.0</td> <td>5.7</td> </tr> <tr> <td>Salinity</td> <td>ppt</td> <td>37.4</td> <td>34.86</td> <td>37.7</td> <td>35.2</td> </tr> <tr> <td>TDS</td> <td>mg/L</td> <td>38842</td> <td>35964</td> <td>39117</td> <td>36276</td> </tr> </tbody> </table> <p>*ND = Not Detectable</p> <p>Please refer Annexure – 4 for detailed analysis reports. Approx. INR 9.56 Lakh is spent for all environmental monitoring activities during the compliance period i.e. Apr'21 to Sep'21 for overall APSEZ, Mundra.</p>	Parameter	Unit	Surface		Bottom		Max	Min	Max	Min	pH	--	8.47	8.02	8.48	7.95	TSS	mg/L	135	88	133	80	BOD (3 Days @ 27 °C)	mg/L	5.0	2.26	ND*	ND*	DO	mg/L	6.4	5.8	6.0	5.7	Salinity	ppt	37.4	34.86	37.7	35.2	TDS	mg/L	38842	35964	39117	36276
Parameter	Unit	Surface			Bottom																																											
		Max	Min	Max	Min																																											
pH	--	8.47	8.02	8.48	7.95																																											
TSS	mg/L	135	88	133	80																																											
BOD (3 Days @ 27 °C)	mg/L	5.0	2.26	ND*	ND*																																											
DO	mg/L	6.4	5.8	6.0	5.7																																											
Salinity	ppt	37.4	34.86	37.7	35.2																																											
TDS	mg/L	38842	35964	39117	36276																																											
viii	The mangrove afforestation shall be undertaken at the identified sites and the progress report in this regard shall be submitted to this Ministry regularly. All the recommendations suggested in the NIO report for restoration of the coastal habitat by mangrove afforestation at Navinal island shall	<p>Complied.</p> <p>All construction activities are completed and project is in operation phase since long time. 24 hectare of mangrove afforestation was carried out at identified sites in consultation with Dr Maity, (Mangrove Consultant of India).</p> <p>Green belt was developed 72.81 ha. Total 1,49,959 trees were planted with the density of 2060 trees per hectare within the port area. So, far APSEZ has developed 486.19 ha. area as greenbelt with plantation of more than 9.4 Lacs saplings within the APSEZ area.</p>																																														

Status of the conditions stipulated in Environment Clearance under CRZ notification

Sr. No.	Conditions	Compliance Status as on 30-09-2021
	be strictly implemented.	<p>To enhance the marine biodiversity, till date APSEZ has carried out mangrove afforestation in 2890 ha. area across the coast of Gujarat. Total expenditure for the same till date is INR 832 lakh.</p> <p>Details on Mangroves afforestation & Green belt development carried out by APSEZ till date is annexed as Annexure – 5.</p> <p>Other than this Adani Foundation – CSR Arm of Adani Group at Mundra-Kutch has initiated multi-species plantation of mangroves in Luni village in association with GUIDE, Gujarat. During 2018-2019 (Phase-I) multi-species mangrove plantation was carried out in 10 ha, during Phase-II (2019-2020) it was 02 ha and during Phase III (2020-2021) it is 01 ha. Current year 3 ha development is planned to extend multi-species mangrove plantation.</p> <p>Please refer attached Annexure – 3 for CSR activity report carried out by Adani Foundation.</p>
ix	No ground water shall be withdrawn for this project.	<p>Complied.</p> <p>Present source of water for various project activities is desalination plant of APSEZ and/or water through Gujarat Water Infrastructure Limited. Average water consumption for entire APSEZ area is 3.93 MLD during compliance period i.e. Apr'21 to Sep'21.</p>
x	The project proponent shall ensure that the construction workers do not cut the Mangroves for fuel wood etc.	<p>Complied.</p> <p>All construction activities are completed and project is in operation phase since long time.</p>
xi	The project proponent shall ensure that no creeks are blocked and the natural drainage of the area is not affected due to project activities.	<p>Complied.</p> <p>Prominent creek system (main creeks and small branches of creeks) in the study region are: (1) Kotdi (2) Baradimata (3) Navinal (4) Bocha (5) Mundra (Oldest port (Juna Bandar) leading to Bhukhi river).</p> <p>All above creeks are in existence allowing free flow of water and there is no filling or reclamation of any creek area. APSEZ has so far constructed 19 culverts having total</p>

Status of the conditions stipulated in Environment Clearance under CRZ notification

Sr. No.	Conditions	Compliance Status as on 30-09-2021																																											
		<p>length of approx. 1100 m with total cost of INR 20 Crores. Apart from that three RCC Bridges have been constructed over Kotdi creek with total length of 230 m at the cost of INR 10 Crores. Photographs of the same were submitted as part of compliance report for the duration of Apr'17 to Sep'17.</p> <p>As per the bathymetry study carried out by NCSCM in 2017-18, it can be concluded that there are sufficient depths at the creek mouths and all creek mouths are open allowing flushing of water.</p>																																											
xii	The project proponent shall ensure that there will be no disposal of sludge and sewage generated from construction camps, surface run-off from construction sites, and oil and grease spillage from the construction equipment's in the creeks.	<p>Complied.</p> <p>Project is in operation phase.</p> <p>Sewage generated from port is being treated in designated ETP and treated sewage is used for horticulture purposes.</p> <table border="1"> <thead> <tr> <th>Location</th> <th>Capacity</th> <th>Quantity of Wastewater Treated (Avg. from Apr'21 to Sep'21)</th> <th>Type of ETP / STP</th> </tr> </thead> <tbody> <tr> <td>LT</td> <td>265 KLD</td> <td>84 KLD</td> <td>Activated Sludge</td> </tr> </tbody> </table> <p>Summary of ETP treated water analysis results during compliance period as mentioned below.</p> <table border="1"> <thead> <tr> <th>Parameter</th> <th>Unit</th> <th>Min</th> <th>Max</th> <th>Perm. Limit[§]</th> </tr> </thead> <tbody> <tr> <td>pH</td> <td>--</td> <td>6.58</td> <td>7.99</td> <td>6.5 – 8.5</td> </tr> <tr> <td>SS</td> <td>mg/L</td> <td>24</td> <td>52</td> <td>100</td> </tr> <tr> <td>TDS</td> <td>mg/L</td> <td>793</td> <td>2069</td> <td>2100</td> </tr> <tr> <td>COD</td> <td>mg/L</td> <td>65</td> <td>86</td> <td>100</td> </tr> <tr> <td>BOD</td> <td>mg/L</td> <td>12</td> <td>19</td> <td>30</td> </tr> <tr> <td>Ammonical Nitrogen as NH₃-N</td> <td>mg/L</td> <td>1.76</td> <td>8.56</td> <td>50</td> </tr> </tbody> </table> <p>[§] as per CC&A granted by GPCB</p> <p>The quality of marine water, treated effluents, air emissions and noise levels are being regularly analyzed by NABL accredited and MoEF&CC approved agency. Please refer Annexure – 4 for detailed analysis reports for the period Apr'21 to Sep'21. Approx. INR 9.56 Lakh is spent for all environmental monitoring activities during the FY 2021-22 (Till Sep'21) for overall APSEZ.</p>	Location	Capacity	Quantity of Wastewater Treated (Avg. from Apr'21 to Sep'21)	Type of ETP / STP	LT	265 KLD	84 KLD	Activated Sludge	Parameter	Unit	Min	Max	Perm. Limit [§]	pH	--	6.58	7.99	6.5 – 8.5	SS	mg/L	24	52	100	TDS	mg/L	793	2069	2100	COD	mg/L	65	86	100	BOD	mg/L	12	19	30	Ammonical Nitrogen as NH ₃ -N	mg/L	1.76	8.56	50
Location	Capacity	Quantity of Wastewater Treated (Avg. from Apr'21 to Sep'21)	Type of ETP / STP																																										
LT	265 KLD	84 KLD	Activated Sludge																																										
Parameter	Unit	Min	Max	Perm. Limit [§]																																									
pH	--	6.58	7.99	6.5 – 8.5																																									
SS	mg/L	24	52	100																																									
TDS	mg/L	793	2069	2100																																									
COD	mg/L	65	86	100																																									
BOD	mg/L	12	19	30																																									
Ammonical Nitrogen as NH ₃ -N	mg/L	1.76	8.56	50																																									

Status of the conditions stipulated in Environment Clearance under CRZ notification

Sr. No.	Conditions	Compliance Status as on 30-09-2021
		It is also noted that GPCB is doing regular site inspection along with wastewater sampling and analysis. The last GPCB sample analysis report is attached as Annexure – 6 , which shows all the parameters are well within the permissible limit.
xiii	The project proponent shall stick to the time bound program submitted to the Department of Environment, Government of Gujarat for the proposed activities including installation of desalination plant for meeting the entire water requirement. They shall coordinate their construction/operations schedule with the installation schedule of desalination plant.	Complied. Desalination plant has already been installed as per time bound program for overall APSEZ area and is in use. Details regarding water consumption are mentioned in Sr. no. ix above.
xiv	The project proponent shall ensure that the commercial fisheries are not hampered due to presence of barges, vessels and other activities in the region. Necessary plan in this regard shall be prepared in consultation with the NIO and submitted within 3 months.	Complied. No commercial fisheries are prevailing in this area except Pagadia and fishermen with small boats. Unhindered access is provided to the fishing boats. During project proposal, APSEZ proposed to provide four (4) dedicated accesses at Juna Bandar, Luni, Bavdi Bandar and Zarpara for the fishermen to approach the sea for fishing activity. However, during construction as well as operation, through fishermen consultative process, APSEZ has provided seven (7) access roads. Total length of all the approach roads is approx. 23 Kms and expenditure involved was Rs. 637 Lacs. There is no hindrance to the movement of fisherman boats. Details of the same were submitted along with EC Compliance report for the period Apr'18 to Sep'18.
xv	The project proponent shall bear the cost of	Complied.

Status of the conditions stipulated in Environment Clearance under CRZ notification

Sr. No.	Conditions	Compliance Status as on 30-09-2021
	<p>the external agency that may be appointed by the Department of Environment, Government of Gujarat for carrying out the supervision and/or the monitoring of the construction activities.</p>	<p>Construction activities are completed and project is in operation phase.</p> <p>As part of the directions given by MoEF&CC vides order dated 18th Sep, 2015, following studies were conducted.</p> <ol style="list-style-type: none"> 1. NCSCM (MoEF&CC promoted Government Agency) study on comprehensive and integrated plan for preservation and conservation of mangroves and associated creeks in and around APSEZ in year 2016-17. The cost of said study was 3.15 Cr, which was incurred by APSEZ. <p>As a part of mangrove conservation plan, APSEZ has done following activities.</p> <ol style="list-style-type: none"> a. Monitoring of mangrove distribution in creeks in and around APSEZ and shoreline changes in Bocha island through NCSCM, Chennai. The cost of the said study was INR 23.56 Lacs incurred by APSEZ. b. Tidal observation in creeks in and around APSEZ – The cost of the said activity was INR 1.0 Lacs incurred by APSEZ. c. Algal & Prosopis removal from Mangrove area - The cost of the said activity was INR 1.2 Lacs incurred by APSEZ. d. Awareness of mangroves importance in surrounding communities & Fodder support - The expenditure for fodder supporting activities was approx. 122.7 Lacs during last FY 2021-22 (Till Sep'21), which was incurred by APSEZ. <ol style="list-style-type: none"> 2. A Regional Impact Assessment study through Chola MS, Chennai (NABET accredited consultant) to identify impacts of all the existing as well as proposed project activities in Mundra region inline to ToR issued by GCZMA. The cost of said study was 1.3 Cr, which was incurred by APSEZ.
xvi	<p>The project proponent shall carry out the post-project monitoring of various environmental parameters in consultation with the</p>	<p>Complied.</p> <p>Monitoring of various environmental parameters for Ambient Air, Noise, Wastewater, ground water, marine water and sediments along with the parameters mentioned in the consent order issued by GPCB is being carried out by</p>

Status of the conditions stipulated in Environment Clearance under CRZ notification

Sr. No.	Conditions	Compliance Status as on 30-09-2021
	Department of Environment, Government of Gujarat and Gujarat Pollution Control Board.	NABL and MoEF&CC accredited agency namely M/s. Pollucon Laboratory Pvt. Ltd. Monitoring reports for the period from Apr'21 to Sep'21 are enclosed as Annexure – 4 .
xvii	The project proponent shall prepare the detailed traffic control management plan for the port and shall participate in the VTMS to be developed for the Gulf of Kachchh.	<p>Complied.</p> <p>APSEZ is practicing well defined traffic control procedure.</p> <p>A VTMS service for Gulf of Kutch is operated by Directorate General of Lighthouses and Lightships (DGLL), Govt. of India.</p> <p>APSEZ is practicing well defined traffic control procedure. Marine Control of APSEZ provides traffic update to vessels in Mundra Port Limit on VHF Channel- 77. Arrival and departure information in Gulf of Kutch is provided to VTMS information cell through an agent or directly by sending an e-mail to vtzmanageregulfokutch @ yahoo.com and vtsgok@yahoo.com.</p> <p>Mundra port has subscribed and taking VTMS feed from Kandla from link www.vts.gov.in.</p>
xviii	Action plan shall be prepared by the project proponents to prevent damage to marine life and also to the coastline in case of any oil spillage and the same shall be strictly implemented. Regular mock drills shall be carried out to ensure fitness of the equipment in place.	<p>Complied.</p> <p>Oil spill contingency response plan is being updated on regular basis and the same was last updated on 01.10.2021 is in place and implemented. Details were submitted along with last half yearly compliance report for the period Oct'20 to Mar'21. And there is no further change.</p> <p>For responding to oil spill, the Indian Coast Guard has developed the National Oil Spill Disaster Contingency Plan NOSDCP which has the approval of the Committee of Secretaries and has been in operation since 1996. Oil Spill Contingency Response Plan (OSCRP) prepared by APSEZ is in accordance with the NOSDCP.</p> <p>Regional Level Pollution Response exercise "SWACHCHH SAMUDRA-NW 2019" was carried out by Indian Coast Guard on 18th Dec, 2019. All participants from various Oil Handling Agencies and Stakeholders (ICG, GMB Port, DPT Vadinar, IOCL, RIL, NAYARA Energy, BORL, ESBTL Salaya,</p>

Status of the conditions stipulated in Environment Clearance under CRZ notification

Sr. No.	Conditions	Compliance Status as on 30-09-2021
		<p>APSEZL, HMEL, GSFC, PCB, Forest Dept., Customs, Fisheries & DPT Kandla) were participated in this exercise.</p> <p>Mock drills are conducted regularly by APSEZ. Last Oil Spill Mock drill was conducted on 24.03.2020. Details were submitted along with last half yearly EC compliance report for the period Oct'20 to Mar'21. No OSR mock drill was conducted between Apr-Sep 2021 due to strong SW wind.</p>
xix	<p>The project proponents shall work out the maximum quantity of spilled material, which can find its way into the coastal waters, under different accident scenarios, and their impact on aquatic life shall be studied after clearly demarcating the impact zones. On the basis of such studies, the necessary action plan to mitigate the likely impacts shall be prepared before commencement of the operations. Action taken report in this regard shall be submitted to the Ministry.</p>	<p>Complied.</p> <p>Oil spill contingency plan is in place to handle Tier 1 level oil spills considering different accident scenarios, and the vulnerable areas are identified and mitigation plan is prepared.</p> <p>Based on the oil spill modeling study, it has been observed that crude oil spill of 700 tons (Tier-I) will spread over an area having radius of around 400 m within 4hr. APSEZ already has facilities for combating a Tier-1 spill.</p> <p>Recommendations of Marine EIA by NIO with respect to pollution emergency contingency plan for Multipurpose Terminal, Container, Dry & Break Bulk Terminal as well as associated facilities are addressed in Oil Spill Response Plan.</p> <p>This action plan prepared by APSEZ to combat the oil spill (LOS-DCP) is in accordance with the NOS DCP, International Petroleum Industry Environmental Conservation Association (IPIECA). Please refer Point No. xviii.</p>
B. General Condition		
i	<p>Construction of the proposed structures should be undertaken meticulously conforming to the existing Central / local rules and regulations. All the construction designs / drawings relating to the proposed construction activities</p>	<p>Already complied. Not applicable at present.</p> <p>All construction activities are carried out conforming to the existing rules and regulation and as per the CRZ notification.</p> <p>Approval under the preview of GMB, PESO and Factories act were taken prior to start of construction.</p>

Status of the conditions stipulated in Environment Clearance under CRZ notification

Sr. No.	Conditions	Compliance Status as on 30-09-2021																																																																
	must have approvals of the concerned State Government Departments / Agencies.																																																																	
ii	The proponent shall ensure that as a result of the proposed constructions ingress of the saline water into the ground water does not take place. Piezometers shall be installed for regular monitoring for this purpose at appropriate locations on the project site.	<p>Complied.</p> <p>To monitor the ground water quality, bore wells are provided at various location in the port and SEZ areas. Third party analysis of the ground water is being carried out twice a year by NABL and MoEF&CC accredited agency namely M/s. Pollucon Laboratories Pvt. Ltd. Summary of the same for duration from Apr'21 to Sep'21 is mentioned below. Monitoring Reports are attached as Annexure – 4 for the same.</p> <p>Number of Sampling Locations: 5</p> <table border="1"> <thead> <tr> <th>Parameter</th> <th>Unit</th> <th>Minimum</th> <th>Maximum</th> </tr> </thead> <tbody> <tr> <td>pH</td> <td>-</td> <td>7.89</td> <td>8.35</td> </tr> <tr> <td>Salinity</td> <td>ppt</td> <td>0.91</td> <td>7.44</td> </tr> <tr> <td>Oil & Grease</td> <td>mg/L</td> <td>ND*</td> <td>ND*</td> </tr> <tr> <td>Hydrocarbon</td> <td>mg/L</td> <td>ND*</td> <td>ND*</td> </tr> <tr> <td>Lead as Pb</td> <td>mg/L</td> <td>0.02</td> <td>0.22</td> </tr> <tr> <td>Arsenic as As</td> <td>mg/L</td> <td>ND*</td> <td>ND*</td> </tr> <tr> <td>Nickel as Ni</td> <td>mg/L</td> <td>ND*</td> <td>ND*</td> </tr> <tr> <td>Total Chromium as Cr</td> <td>mg/L</td> <td>0.02</td> <td>0.04</td> </tr> <tr> <td>Cadmium as Cd</td> <td>mg/L</td> <td>ND*</td> <td>ND*</td> </tr> <tr> <td>Mercury as Hg</td> <td>mg/L</td> <td>ND*</td> <td>ND*</td> </tr> <tr> <td>Zinc as Zn</td> <td>mg/L</td> <td>0.14</td> <td>0.64</td> </tr> <tr> <td>Copper as Cu</td> <td>mg/L</td> <td>ND*</td> <td>ND*</td> </tr> <tr> <td>Iron as Fe</td> <td>mg/L</td> <td>0.28</td> <td>3.86</td> </tr> <tr> <td>Insecticides/Pesticides</td> <td>--</td> <td>ND*</td> <td>ND*</td> </tr> <tr> <td>Depth of Water Level from GL</td> <td>meter</td> <td>1.90</td> <td>2.15</td> </tr> </tbody> </table> <p style="text-align: right;">*ND = Not Detectable</p> <p>Approx. INR 9.56 Lakh is spent for all environmental monitoring activities during the compliance period i.e. Apr'21 to Sep'21 for overall APSEZ, Mundra.</p>	Parameter	Unit	Minimum	Maximum	pH	-	7.89	8.35	Salinity	ppt	0.91	7.44	Oil & Grease	mg/L	ND*	ND*	Hydrocarbon	mg/L	ND*	ND*	Lead as Pb	mg/L	0.02	0.22	Arsenic as As	mg/L	ND*	ND*	Nickel as Ni	mg/L	ND*	ND*	Total Chromium as Cr	mg/L	0.02	0.04	Cadmium as Cd	mg/L	ND*	ND*	Mercury as Hg	mg/L	ND*	ND*	Zinc as Zn	mg/L	0.14	0.64	Copper as Cu	mg/L	ND*	ND*	Iron as Fe	mg/L	0.28	3.86	Insecticides/Pesticides	--	ND*	ND*	Depth of Water Level from GL	meter	1.90	2.15
Parameter	Unit	Minimum	Maximum																																																															
pH	-	7.89	8.35																																																															
Salinity	ppt	0.91	7.44																																																															
Oil & Grease	mg/L	ND*	ND*																																																															
Hydrocarbon	mg/L	ND*	ND*																																																															
Lead as Pb	mg/L	0.02	0.22																																																															
Arsenic as As	mg/L	ND*	ND*																																																															
Nickel as Ni	mg/L	ND*	ND*																																																															
Total Chromium as Cr	mg/L	0.02	0.04																																																															
Cadmium as Cd	mg/L	ND*	ND*																																																															
Mercury as Hg	mg/L	ND*	ND*																																																															
Zinc as Zn	mg/L	0.14	0.64																																																															
Copper as Cu	mg/L	ND*	ND*																																																															
Iron as Fe	mg/L	0.28	3.86																																																															
Insecticides/Pesticides	--	ND*	ND*																																																															
Depth of Water Level from GL	meter	1.90	2.15																																																															
iii	A comprehensive contingency plan in collaboration with the concerned authorities must be formulated to contain in case of any	<p>Complied.</p> <p>Oil spill contingency response plan is being updated on regular basis and the same was last updated on 01.10.2021 is in place and implemented. Details were submitted along with last half yearly compliance report for the period</p>																																																																

Status of the conditions stipulated in Environment Clearance under CRZ notification

Sr. No.	Conditions	Compliance Status as on 30-09-2021																						
	<p>oil spills. Appropriate devices such as oil skimmer, oil monitor, oil water separator must be acquired for strengthening the contingency plan. All the service vessels that required for oil spill operations must be equipped with booms and dispersants. The personal onboard of these vessels must be properly trained in operation of these booms and dispersants.</p>	<p>Oct'20 to Mar'21. And there is no further change.</p> <p>Shoreline Resources available with APSEZ, for deployment during shoreline cleanup/ emergent situation:</p> <table border="1" data-bbox="630 604 1414 1220"> <thead> <tr> <th>Item</th> <th>Quantity</th> </tr> </thead> <tbody> <tr> <td>Oil Spill Dispersants</td> <td>5000 ltr.</td> </tr> <tr> <td>Absorbent pads</td> <td>2000 Nos.</td> </tr> <tr> <td>Portable dispersant storage tank: 1000 ltr. Capacity</td> <td>1 no.</td> </tr> <tr> <td>Portable pumps</td> <td>2 nos.</td> </tr> <tr> <td>Oil Containment Boom-Length 2000 metres, Height -1500 mm, Draft-900mm, Free Board-600mm</td> <td>2000 m</td> </tr> <tr> <td>Skimmer-KOMARA 15 Duplex Skimmer System with floating IMP 6 Pump.</td> <td>4 Nos.</td> </tr> <tr> <td>12.5T Flexible Floating Storage Tank (PUA).</td> <td>3 Nos.</td> </tr> <tr> <td>Lamor Minimax 12 m³ skimmer</td> <td>2 sets</td> </tr> <tr> <td>Lamor Side Collector system (Recovery Capacity 123 m³/ hr)</td> <td>2 Nos.</td> </tr> <tr> <td>Canadyne Fence Boom (Reel model 7296/8496 with Power Pack, Towing bridles and Tow lines - 235 meter</td> <td>1 No.</td> </tr> </tbody> </table> <p>10 Dolphin tugs are fitted with Oil Spill Dispersant boom and proportionate pump to mix OSD and Sea water as required; out of them 9 Dolphin Tugs are fitted with a fire curtain and remote-controlled fire monitors.</p> <p>IMO module course organized by Maritime Training Institute is conducted & 36 personnel have achieved IMO level 1 & 4 personnel have achieved IMO Level 2. Different training modules as Oil Spill, Oil Spill Equipment, Notification exercise, Incident are conducted at different frequency.</p> <p>Detail of resource available at APSEZL is provided in annexure 3 of Oil Spill Contingency Response Plan.</p>	Item	Quantity	Oil Spill Dispersants	5000 ltr.	Absorbent pads	2000 Nos.	Portable dispersant storage tank: 1000 ltr. Capacity	1 no.	Portable pumps	2 nos.	Oil Containment Boom-Length 2000 metres, Height -1500 mm, Draft-900mm, Free Board-600mm	2000 m	Skimmer-KOMARA 15 Duplex Skimmer System with floating IMP 6 Pump.	4 Nos.	12.5T Flexible Floating Storage Tank (PUA).	3 Nos.	Lamor Minimax 12 m ³ skimmer	2 sets	Lamor Side Collector system (Recovery Capacity 123 m ³ / hr)	2 Nos.	Canadyne Fence Boom (Reel model 7296/8496 with Power Pack, Towing bridles and Tow lines - 235 meter	1 No.
Item	Quantity																							
Oil Spill Dispersants	5000 ltr.																							
Absorbent pads	2000 Nos.																							
Portable dispersant storage tank: 1000 ltr. Capacity	1 no.																							
Portable pumps	2 nos.																							
Oil Containment Boom-Length 2000 metres, Height -1500 mm, Draft-900mm, Free Board-600mm	2000 m																							
Skimmer-KOMARA 15 Duplex Skimmer System with floating IMP 6 Pump.	4 Nos.																							
12.5T Flexible Floating Storage Tank (PUA).	3 Nos.																							
Lamor Minimax 12 m ³ skimmer	2 sets																							
Lamor Side Collector system (Recovery Capacity 123 m ³ / hr)	2 Nos.																							
Canadyne Fence Boom (Reel model 7296/8496 with Power Pack, Towing bridles and Tow lines - 235 meter	1 No.																							
iv	<p>The operation plan for responding to an oil spill must include clear procedures for notification of a spill,</p>	<p>Complied.</p> <p>Oil spill contingency plan is in place to handle Tier 1 level oil spills considering different accident scenarios, and the vulnerable areas are identified and mitigation plan is</p>																						

Status of the conditions stipulated in Environment Clearance under CRZ notification

Sr. No.	Conditions	Compliance Status as on 30-09-2021																																													
	response decision, cleanup operations, communications, and termination of cleanup operations, cleanup cost, oil pollution, damage control and disaster management plan.	prepared. Oil spill contingency response plan is being updated on regular basis and the same was last updated on 01.10.2021 is in place and implemented. Details were submitted along with last half yearly compliance report for the period Oct'20 to Mar'21. And there is no further change. Oil Spill Contingency Plan includes procedures for notification of a spill as point no 7.1, response strategy as Point no. 3.0, cleanup operations, Clean-up cost and termination of cleanup in point no. 3.5, communications in point no. 6.0.																																													
v	A well-equipped laboratory with suitable instruments to monitor the quality of air and water shall be set up so as to ensure that the quality of ambient air and water conforms to the prescribed standards. The laboratory will also be equipped with qualified manpower including a marine biologist so that the marine water quality is regularly monitored in order to ensure that the marine life is not adversely affected as a result of implementation of the said project. The quality of ambient air and water shall be monitored periodically in all the seasons and the results should be properly maintained for inspection of the concerned pollution	Being complied Site is provided with environment monitoring equipment with sufficient & competent staff of Third-Party laboratory accredited by NABL & MoEF&CC. Ambient Air Quality (twice in a week) and Noise (once in a month) monitoring are being carried out by NABL and MoEF&CC accredited agency namely M/s. Pollucon Laboratories Pvt. Ltd. Summary of the same for duration from Apr'21 to Sep'21 is mentioned below. Total Ambient Air & Noise Sampling Locations: 4 Nos. <table border="1"> <thead> <tr> <th>Parameter</th> <th>Unit</th> <th>Max</th> <th>Min</th> <th>Perm. Limit[§]</th> </tr> </thead> <tbody> <tr> <td colspan="5">AAQM</td> </tr> <tr> <td>PM₁₀</td> <td>µg/m³</td> <td>95.52</td> <td>43.61</td> <td>100</td> </tr> <tr> <td>PM_{2.5}</td> <td>µg/m³</td> <td>57.32</td> <td>16.56</td> <td>60</td> </tr> <tr> <td>SO₂</td> <td>µg/m³</td> <td>23.45</td> <td>6.22</td> <td>80</td> </tr> <tr> <td>NO₂</td> <td>µg/m³</td> <td>41.25</td> <td>14.26</td> <td>80</td> </tr> </tbody> </table> <table border="1"> <thead> <tr> <th>Noise</th> <th>Unit</th> <th>Leq Max</th> <th>Leq Min</th> <th>Leq Perm. Limit*</th> </tr> </thead> <tbody> <tr> <td>Day Time</td> <td>dB(A)</td> <td>73.1</td> <td>48.7</td> <td>75</td> </tr> <tr> <td>Night Time</td> <td>dB(A)</td> <td>69.8</td> <td>52.4</td> <td>70</td> </tr> </tbody> </table> <p>[§] as per NAAQ standards, 2009 [*] as per CC&A granted by GPCB Values recorded confirms to the stipulated standards.</p> Sewage generated from port is being treated in designated ETP / STPs and treated sewage is being used for horticulture purposes. Please refer Specific Condition No. xii for further details.	Parameter	Unit	Max	Min	Perm. Limit [§]	AAQM					PM ₁₀	µg/m ³	95.52	43.61	100	PM _{2.5}	µg/m ³	57.32	16.56	60	SO ₂	µg/m ³	23.45	6.22	80	NO ₂	µg/m ³	41.25	14.26	80	Noise	Unit	Leq Max	Leq Min	Leq Perm. Limit*	Day Time	dB(A)	73.1	48.7	75	Night Time	dB(A)	69.8	52.4	70
Parameter	Unit	Max	Min	Perm. Limit [§]																																											
AAQM																																															
PM ₁₀	µg/m ³	95.52	43.61	100																																											
PM _{2.5}	µg/m ³	57.32	16.56	60																																											
SO ₂	µg/m ³	23.45	6.22	80																																											
NO ₂	µg/m ³	41.25	14.26	80																																											
Noise	Unit	Leq Max	Leq Min	Leq Perm. Limit*																																											
Day Time	dB(A)	73.1	48.7	75																																											
Night Time	dB(A)	69.8	52.4	70																																											

Status of the conditions stipulated in Environment Clearance under CRZ notification

Sr. No.	Conditions	Compliance Status as on 30-09-2021																					
	<p>Control agencies. The periodic monitoring reports at least once in 6 months must be sent to this Ministry as well as its Regional Office at Bhopal.</p>	<p><u>Marine Monitoring:</u></p> <p>Summary of the marine water monitoring for duration from Apr'21 to Sep'21 is provided above in point No. vii (specific conditions).</p> <p>Adani group has appointed a marine biologist Mr. Dhiraj Narale to monitor marine water quality. Also the third party monitoring of the Marine water is being carried out once in a month by NABL and MoEF&CC accredited agency namely M/s. Pollucon Laboratories Pvt. Ltd. who has marine biologist to ensure that the marine water quality do not adversely affects the marine life. Monitoring Reports are attached as Annexure – 2 for the same.</p> <p>Approx. INR 9.56 Lakh is spent for all environmental monitoring activities during the compliance period i.e. Apr'21 to Sep'21 for overall APSEZ, Mundra.</p> <p>Compliance report of EC conditions is uploaded regularly. Last compliance report including results of monitoring data for the period of Oct'20 to Mar'21 was submitted to Regional Office of MoEF&CC @ Bhopal, Zonal Office of CPCB @ Baroda, GPCB @ Gandhinagar & Gandhidham and Dept. of Forests & Env., Gandhinagar vide our letter dated 18.05.2021. Copy of the same is also available on our web site https://www.adaniports.com/ports-downloads. A soft copy of the same was also submitted through e-mail on 20.05.2021 to all the concern authorities. Please refer below for the details regarding past six compliance submissions.</p> <table border="1" data-bbox="657 1570 1414 1824"> <thead> <tr> <th>Sr. No.</th> <th>Compliance period</th> <th>Date of submission</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>Apr'18 to Sep'18</td> <td>30.11.2018</td> </tr> <tr> <td>2</td> <td>Oct'18 to Mar'19</td> <td>31.05.2019</td> </tr> <tr> <td>3</td> <td>Apr'19 to Sep'19</td> <td>28.11.2019</td> </tr> <tr> <td>4</td> <td>Oct'19 to Mar'20</td> <td>20.05.2020</td> </tr> <tr> <td>5</td> <td>Apr'20 to Sep'20</td> <td>26.11.2020</td> </tr> <tr> <td>6</td> <td>Oct'20 to Mar'21</td> <td>25.05.2021</td> </tr> </tbody> </table>	Sr. No.	Compliance period	Date of submission	1	Apr'18 to Sep'18	30.11.2018	2	Oct'18 to Mar'19	31.05.2019	3	Apr'19 to Sep'19	28.11.2019	4	Oct'19 to Mar'20	20.05.2020	5	Apr'20 to Sep'20	26.11.2020	6	Oct'20 to Mar'21	25.05.2021
Sr. No.	Compliance period	Date of submission																					
1	Apr'18 to Sep'18	30.11.2018																					
2	Oct'18 to Mar'19	31.05.2019																					
3	Apr'19 to Sep'19	28.11.2019																					
4	Oct'19 to Mar'20	20.05.2020																					
5	Apr'20 to Sep'20	26.11.2020																					
6	Oct'20 to Mar'21	25.05.2021																					
vi	<p>Adequate provision for infrastructure facilities such as water supply,</p>	<p>Already complied. Not Applicable at present.</p> <p>Construction Activity is already completed. Adequate</p>																					

Status of the conditions stipulated in Environment Clearance under CRZ notification

Sr. No.	Conditions	Compliance Status as on 30-09-2021																				
	fuel for cooking, sanitation etc. must be provided for the laborers during the construction period in order to avoid damage to the environment. Colonies for the laborers should not be located in the CRZ area. It should also be ensured that the construction workers do not cut trees including mangroves for fuel wood purpose.	<p>infrastructure facilities as mentioned in the condition were provided during construction phase.</p> <p>The facility for drinking water, toilet and rest shelter are provided for the dignity of operation labours.</p> <p>Photographs of the same were provided along with the compliance submission for the duration of Oct'16 to Mar'17.</p>																				
vii	To prevent discharge of sewage and other liquid wastes in to the water bodies, adequate system for collection and treatment of the wastes must be provided. No sewage and other liquid wastes without treatment should be allowed to enter into the water bodies. The quality of treated effluents, emissions, solid wastes and noise levels must confirm to the standards laid down by the competent authority including the Central/State Pollution Control Board.	<p>Complied.</p> <p>Adequate pipelines are provided to ensure the collection and treatment of effluent. Raw sewage is collected from 30 different collection pits at APSEZ locations through dedicated browsers and is transferred to ETP for treatment.</p> <p>Sewage generated from port is being treated in designated ETP and treated sewage is used for horticulture purposes. No treated water is discharged into the water bodies. Please refer Specific Condition No. xii for further details.</p> <p>Third party analysis of the treated water, Flue Gas, Ambient Air and Noise is being carried out regularly by NABL and MoEF&CC accredited agency namely M/s. Pollucon Laboratories Pvt. Ltd.</p> <p>Summary of six-monthly monitoring of Flue gas emission is provided below.</p> <p>Total Nos. of Stacks: 16 Nos.</p> <table border="1"> <thead> <tr> <th>Parameters</th> <th>Unit</th> <th>Max</th> <th>Min</th> <th>Permissible Limit^s</th> </tr> </thead> <tbody> <tr> <td>PM</td> <td>mg/Nm³</td> <td>35.42</td> <td>19.41</td> <td>150</td> </tr> <tr> <td>SO₂</td> <td>ppm</td> <td>7.71</td> <td>3.73</td> <td>100</td> </tr> <tr> <td>NO_x</td> <td>ppm</td> <td>38.50</td> <td>26.80</td> <td>50</td> </tr> </tbody> </table> <p>^s as per CC&A granted by GPCB</p>	Parameters	Unit	Max	Min	Permissible Limit ^s	PM	mg/Nm ³	35.42	19.41	150	SO ₂	ppm	7.71	3.73	100	NO _x	ppm	38.50	26.80	50
Parameters	Unit	Max	Min	Permissible Limit ^s																		
PM	mg/Nm ³	35.42	19.41	150																		
SO ₂	ppm	7.71	3.73	100																		
NO _x	ppm	38.50	26.80	50																		

Status of the conditions stipulated in Environment Clearance under CRZ notification

Sr. No.	Conditions	Compliance Status as on 30-09-2021
		<p>Six monthly reports of flue gas emissions for duration from Apr'21 to Sep'21 is attached as Annexure – 4.</p> <p>Summary of Ambient Air and Noise for duration from Apr'21 to Sep'21 is provided in general condition No. v above.</p> <p>Waste Management – APSEZ has adopted 5R concept for environmentally sound management of different types of solid & liquid wastes. Please refer below details about management of each type of waste.</p> <p>Solid Waste: A well-established system for segregation of dry & wet waste is in place. All wet waste (Organic waste) is being segregated & utilized for compost manufacturing and/or biogas generation for cooking purpose. The compost is further used by in house horticulture team for greenbelt development. Whereas dry recyclable waste is being sorted in various categories. Presently manual / mechanical sorting is being done for sorting of different types of solid waste. Segregated recyclable materials such as Paper, Plastic, Cardboard, PET Bottles, and Glasses, etc. are then sent to respective recycling units, whereas remaining non-recyclable waste is bailed and sent to cement plant (M/s. Ambuja Cement Ltd., Kodinar) for Co-processing as RDF (Refused Derived Fuel).</p> <p>APSEZ, Mundra is certified for Zero Waste to Landfill management system (ZWTL MS 2020) by TUV Rheinland India Pvt. Ltd. (valid up to 31.05.2024). APSEZ, Mundra has also been certified as Single Use Plastic (SUP) Free Port by Confederation of Indian Industry (CII) (valid up to 25.05.2022). Details of the same are attached as Annexure – 7.</p> <p>Hazardous & Other Waste:</p> <ul style="list-style-type: none"> • Bio medical waste generated from OHCs and Adani Hospital is being disposed at Common Bio Medical Waste Treatment Facility namely M/s. Distromed Kutch Services Pvt. Ltd., Bhuj. • E – Waste & Used Batteries are being sold to GPCB registered recyclers namely M/s. Galaxy Recycling, Rajkot and Sabnam Enterprise, Kutch respectively.

Status of the conditions stipulated in Environment Clearance under CRZ notification

Sr. No.	Conditions	Compliance Status as on 30-09-2021						
		<ul style="list-style-type: none"> • Solid Hazardous Waste is being disposed through co-processing / incineration through common facility i.e. M/s. Saurashtra Enviro Projects Pvt. Ltd., Bhachau and/or cement industries of Ambuja Cement Ltd., Kodinar. Used/Waste Oil is being sold to GPCB authorized recyclers / re-processors namely M/s. Aroma Petrochem, Bhavnagar & Aviation Corporation, Kutch. It is also being reused within organization for lubrication purpose. • Discarded drums / barrels are being sold to authorized decontamination facility i.e. M/s. Jawrawala Petroleum, Ahmedabad. It is also being reused within organization for filling hazardous waste. • Solid hazardous waste i.e. Tank bottom sludge is being sold to authorized recycler namely M/s. Mundra Oil Pvt. Ltd., Mundra for recycling. • Expired paint materials is being disposed by incineration through common facility i.e. M/s. Saurashtra Enviro Projects Pvt. Ltd., Bhachau. • Downgrade chemicals generated from cleaning of storage tanks / pipelines are being sold to authorized solvent recovery facilities namely M/s. Acquire Chemicals, Ankleshwar however during the compliance period, there was no disposal of downgrade chemicals. • Slop Oil received from vessels is treated to separate water and oil particles in Oil Water Separator system. Separated oil from the same is being sold to authorized recycler / reprocessor namely M/s. Aroma Petrochem, Bhavnagar & Aviation Corporation, Kutch and water is sent to ETP for further treatment. However during the compliance period, there was no received or disposal of Slope Oil. <p>Details of permissions / agreements of hazardous waste authorized vendors were submitted along with pervious half yearly EC Compliance Reports. And there is no further change.</p> <p>The following table summarizes the waste management practice (from Apr'21 to Sep'21) for different types of wastes at APSEZ:</p> <table border="1" data-bbox="630 1864 1440 1917"> <thead> <tr> <th data-bbox="630 1864 902 1917">Type of Waste</th> <th data-bbox="902 1864 1109 1917">Quantity in MT</th> <th data-bbox="1109 1864 1440 1917">Disposal method</th> </tr> </thead> <tbody> <tr> <td> </td> <td> </td> <td> </td> </tr> </tbody> </table>	Type of Waste	Quantity in MT	Disposal method			
Type of Waste	Quantity in MT	Disposal method						

Status of the conditions stipulated in Environment Clearance under CRZ notification

Sr. No.	Conditions	Compliance Status as on 30-09-2021																																															
		<table border="1"> <thead> <tr> <th colspan="3" data-bbox="618 430 1453 462">Hazardous Waste</th> </tr> </thead> <tbody> <tr> <td data-bbox="618 462 902 493">Pig Waste</td> <td data-bbox="902 462 1107 493">9.01</td> <td data-bbox="1107 462 1453 493"></td> </tr> <tr> <td data-bbox="618 493 902 525">Oily Cotton waste</td> <td data-bbox="902 493 1107 525">68.5</td> <td data-bbox="1107 493 1453 525"></td> </tr> <tr> <td data-bbox="618 525 902 556">Used / Spent Oil</td> <td data-bbox="902 525 1107 556">223.6</td> <td data-bbox="1107 525 1453 556">Sell to registered recycler</td> </tr> <tr> <td data-bbox="618 556 902 588">Discarded</td> <td data-bbox="902 556 1107 588">29.56</td> <td data-bbox="1107 556 1453 588">Sell to registered recycler</td> </tr> <tr> <td data-bbox="618 588 902 619">Containers / Barrels</td> <td data-bbox="902 588 1107 619">1.49</td> <td data-bbox="1107 588 1453 619">Reuse within premises</td> </tr> <tr> <th colspan="3" data-bbox="618 619 1453 651">Other Waste</th> </tr> <tr> <td data-bbox="618 651 902 682">Battery Waste</td> <td data-bbox="902 651 1107 682">30.0</td> <td data-bbox="1107 651 1453 682">Sell to registered recycler</td> </tr> <tr> <td data-bbox="618 682 902 714">E-Waste</td> <td data-bbox="902 682 1107 714">35.79</td> <td data-bbox="1107 682 1453 714">Sell to registered recycler</td> </tr> <tr> <td data-bbox="618 714 902 745">Bio Medical Waste</td> <td data-bbox="902 714 1107 745">3.0</td> <td data-bbox="1107 714 1453 745">To approved CBWTF Site</td> </tr> <tr> <th colspan="3" data-bbox="618 745 1453 777">Non-Hazardous Waste</th> </tr> <tr> <td data-bbox="618 777 902 850">Recyclables Dry Waste / Scrap</td> <td data-bbox="902 777 1107 850">755.97</td> <td data-bbox="1107 777 1453 850">After recovery sent for recycling / Reuse within premises</td> </tr> <tr> <td data-bbox="618 850 902 903">Non-Recyclable Dry Waste (RDF)</td> <td data-bbox="902 850 1107 903">217.86</td> <td data-bbox="1107 850 1453 903">Co-processing at Cement Industries</td> </tr> <tr> <td data-bbox="618 903 902 987">Wet Waste (Food waste + Organic waste)</td> <td data-bbox="902 903 1107 987">438.55</td> <td data-bbox="1107 903 1453 987">Converted to Manure for Horticulture use / Biogas for cooking purpose</td> </tr> <tr> <td data-bbox="618 987 902 1045">STP Sludge</td> <td data-bbox="902 987 1107 1045">17</td> <td data-bbox="1107 987 1453 1045">Used as a Manure for horticulture purpose</td> </tr> </tbody> </table>			Hazardous Waste			Pig Waste	9.01		Oily Cotton waste	68.5		Used / Spent Oil	223.6	Sell to registered recycler	Discarded	29.56	Sell to registered recycler	Containers / Barrels	1.49	Reuse within premises	Other Waste			Battery Waste	30.0	Sell to registered recycler	E-Waste	35.79	Sell to registered recycler	Bio Medical Waste	3.0	To approved CBWTF Site	Non-Hazardous Waste			Recyclables Dry Waste / Scrap	755.97	After recovery sent for recycling / Reuse within premises	Non-Recyclable Dry Waste (RDF)	217.86	Co-processing at Cement Industries	Wet Waste (Food waste + Organic waste)	438.55	Converted to Manure for Horticulture use / Biogas for cooking purpose	STP Sludge	17	Used as a Manure for horticulture purpose
Hazardous Waste																																																	
Pig Waste	9.01																																																
Oily Cotton waste	68.5																																																
Used / Spent Oil	223.6	Sell to registered recycler																																															
Discarded	29.56	Sell to registered recycler																																															
Containers / Barrels	1.49	Reuse within premises																																															
Other Waste																																																	
Battery Waste	30.0	Sell to registered recycler																																															
E-Waste	35.79	Sell to registered recycler																																															
Bio Medical Waste	3.0	To approved CBWTF Site																																															
Non-Hazardous Waste																																																	
Recyclables Dry Waste / Scrap	755.97	After recovery sent for recycling / Reuse within premises																																															
Non-Recyclable Dry Waste (RDF)	217.86	Co-processing at Cement Industries																																															
Wet Waste (Food waste + Organic waste)	438.55	Converted to Manure for Horticulture use / Biogas for cooking purpose																																															
STP Sludge	17	Used as a Manure for horticulture purpose																																															
viii	Appropriate facility should be created for the collection of solid and liquid wastes generated by the barges/vessels and their safe treatment and disposal should be ensured to avoid possible contamination of the water bodies.	<p>Complied.</p> <ul style="list-style-type: none"> Ships berthing at Mundra Port comply with MARPOL / DG Shipping regulations. The port is registered with DG Shipping PAN India portal "Swatch Sagar" for providing reception facility. All vessels wish to deliver waste at Mundra Port, raises request in Swatch Sagar Portal. The Port arranges waste collection from vessels and uploads Waste Delivery Receipt in Swatch Sagar Portal against vessel's request. The waste disposal is being done as per regulation. The PRF is also annually audited by DG Shipping. The reception facility for all category of waste except Annex VI as per IMO and DG Shipping requirements is available in the port. From all the waste, waste categorized in Annex – V category is being collected and disposed by port itself i.e. APSEZL Mundra. Port collects Solid waste (i.e. Garbage) categorized in Annex – V from vessels and collected waste is being sent to Material Recovery Facility for segregation & than segregated waste is being disposed in line with 5R principles. Waste categorized in Annex – 1 (Sludge Oil) category is directly collected and disposed by GPCB authorized recyclers. 																																															

Status of the conditions stipulated in Environment Clearance under CRZ notification

Sr. No.	Conditions	Compliance Status as on 30-09-2021
		<ul style="list-style-type: none"> No discharge such as bilge wastes, sewage or any other liquid wastewater is allowed into marine environment inside port limits. As a general practice APSEZ has been authorized under Hazardous Waste Rules – 2016 to provide facility for receiving waste / slop oil from vessels through hose connection with oil tankers. These tankers divert waste / slop oil to Oil water separator system where water and oil particles are separated. Separated oil is being sold to authorized recycler /re-processor. However, no waste / slope oil was received during the compliance period.
ix	<p>Necessary navigational aids such as channel markers should be provided to prevent accidents. Internationally recognized safety standards shall be applied in case of barge /vessel movements.</p>	<p>Complied.</p> <p>Navigational aids such as buoys and leading lights have been provided. The rules and regulation of the port contributes to the safe, efficient and environmentally responsible handling of shipping traffic. The international rules of IMO, such as SOLAS convention and its amendments and national regulations are in force at APSEZ, Mundra.</p> <p>APPLICABLE REGULATION</p> <ul style="list-style-type: none"> ➤ Port Security Law (ISPS) ➤ Indian Port Act ➤ Gujrat Maritime Board Act 1981 ➤ Navigational Safety Port Committee (NSPC) ➤ All relevant international rules and regulations on MARPOL, Load lines etc.
x	<p>During operation phase proper precautions should be taken to avoid any oil spills and no oily wastes shall be discharged into the water bodies.</p>	<p>Complied.</p> <p>Proper precautions are taken to avoid any oil spills during operation such as pressure checks of oil transfer lines and manual watch during oil cargo transfer.</p> <p>Available mechanisms to avoid oil spills are identified as below</p> <p><u>At liquid terminal:</u></p> <ul style="list-style-type: none"> • Immediate shut off valve from vessel and shore. • Periodical testing of lines • Immediate suction of material by pump. • Emergency operation shut down.

Status of the conditions stipulated in Environment Clearance under CRZ notification

Sr. No.	Conditions	Compliance Status as on 30-09-2021				
		<p><u>At Marine Operations:</u></p> <ul style="list-style-type: none"> Scupper plug, dip tray, absorbent pad, saw dust is provided to address confined spillage/leakage. <p><u>At Container Terminals:</u></p> <ul style="list-style-type: none"> Leak cart is available for collect spilled chemical. Spill control materials in place. Oil drums are stored in covered shed where pellets are used. Tray provided to collection of spillage/leakage if occurred. <p>No oily waste is discharged to water bodies. Oily waste or oil contaminated waste is being disposed as mentioned in General Condition no. vii above.</p>				
xi	<p>The project authorities should take appropriate community development and welfare measures for the villagers in the vicinity of the project site, including drinking water facilities. A separate fund should be allocated for this purpose.</p>	<p>Complied.</p> <p>APSEZ is actively working with local community around the project area and provides required support for their livelihood and other concerns through the CSR arm – Adani Foundation. Adani Foundation is working in main four persuasions as below.</p> <ul style="list-style-type: none"> ✚ Education ✚ Community Health ✚ Rural Infrastructure ✚ Sustainability Livelihood <p>Brief information about activities in the main four persuasions is mentioned below. Other than this, Adani Foundation has also worked for fight against COVID – 19 pandemic situations during this compliance period Activities carried out for the same are summarized as below.</p> <table border="1" data-bbox="630 1608 1442 1915"> <thead> <tr> <th data-bbox="630 1608 834 1640">Area</th> <th data-bbox="834 1608 1442 1640">Activity</th> </tr> </thead> <tbody> <tr> <td data-bbox="630 1640 834 1915">Fight Against COVID-19</td> <td data-bbox="834 1640 1442 1915"> <ul style="list-style-type: none"> Started Covid care centre service at Samudra town ship to Provide medical services at 24 x7 hrs. Home Visit for Medical Prescription and advise for further treatment & co-ordination. AF team voluntary performed patients care and co-ordination duty at GKGH, Bhuj for 23 days. AHMPL, Mundra was converted into Covid Hospital with 100 bed Facilities with oxygen to extend Covid medical treatment over community. All related coordination done by our team for more than 353 OPD and IPD. </td> </tr> </tbody> </table>	Area	Activity	Fight Against COVID-19	<ul style="list-style-type: none"> Started Covid care centre service at Samudra town ship to Provide medical services at 24 x7 hrs. Home Visit for Medical Prescription and advise for further treatment & co-ordination. AF team voluntary performed patients care and co-ordination duty at GKGH, Bhuj for 23 days. AHMPL, Mundra was converted into Covid Hospital with 100 bed Facilities with oxygen to extend Covid medical treatment over community. All related coordination done by our team for more than 353 OPD and IPD.
Area	Activity					
Fight Against COVID-19	<ul style="list-style-type: none"> Started Covid care centre service at Samudra town ship to Provide medical services at 24 x7 hrs. Home Visit for Medical Prescription and advise for further treatment & co-ordination. AF team voluntary performed patients care and co-ordination duty at GKGH, Bhuj for 23 days. AHMPL, Mundra was converted into Covid Hospital with 100 bed Facilities with oxygen to extend Covid medical treatment over community. All related coordination done by our team for more than 353 OPD and IPD. 					

Status of the conditions stipulated in Environment Clearance under CRZ notification

Sr. No.	Conditions	Compliance Status as on 30-09-2021
		<ul style="list-style-type: none"> • Provided Oxygen Concentrator machines for Home isolated patients resulted in goodwill. • Provide Dead body van service to shift covid demise patients to Crematorium with all dignity. • Precautionary voice message dissemination through Awaj de voice message service Over Community. • Started Village Sanitizing activities and Ukalo, Vitamin C tablet distribution
	Community Health	<ul style="list-style-type: none"> • Mobile Health Care Units and Rural Clinics • 9 Rural Clinics • 06 from Mundra, 02 from Anjar & 01 from Mandvi block treated; • 3843 patients • 31 villages covered, with 94 types of general and lifesaving medicines through Mobile healthcare unit • 3364 patients benefited during six months • 06 patients are provided Dialysis treatment at 133 times with nominal charges at Adani Hospital. • 471 –Economically Challenged patients have been supported for operation, OPD, IPD, Medicines and lab-test. • For Preventive health care General and multispecialty camps Pediatric camp, General Health camps in 9 villages and Super specialist camp which benefitted more than 1100 patients of Mundra Taluka. • 16 Senior Citizens have been linked with Government Niradhar pension scheme, 34 senior Citizens linked up with Ayushman Yojana and 67 Senior Citizens were referred to GKGH Bhuj for chronic illness.
	Sustainable Livelihood – Fisher folk, Agriculture & Women	<ul style="list-style-type: none"> • Average 75 KL of water was supplied to 676 households at 5 fisherman vasahat on a daily basis under Machhimar Shudhh Jal Yojana and other 4 fisherman vasahat has linkaged with water through GWIL and Mundra Gram Panachayat from which 355 households get benefited. • 11 Fisher Youth were interviewed among that 5 have been selected. Our target is to support 60+ Fisherman in alternative livelihood till March 2022. • Facilitation of Pagadiya Welfare scheme & boat license sanction letter to 06 Fishermen. Till date 59 Form has been submitted to fisheries department, Bhuj for pagadiya and boat License. • During the Taukate cyclone fishermen family had been shifted to safe Places As well as support to disaster management team for advance preparation. • To promote Natural farming Adani Foundation has originated cow-based farming initiative with interconnected techniques which can increase farmer yield. • 23 wormicompost unit have been set-up. Which is facilitated through Government with farmer Contribution. • 50 Farmers have started to preparing Jiva Mrut & Gaukrupa Amrutam Bio-fertilizer and using in agricrop. Series of Training is arranged by ATMA and Adani Foundation.

Status of the conditions stipulated in Environment Clearance under CRZ notification

Sr. No.	Conditions	Compliance Status as on 30-09-2021	
			<ul style="list-style-type: none"> • Two Farmers Groups is registered with ATMA– Agricultural technology management Agency–it will leverage Government schemes. • Adani Foundation provides Good Quality dry and green fodder to 24 Villages. Project is covering total 14116 Cattels / 3008 farmers and hence enhancing cattle productivity. Dry Fodder 895398 Kg Green –2425230 Kg. • Fodder Cultivation-To made fodder sustain villages -25 Acre Gauchar land of Siracha village is being cultivated for the same. • Current year for the dates Packaging and Marketing, KKPC Started to sell 10 Kg capacity packaging Box at Minimum Profit Margin At Rs.29/Boxes which resulted in turn over of Rs. 24 Lacs with Profit of 1 Lac. This initiative has supported more than 1800 farmers indirectly. • Dragon fruit farming is on going by Five farmers each farmer is doing in 2 Acre farm –Total 11000 plants. • Skill Development and Income Generation –Adani Foundation is working with 15 Self help group and supporting to develop entrepreneur skills to become self reliant, sourcing more than 350 women to absorb in various job.
		Education	<ul style="list-style-type: none"> • The Virtual and Offline classes (Shrisikshan) with parents permission with all precautionary measures as Government Guide Lines. Its very encouraging that inspired by Our Sheri Sikshan Initiative-Gov Teachers also started same approach. • Online Outreach – 259 Students • Individual Home visit – 415 Students • Sheri sikshan and school students - 838 Students • Uthhan First phase 17 Schools and 2951 students were part of the program, and second phase 14 Schools and 1952 Students were part of the programme. Total 4903 students are getting benefit from Utthan. • Coaching of 49 students for National Means cum Merit Cum Scholarship Scheme (NMMS). • Coaching of 34 Students for Javahar Navoday Entrance Exam by Utthan Sahayak since last Three Months. • Total 394 webinar and capacity building program were arranged for Utthan Sahayaks and Government Officers. • Arranged Virtual Tour regarding Plastic Waste Management with Municipal Corporation, Surat and aware about waste Collection, Segregation, treatment and Disposal Process. Total 178 Students were participated for the same. • 508 underprivileged students of Fisherman & Maldhari communities from 8 villages taking education at the Adani Vidya Mandir school • Celebration of various days is villages school.
		Rural Infrastructure &	Adani foundation designed and build various structure and provide service in the Health, Education, agriculture and sustainable livelihood area.

Status of the conditions stipulated in Environment Clearance under CRZ notification

Sr. No.	Conditions	Compliance Status as on 30-09-2021	
		Environmental Sustainability	<p><u>WORK COMPLETED</u></p> <ul style="list-style-type: none"> • 31 RRWHS structure have been completed • 45 Bore-well recharging activity is completed. • Development Approach road Prasala vadi vistar Gogan Pachim at Zarpara • Earthen bund Repairing work at Pond, Luni. • Pre-monsoon activity Approach repairing, Village Pond Lake strengthen and river cleaning (babul cutting) work is ongoing in Various Villages • Approach Road repairing at Various Fishermen Vasahat (ARC). <p><u>WORK IN PROGRESS</u></p> <ul style="list-style-type: none"> • Construction of common Gathering Rooms at Wandu village. • Development of Chain Link Fencing at tree forestation at Nana Kapaya. • Construction of community gathering Shed at Mundra -work in final Stage. <p><u>ENVIRONMENT SUSTAINABILITY PROJECTS</u></p> <ul style="list-style-type: none"> • Miyawaki Forest Development, Nana Kapaya - Plantation of 4965 saplings of different 42 species is completed which will result in dense forest within 2 years • Smruti Van – Plantation more than 40,000 sapling with more than 115 species through Miyawaki methodology. • Ecosystem Restoration, Guneri – Grassland ecosystem restoration and mangrove conservation in 40 Ha area over a period of 4 years • Multi-Species Mangrove Park - Adani Foundation at Mundra 's initiated multi-species plantation of mangroves in Kutch association with GUIDE. During 2018-2019 (Phase-I) multi-species mangrove plantation was carried out in 10 ha, during Phase-II (2019-2020) it was 02 ha and during Phase III (2020-2021) it is 01 ha. Current year 3 hector development is planned to extend multi-species mangrove plantation. • Home biogas - Under Gram Utthan Project, Adani Foundation is supporting home biogas to farmers to Uthhan Villages phase wise. Current year supported 117 home biogas in Dhruh, Zarpara and Navinal Villages. • Seaweed Culture - A pilot cultivation facility (5 KL tanks in 6 nos.) for the farming of different economically important seaweeds in the tanks on the onshore has been established and commenced the cultivation trials with red seaweeds Kappaphycus alvarezii, Gracilaria dura and green seaweed Ulva. • Water Conservation Projects – <ul style="list-style-type: none"> ✓ A large number of water harvesting structure (18 Nos. of check dams and Augmentation of 2check dams (1 Check dam current year). ✓ Ground recharge activities (pond deepening work for more than 52 ponds) individually and 26 ponds under Sujlam Suflam Jal Abhiyan

Status of the conditions stipulated in Environment Clearance under CRZ notification

Sr. No.	Conditions	Compliance Status as on 30-09-2021	
			<ul style="list-style-type: none"> ✓ Roof Top Rain Water Harvesting 90 Nos. (35 Nos current year) which is having 10,000 litre storage ✓ Recharge Borewell 125 Nos (50 Nos current year) which is best ever option to. ✓ Drip Irrigation 980 Farmers (56 Application current year) ✓ Bund construction on way of Nagmati River could save more than 575 MCFT water quantity which recharged in ground due to which borewell depth decreased by 50-100 Ft in Zarpara, Bhujpur and Navinal Vadi Vistar. ✓ Luni Pond Bund Repairing Work.
		Skill Development	<p>Over the last few years, Adani Skill Development Center has assessed various aspects of the technical, leadership and soft skills gaps that organizations, in general, face and accordingly focuses on imparting required training in those areas in partnership with various colleges and institutes.</p> <p>ASDC, Mundra</p> <ul style="list-style-type: none"> • RPL–Recognition of Prior Learning Training given to Adani Group Contractual Employees–Total 218 Employees have been benefitted • Junior Crane Operator practical training to 36 Candidates for (Group-1, 2 & 3) At MICT Port. • Guest Lecture on Mehendi products, Beauty Therapist & Resin art Total 100 candidate have been benefitted. • Certificate Distributed to Mud work candidates at MICT Colony – 30 women learnt Mud work. • Volunteer Support in GKGH and Adani Hospital during covid pandemic. • 21 students were coordinated for interview in seabird CFS of Mundra. <p>ASDC, Bhuj</p> <ul style="list-style-type: none"> • Launched New online General Duty Assistant & Beauty Therapist for 63 candidates under (DDU-GKY). • Soft Skills Training Certificate distribution to Prisoners of Palara Special Jail. • Guest lecture on "Tally: Older vs New" & "Concept of Emerging E-way Bill" <p>Total Beneficiaries:</p> <ul style="list-style-type: none"> • Technical Training: 365 Nos. • Sof-Skill Training: 52 Nos.
		Please refer Annexure – 3 for full details of CSR activities carried out by Adani Foundation in the Mundra region. Budget for CSR Activity for the FY 2021-22 is to the tune of INR 1628.45 lakh. Out of which, Approx. INR 423.18 lakh are spent during current compliance period i.e. Apr'21 to Sep'21.	
xii	The quarrying material required for the	Not applicable at present.	

Status of the conditions stipulated in Environment Clearance under CRZ notification

Sr. No.	Conditions	Compliance Status as on 30-09-2021
	<p>construction purpose shall be obtained only from the approved quarries / borrow areas. Adequate safeguard measures shall be taken to ensure that the overburden and rocks at the quarry site does not find their way into water bodies.</p>	<p>Construction activities are completed. No such activity is carried out during the compliance period of Oct'20 to Mar'21.</p>
xiii	<p>The dredging operations, if any, to be undertaken with the prior approval of this Ministry, shall be executed with appropriate safeguard measures to prevent turbidity conditions in consultation with the expert agencies such as CWPRS / NIO.</p>	<p>Complied</p> <p>Capital dredging is completed and only maintenance dredging is being carried out, if required.</p>
xiv	<p>For employing unskilled, semi-skilled and skilled workers for the project, preference shall be given to local people.</p>	<p>Complied</p> <p>Adani Foundation – CSR Arm of Adani Group is doing following activities as a part of Skill Development in surrounding communities in Kutch area.</p> <ul style="list-style-type: none"> • Adani Skill Development Center (ASDC), Mundra & Bhuj is providing skill development training to the locals for Soft Skill, Technical Training and Career Guidance & knowledge-based training. • Adani Skill Development Centre (ASDC) is playing a pivotal role in implementing sustainable development in the state. ASDC is envisioned to be playing a major role in elevating the socio-economic status of the people belonging to the lowest strata of the society by empowering them with various skill development training for employability and livelihood. • Over the last few years, ASDC has assessed various aspects of the technical, leadership and soft skills gaps that organizations, in general, face and accordingly focuses on imparting required training in those areas in

Status of the conditions stipulated in Environment Clearance under CRZ notification

Sr. No.	Conditions	Compliance Status as on 30-09-2021
		<p>partnership with various colleges and institutes.</p> <ul style="list-style-type: none"> • ASDC imparted various soft skilled and technical training to make Atma Nirbhar India. • During this year till Sep'21, Total 417 people trained in various trainings to enhance socio economic development. • Preference is given to local people for employment based on their qualification and experience. • All Mangrove plantations are done in consultation with GUIDE and Local forest dept. • 24 hectare of mangrove afforestation at Mundra was done through active participation of local fishermen at the cost of INR 25.0 Lac. • 5820+ Man-days Fisherman person days employed in Mangroves Plantation. The Foundation has also supported Pagadiya fishermen as painting laborers by providing them with employment and job in various field. <p>Details on skill development training imparted during compliance period i.e. Apr'21 to Sep'21 by Adani Foundation are enclosed as Annexure – 3.</p>
xv	<p>To meet any emergency situation, appropriate firefighting system and water pipelines should be installed. Appropriate arrangements for uninterrupted power supply to the environment protection equipment and continuous water supply for the firefighting system should be made.</p>	<p>Complied.</p> <p>Tug (Dolphin-11) has firefighting system of 1200 m³/hr. along with 20 ton lifting "A" frame and diving support facility for support at offshore.</p> <p>With respect to onshore facilities valve station, pumping station and transportation pipeline, foam base fire tender, fire water network is available. Fire-fighting system has been installed and maintained to meet emergency situations. Additionally for emergency, DG Set is provided for fire water pumps to ensure continuous water supply for firefighting purpose. Detail information on firefighting facility available at APSEZ was submitted as a part of compliance report for the duration of Apr'17 to Sep'17.</p>
xvi	<p>Regular drills should be conducted to check the effectiveness of the on-site Disaster Management Plan.</p>	<p>Complied.</p> <p>Regular drills are being conducted for effectiveness of the system. There were seven drills conducted for various scenarios during compliance period (Apr'21 to Sep'21) as mentioned below.</p>

Status of the conditions stipulated in Environment Clearance under CRZ notification

Sr. No.	Conditions	Compliance Status as on 30-09-2021		
		Location	Date	Scenario
		ACMTPL – 7E RTG 503	10.06.2021	Small fire on RTG, DG Room side, at ACMTPL RTG-503. Observed by RTG operator. Due to smoke the RTG operator stuck up in his operator cabin, and the RTG in inside the container Yard block.
		5A lower side bus bar - AICTPL	11.06.2021	Scenario was fire observed in 5A bus bar lower side while RTG-518 changeover at AICTPL. RTG Operator informed to yard supervisor through VHF and to shift superintendent. Yard supervisor informed to tower control via VHF. Tower control informed to shift superintendent, Engineering, Fire services, OHC, Safety, Security, ERT, Terminal head, POC, admin department regarding emergency
		Liquid Terminal – Enclosure 9 Bay no 69	23.06.2021	Spillage of Methanol occurred due to valve failure while loading in truck tank at loading bay No.69 in TLF -09.
		ACMTPL – Yard/Wharf	15.07.2021	Unknown person found in yard information received from the POC. Tower control has informed to Shift Superintendent Mr. Vijay Patel. Tower control immediately informed to, Safety, Security Control, and POC team.
		ACMTPL – Yard/Wharf	05.08.2021	Cyclone warning received from the POC, Tower control has informed to Shift

Status of the conditions stipulated in Environment Clearance under CRZ notification

Sr. No.	Conditions	Compliance Status as on 30-09-2021		
				Superintendent Mr. Vijay Patel for Terminal Evacuation, Tower control immediately informed to Fire, Medical, Security, OHC, Ambulance, Safety, POC team.
		Liquid Terminal – Enclosure 9 Tank-125	10.08.2021	During Receiving of cargo Spillage of Methanol from tank body valve and caught fire.
		STS-02, AICTPL	22.09.2021	Scenario was one grinder fall from STS-02 while maintenance work. Supervisor immediate informed to engineering shift in charge (Incident Controller) via VHF, Incident controller informed Fire services, OHC, Safety, Security, ERT, Terminal head, Engineering head, admin department regarding emergency
Mock drill report (latest report) conducted during the compliance period is enclosed as Annexure – 8 .				

Status of the conditions stipulated in Environment Clearance under CRZ notification

Sr. No.	Conditions	Compliance Status as on 30-09-2021									
xvii	The recommendations made in the Environmental Plan and Disaster Management Plan, as contained in the EIA and Risk Analysis Reports of the project, shall be effectively implemented.	<p>Complied All the recommendations are being implemented.</p> <p>Few Marine EIA recommendations:</p> <table border="1" data-bbox="630 569 1433 1850"> <tr> <td data-bbox="630 569 959 1052">Operational protocols and safety procedure should be printed and freely available to concerned staff. The employees must be adequately trained to inculcate a high level of competence not only in day to day operations but also during emergency situations. Periodic refresher courses must also be organized to maintain the level of their competence.</td> <td data-bbox="959 569 1433 1052">The company has written the operational protocols and safety procedures as a part of ISO 14001:2015, ISO 45001:2018 and ISO 9001:2015 certifications. APSEZ has established training department to impart training to its employees. IMO module course organized by Maritime Training Institute is conducted & 36 personnel have achieved IMO level 1 & 4 personnel have achieved IMO Level 2. Different training modules as Oil Spill, Oil Spill Equipment, Notification exercise, Incident are conducted at different frequency.</td> </tr> <tr> <td data-bbox="630 1052 959 1339">Periodic monitoring should be undertaken at the designated sites after the terminals become operational and the results of each monitoring should be carefully evaluated to identify changes if any and to take corrective measures, if warranted.</td> <td data-bbox="959 1052 1433 1339">Monitoring of various environmental parameters for Ambient Air, Noise, Wastewater, ground water, marine water and sediments is being carried out by NABL and MoEF&CC accredited agency namely M/s. Pollucon Laboratories Pvt. Ltd. Monitoring reports for the period from Apr'21 to Sep'21 are enclosed as Annexure – 4.</td> </tr> <tr> <td data-bbox="630 1339 959 1562">Adequate vigilance is required to adherence of ships to Marpol protocol and related regulations.</td> <td data-bbox="959 1339 1433 1562">During the vessel declaration compliances with respect to Air Pollution and Oil are monitored by the Port Authority. The ships are certified with international certification bodies only after complying with the MARPOL protocol.</td> </tr> <tr> <td data-bbox="630 1562 959 1850">Manual Listing Procedure for conducting ship movement operations in the port area must be available to the concerned staff.</td> <td data-bbox="959 1562 1433 1850">Berthing Policy & Tariff Structure is made available for conducting ship movement to the concerned staff and made available on web link www.adaniports.com/pdfs/PIB_06122013.pdf Port Information Booklet is also made available on web link www.adaniports.com/Port/Operations_Port_Tariffs.aspx</td> </tr> </table>		Operational protocols and safety procedure should be printed and freely available to concerned staff. The employees must be adequately trained to inculcate a high level of competence not only in day to day operations but also during emergency situations. Periodic refresher courses must also be organized to maintain the level of their competence.	The company has written the operational protocols and safety procedures as a part of ISO 14001:2015, ISO 45001:2018 and ISO 9001:2015 certifications. APSEZ has established training department to impart training to its employees. IMO module course organized by Maritime Training Institute is conducted & 36 personnel have achieved IMO level 1 & 4 personnel have achieved IMO Level 2. Different training modules as Oil Spill, Oil Spill Equipment, Notification exercise, Incident are conducted at different frequency.	Periodic monitoring should be undertaken at the designated sites after the terminals become operational and the results of each monitoring should be carefully evaluated to identify changes if any and to take corrective measures, if warranted.	Monitoring of various environmental parameters for Ambient Air, Noise, Wastewater, ground water, marine water and sediments is being carried out by NABL and MoEF&CC accredited agency namely M/s. Pollucon Laboratories Pvt. Ltd. Monitoring reports for the period from Apr'21 to Sep'21 are enclosed as Annexure – 4 .	Adequate vigilance is required to adherence of ships to Marpol protocol and related regulations.	During the vessel declaration compliances with respect to Air Pollution and Oil are monitored by the Port Authority. The ships are certified with international certification bodies only after complying with the MARPOL protocol.	Manual Listing Procedure for conducting ship movement operations in the port area must be available to the concerned staff.	Berthing Policy & Tariff Structure is made available for conducting ship movement to the concerned staff and made available on web link www.adaniports.com/pdfs/PIB_06122013.pdf Port Information Booklet is also made available on web link www.adaniports.com/Port/Operations_Port_Tariffs.aspx
Operational protocols and safety procedure should be printed and freely available to concerned staff. The employees must be adequately trained to inculcate a high level of competence not only in day to day operations but also during emergency situations. Periodic refresher courses must also be organized to maintain the level of their competence.	The company has written the operational protocols and safety procedures as a part of ISO 14001:2015, ISO 45001:2018 and ISO 9001:2015 certifications. APSEZ has established training department to impart training to its employees. IMO module course organized by Maritime Training Institute is conducted & 36 personnel have achieved IMO level 1 & 4 personnel have achieved IMO Level 2. Different training modules as Oil Spill, Oil Spill Equipment, Notification exercise, Incident are conducted at different frequency.										
Periodic monitoring should be undertaken at the designated sites after the terminals become operational and the results of each monitoring should be carefully evaluated to identify changes if any and to take corrective measures, if warranted.	Monitoring of various environmental parameters for Ambient Air, Noise, Wastewater, ground water, marine water and sediments is being carried out by NABL and MoEF&CC accredited agency namely M/s. Pollucon Laboratories Pvt. Ltd. Monitoring reports for the period from Apr'21 to Sep'21 are enclosed as Annexure – 4 .										
Adequate vigilance is required to adherence of ships to Marpol protocol and related regulations.	During the vessel declaration compliances with respect to Air Pollution and Oil are monitored by the Port Authority. The ships are certified with international certification bodies only after complying with the MARPOL protocol.										
Manual Listing Procedure for conducting ship movement operations in the port area must be available to the concerned staff.	Berthing Policy & Tariff Structure is made available for conducting ship movement to the concerned staff and made available on web link www.adaniports.com/pdfs/PIB_06122013.pdf Port Information Booklet is also made available on web link www.adaniports.com/Port/Operations_Port_Tariffs.aspx										

Status of the conditions stipulated in Environment Clearance under CRZ notification

Sr. No.	Conditions	Compliance Status as on 30-09-2021							
		<p>Few Risk Assessment Recommendations of EIA of Multipurpose Terminal carried out in 1995:</p> <table border="1" data-bbox="630 499 1430 1201"> <tr> <td data-bbox="630 499 1024 814">There should be a provision for activating a fire alarm at the fire control room from various strategic/hazard prone areas in the factory. In areas where there is high level of Noise, It may be necessary to install more than one audible alarm transmitter or flashing lights.</td> <td data-bbox="1024 499 1430 814">Provision of activating a fire alarm is available at Control Room. Employees are provided with communication system with which they can communicate about any emergency to Control Room. Emergency alarm systems are installed which is audible from any port location. Alarm testing is carried out at a frequency of once in a month.</td> </tr> <tr> <td data-bbox="630 814 1024 1031">Wind sleeves with adequate lightings around them should be provided at various places to guide personnel to escape in a direction perpendicular to the prevailing wind direction.</td> <td data-bbox="1024 814 1430 1031">Wind sleeves with adequate various lighting system around them are available at various places of Port locations to guide personnel to escape in a direction perpendicular to the prevailing wind direction.</td> </tr> <tr> <td data-bbox="630 1031 1024 1201">Succession or second line Coordinators should be named for assuming responsibilities in case disaster occurs in the absence of principal coordinators.</td> <td data-bbox="1024 1031 1430 1201">Disaster Management Plan for APSEZ is in place and that includes second line coordinators to assume responsibilities in absence of principal coordinators.</td> </tr> </table>		There should be a provision for activating a fire alarm at the fire control room from various strategic/hazard prone areas in the factory. In areas where there is high level of Noise, It may be necessary to install more than one audible alarm transmitter or flashing lights.	Provision of activating a fire alarm is available at Control Room. Employees are provided with communication system with which they can communicate about any emergency to Control Room. Emergency alarm systems are installed which is audible from any port location. Alarm testing is carried out at a frequency of once in a month.	Wind sleeves with adequate lightings around them should be provided at various places to guide personnel to escape in a direction perpendicular to the prevailing wind direction.	Wind sleeves with adequate various lighting system around them are available at various places of Port locations to guide personnel to escape in a direction perpendicular to the prevailing wind direction.	Succession or second line Coordinators should be named for assuming responsibilities in case disaster occurs in the absence of principal coordinators.	Disaster Management Plan for APSEZ is in place and that includes second line coordinators to assume responsibilities in absence of principal coordinators.
There should be a provision for activating a fire alarm at the fire control room from various strategic/hazard prone areas in the factory. In areas where there is high level of Noise, It may be necessary to install more than one audible alarm transmitter or flashing lights.	Provision of activating a fire alarm is available at Control Room. Employees are provided with communication system with which they can communicate about any emergency to Control Room. Emergency alarm systems are installed which is audible from any port location. Alarm testing is carried out at a frequency of once in a month.								
Wind sleeves with adequate lightings around them should be provided at various places to guide personnel to escape in a direction perpendicular to the prevailing wind direction.	Wind sleeves with adequate various lighting system around them are available at various places of Port locations to guide personnel to escape in a direction perpendicular to the prevailing wind direction.								
Succession or second line Coordinators should be named for assuming responsibilities in case disaster occurs in the absence of principal coordinators.	Disaster Management Plan for APSEZ is in place and that includes second line coordinators to assume responsibilities in absence of principal coordinators.								
xviii	A separate Environment Management Cell with suitably qualified staff to carry out various environment related functions should be set up under the charge of a Senior Executive who will report directly to the Chief Executive of the company.	<p>Complied.</p> <p>APSEZL has a well-structured Environment Management Cell, staffed with qualified manpower for implementation of the Environment Management Plan at site. Site team report to Sr. Manager (Environment) at Corporate, who heads the Environment Management Cell who directly reports to the top management.</p> <p>Environment Management Cell Organogram is attached as Annexure – 9.</p>							
xix	The project affected people, if any, should be properly compensated and rehabilitated.	<p>Not applicable.</p> <p>The project was conceptualized in such a way that there are no impacts on the local settlements due to the project proposal. However, the project is already implemented and is in operation phase.</p>							
xx	The funds earmarked for environment protection measures should be maintained in	<p>Complied</p> <p>Separate budget for the Environment protection measures is earmarked every year. All environment and horticulture</p>							

Status of the conditions stipulated in Environment Clearance under CRZ notification

Sr. No.	Conditions	Compliance Status as on 30-09-2021
	<p>a separate account and there should be no diversion of these funds for any other purpose. A year wise expenditure on environmental safeguards should be reported to this Ministry.</p>	<p>activities are considered at corporate level and budget allocation is done accordingly. No separate bank account is maintained for the same however, all the expenses are recorded in advanced accounting system of the organization.</p> <p>Budget for environmental management measures (including horticulture) for the FY 2021-22 is to the tune of INR 1332 lakh. Out of which, Approx. INR 876 lakh are spent during the year 2021-22 (till Sep'21). Detailed breakup of the expenditures for the past 3 years is attached as Annexure – 10.</p>
xxi	<p>Full support should be extended to the officers of this Ministry's Regional office at Bhopal and the officers of the Central and State Pollution Control Boards by the project proponents during their inspection for monitoring purposes, by furnishing full details and action plans including the action taken reports in respect of mitigative measures and other environmental protection activities.</p>	<p>Complied</p> <p>APSEZL is always extending full support to the regulatory authorities during their visit to the project site.</p> <p>Last visit of Regional Office, GPCB was done on 23.09.2021 for Main port and compliance of the same has been submitted vide our letter dated 28.09.2021. Details of the same is attached as Annexure – 11.</p> <p>Inline to the compliance certification process of Environment Clearance condition of Waterfront Development Plan, RO, MoEF&CC Bhopal had visited the site on 27th & 28th January, 2020 for compliance verification. APSEZ provided all requisite information and documents required by the Regional Officer MoEF&CC. During the said compliance verification visit and as per the compliance certification received, there was no non-compliance observed.</p> <p>Inline to the compliance certification process of Consent to Operates of existing facilities developed under Waterfront Development Plan, RO, GPCB, Gandhidham had visited the site on 17th March, 2021 for compliance verification. APSEZ provided all requisite information and documents required by the Regional Officer GPCB). During the said compliance verification visit and as per the compliance certification received, there was no non-compliance observed.</p> <p>Inline to the compliance of MoEF&CC Order dated 18th</p>

Status of the conditions stipulated in Environment Clearance under CRZ notification

Sr. No.	Conditions	Compliance Status as on 30-09-2021
		September, 2015, Joint Review Committee (JRC) comprising officials from various competent authorities visited the APSEZ, Mundra from 1 st to 3 rd September, 2021 to monitor the progress of implementation of the conditions stipulated in the order. APSEZ provided all requisite information and documents required by the JRC.
xxii	In case of deviation or alteration in the project including the implementing agency, a fresh reference should be made to this Ministry for modification in the clearance conditions or imposition of new ones for ensuring environmental protection. The project proponents should be responsible for implementing the suggested safeguard measures.	Point Noted.
xxiii	This Ministry reserves the right to revoke this clearance, if any of the conditions stipulated are not complied with to the satisfaction of this Ministry.	Point Noted.
xxiv	This Ministry or any other competent authority may stipulate any other additional conditions subsequently, if deemed necessary, for environmental protection, which shall be complied with.	Point Noted.
xxv	A copy of the clearance letter will be marked to concerned Panchayat /	Not applicable at present

Status of the conditions stipulated in Environment Clearance under CRZ notification

Sr. No.	Conditions	Compliance Status as on 30-09-2021
	local NGO. If any, from whom any suggestion / representation has been received while processing the proposal.	
xxvi	State Pollution Control Board should display a copy of the clearance letter at the Regional Office, District Industries centre and Collector's Office/Tehsildar's Office for 30 days	Applicable for State Pollution Control Board.
xxvi i	The project proponent should advertise at least in two local newspapers widely circulated in the region around the project, one of which shall be in the vernacular language of the locality concerned informing that the project has been accorded environmental clearance and copies of clearance letters are available with the State Pollution Control Board and may also be seen at Website of the Ministry of Environment and Forests at http://www.envfor.nic.in/ .	Already Complied.
xxvi ii	The Project Proponents should inform the Regional Office as well as the Ministry the date of financial closure and	Already Complied.

Status of the conditions stipulated in Environment Clearance under CRZ notification

Sr. No.	Conditions	Compliance Status as on 30-09-2021
	final approval of the project by the concerned authorities and the date of start of Land Development Work.	
xxix	The Project Proponent should make specific arrangements for rainwater harvesting in the project design and the rainwater so harvested should be optimally utilized.	<p>Complied</p> <p>Groundwater recharge cannot be done at the project site since the entire project is in the intertidal / sub tidal areas. Rainwater within project area is managed through storm water drainage.</p> <p>Please refer specific condition no. v for further details upon ground water recharging and rainwater harvesting is being done by Adani Foundation as a part of CSR activity.</p>

**Compliance
Report of CRZ
Recommendations**

Status of the conditions stipulated under CRZ Recommendation

Half yearly Compliance report of CRZ recommendation for "Port expansion project including dry/break bulk cargo container terminal, railway link and related ancillary and back-up facilities at Mundra Port, Dist. Kutch in Gujarat vide DoEF, GOG letter no. ENV-1098-6477-p1 dated 28th October 1999.

Sr. No.	Conditions	CRZ Compliance Status as on 30-09-2021
A. Specific Condition		
1	The company shall submit comprehensive Environmental Impact Assessment Report and Risk Assessment Report containing worst case scenario and detailed oil spill control management plan before carrying out the construction activities and shall implement all the mitigative measures/suggestions/recommendations given in the report of NIO and Tata AIG Risk Management Services.	<p>Already Complied. Not applicable at present</p> <p>Environmental Clearance was granted based on the submission of said documents. Rapid EIA was submitted on Feb 29, 2000 & Risk Assessment Report containing worst case scenario and detailed oil spill control management plan was submitted on Dec 28, 1999.</p> <p>For more details, please refer to general condition no xvii of the compliance of EC and CRZ clearance.</p>
2	The company in no case tap ground water.	<p>Complied.</p> <p>Please refer to Specific Condition no. ix of the compliance of EC and CRZ clearance above for details.</p>
3	The company shall not cut mangroves for the project activities except for stray mangrove seeding required for the railway line only after detailed assessment through NIO and 25 acre of land shall be planted with mangroves in consultation with NIO.	<p>Already Complied. Not applicable at present</p> <p>The company has not cut any mangroves. APSEZ has carried out 24 hectare of mangrove plantation near Navinal creek.</p> <p>To enhance the marine biodiversity, till date APSEZ has carried out mangrove afforestation in 2890 ha. area across the coast of Gujarat. Total expenditure for the same till date is INR 832 lakh.</p>
4	The company shall carry out the mangroves plantation programme in	<p>Green belt was developed 72.81 ha. Total 1,49,959 trees were planted with the density of 2060 trees per hectare within the port area. So, far APSEZ has developed 486.19 ha. area as greenbelt with plantation of more than 9.4 Lacs saplings</p>

Status of the conditions stipulated under CRZ Recommendation

Sr. No.	Conditions	CRZ Compliance Status as on 30-09-2021
	<p>addition to 25-acre mangrove plantation to be done with the help of the NIO, in consultation with the forest department.</p>	<p>within the APSEZ area. Details on Mangroves afforestation & Green belt development carried out by APSEZ till date is annexed as Annexure – 5.</p> <p>Other than this Adani Foundation – CSR Arm of Adani Group at Mundra-Kutch has initiated multi-species plantation of mangroves in Luni village in association with GUIDE, Gujarat. During 2018-2019 (Phase-I) multi-species mangrove plantation was carried out in 10 ha, during Phase-II (2019-2020) it was 02 ha and during Phase III (2020-2021) it is 01 ha. Current year 3 ha development is planned to extend multi-species mangrove plantation. Please refer attached Annexure – 3 for CSR activity report carried out by Adani Foundation.</p> <p>EIA report was prepared by NIO in which all impacts on mangroves and coastal ecology of the region for the proposed design were studied in detail.</p> <p>Please refer to Specific Condition no. viii of the compliance of EC and CRZ clearance above for details.</p> <p>Conservation of mangroves:</p> <ul style="list-style-type: none"> • In and around APSEZ, approx. 1800 ha. Mangrove area was identified by NIO in an EIA report prepared in the year 1998. • Out of this 1800 ha area, 1254 ha area was further demarcated as potential mangrove conservation by NIO in the year 2008 (as part of the EIA report of WFDP). • It may be noted that the entire area of 1254 ha is not covered with mangroves. • Entire area is being conserved and there is no disturbance to the mangroves in this area. Measures such as restricted entry and regular surveillance have resulted in overall growth of mangroves within this area. • As per MoEF&CC directive, APSEZ entrusted NCSCM to demarcate mangroves in and around APSEZ area. As per their study, presently, mangrove cover in and around APSEZ was over 2340 ha. The analysis of the comparison between 2011 and 2016-17 has shown an overall growth of 246 ha. <p>NCSCM final report on comprehensive and integrated plan for preservation and conservation of mangroves and associated</p>

Status of the conditions stipulated under CRZ Recommendation

Sr. No.	Conditions	CRZ Compliance Status as on 30-09-2021									
		<p>creeks in and around was submitted along with half yearly EC Compliance report for the period Apr'19 to Sep'19. The same was further submitted to GCZMA and MoEF&CC for their examination and recommendation vide (with a copy to MoEF&CC vide letter dated 04.06.2018 & reminder letter vide dated 4th Jan, 2019). Presentation on the findings of the report was made to GCZMA committee on 4th October 2019 and the recommendation for the same has been received vide email dtd 22nd Sept, 2020 with conditions. Details of the same were submitted as a part of last half yearly EC compliance report for the period Oct'20 to Mar'21.</p> <p>As a part of GCZMA recommendations and NCSCM mangrove conservation action plan, APSEZ has undertaken following activities.</p> <table border="1" data-bbox="613 989 1471 1925"> <thead> <tr> <th data-bbox="613 989 691 1045">Sr. No.</th> <th data-bbox="691 989 943 1045">Recommendations</th> <th data-bbox="943 989 1471 1045">Compliance</th> </tr> </thead> <tbody> <tr> <td data-bbox="613 1045 691 1843">1.</td> <td data-bbox="691 1045 943 1843">Mangrove mapping and monitoring in and around APSEZ</td> <td data-bbox="943 1045 1471 1843"> <ul style="list-style-type: none"> APSEZ entrusted NCSCM, Chennai to carry out Monitoring of mangrove distribution in creeks in and around APSEZ and shoreline changes in Bocha island. As a part of this study, overall growth of mangroves in the creeks in and around APSEZ was assessed comparing Google earth images of 2017 & 2019 and it is observed that there was increase in mangrove cover between March 2017 and September 2019 to the extent of 256 Ha, which is about 10.7%. This suggests that the mangroves and the tidal system in the creeks remain undisturbed over this period. Analysis of data between categories indicated that there was an increase in dense mangroves and also conversion of scattered to sparse which also shows that the growth of mangroves in a progressive direction. Hence, there is an overall growth of mangroves in creeks in and around APSEZ, Mundra is 502 Ha between 2011 and 2019. The cost of the said study was INR 23.56 Lacs incurred by APSEZ. </td> </tr> <tr> <td data-bbox="613 1843 691 1925">2.</td> <td data-bbox="691 1843 943 1925">Tidal observation in creeks in and around APSEZ</td> <td data-bbox="943 1843 1471 1925"> <ul style="list-style-type: none"> APSEZ carried out the tidal observations at locations similar to 2017 in Kotdi, Baradimata, Navinal, </td> </tr> </tbody> </table>	Sr. No.	Recommendations	Compliance	1.	Mangrove mapping and monitoring in and around APSEZ	<ul style="list-style-type: none"> APSEZ entrusted NCSCM, Chennai to carry out Monitoring of mangrove distribution in creeks in and around APSEZ and shoreline changes in Bocha island. As a part of this study, overall growth of mangroves in the creeks in and around APSEZ was assessed comparing Google earth images of 2017 & 2019 and it is observed that there was increase in mangrove cover between March 2017 and September 2019 to the extent of 256 Ha, which is about 10.7%. This suggests that the mangroves and the tidal system in the creeks remain undisturbed over this period. Analysis of data between categories indicated that there was an increase in dense mangroves and also conversion of scattered to sparse which also shows that the growth of mangroves in a progressive direction. Hence, there is an overall growth of mangroves in creeks in and around APSEZ, Mundra is 502 Ha between 2011 and 2019. The cost of the said study was INR 23.56 Lacs incurred by APSEZ. 	2.	Tidal observation in creeks in and around APSEZ	<ul style="list-style-type: none"> APSEZ carried out the tidal observations at locations similar to 2017 in Kotdi, Baradimata, Navinal,
Sr. No.	Recommendations	Compliance									
1.	Mangrove mapping and monitoring in and around APSEZ	<ul style="list-style-type: none"> APSEZ entrusted NCSCM, Chennai to carry out Monitoring of mangrove distribution in creeks in and around APSEZ and shoreline changes in Bocha island. As a part of this study, overall growth of mangroves in the creeks in and around APSEZ was assessed comparing Google earth images of 2017 & 2019 and it is observed that there was increase in mangrove cover between March 2017 and September 2019 to the extent of 256 Ha, which is about 10.7%. This suggests that the mangroves and the tidal system in the creeks remain undisturbed over this period. Analysis of data between categories indicated that there was an increase in dense mangroves and also conversion of scattered to sparse which also shows that the growth of mangroves in a progressive direction. Hence, there is an overall growth of mangroves in creeks in and around APSEZ, Mundra is 502 Ha between 2011 and 2019. The cost of the said study was INR 23.56 Lacs incurred by APSEZ. 									
2.	Tidal observation in creeks in and around APSEZ	<ul style="list-style-type: none"> APSEZ carried out the tidal observations at locations similar to 2017 in Kotdi, Baradimata, Navinal, 									

Status of the conditions stipulated under CRZ Recommendation

Sr. No.	Conditions	CRZ Compliance Status as on 30-09-2021	
			<p>Bocha and Khari creeks under the guidance of NCSCM.</p> <ul style="list-style-type: none"> The observed tidal ranges indicate that the creeks experience normal tidal ranges, adequate for the growth of mangroves. The cost of the said activity was INR 1.0 Lacs.
		3.	<p>Removal of Algal and Prosopis growth from mangrove areas</p> <ul style="list-style-type: none"> Algal and Prosopis growth monitoring was done in and around mangrove area and algal encrustation was found in some of the mangrove areas, which has been removed manually. The cost of the said activity was INR 1.2 Lacs.
		4.	<p>Awareness of mangroves importance in surrounding communities</p> <ul style="list-style-type: none"> Adani Foundation – CSR Arm of Adani group has done awareness camps/activities created in the community regarding importance of mangroves. Adani Foundation has also provided 8.95 lacs kg Dry Fodder and 24.25 lacs kg Green fodder in 21 villages of Mundra and Anjar Block to support the resource dependent villagers, to avoid their dependency on mangroves. The expenditure for fodder supporting activities was approx. 122.7 Lacs during last FY 2021-22 (Till Sep'21). Village Gauchar land development for the fodder cultivation to made fodder sustain village & Avail green fodder in scarcity phase. With the support of Gauchar Seva Samiti Grassland development in Siracha – 85 Acre & Zarpara – 25 Acre done which resulted in total production of 82 ton. Other than this dedicated security guard with gate system deployed by APSEZ across the coastal area and no any unauthorized persons allowed within coastal as well as mangrove areas. Refer CSR report attached as Annexure – 3.
<p>Details of activities done as a part of GCZMA recommendations and NCSCM mangrove conservation action plan were submitted as a part of last half yearly EC compliance report for the period Oct'20 to Mar'21.</p>			

Status of the conditions stipulated under CRZ Recommendation

Sr. No.	Conditions	CRZ Compliance Status as on 30-09-2021
5	The company shall ensure that the construction labors do not cut mangroves for fuel, etc.	<p>Already Complied. Not applicable at present Construction activity is already completed.</p> <p>Most of the construction labours were residing in the nearby villages where all basic facilities are easily available. However, for those residing near the construction site, infrastructure facilities such as water supply, fuel, sanitation, first aid, ambulance etc. were provided by APSEZ.</p>
6	The company shall ensure that no creek are blocked due to the project activities,	<p>Complied.</p> <p>Please refer to Specific Condition no. xi of the compliance of EC and CRZ clearance above for details.</p>
7	The company shall ensure that there will be no disposal of sillage and sewage generated from construction camps, surface run-off from construction sites, and oil and grease spillage from construction equipment in the creeks.	<p>Already complied. Not applicable at present.</p> <p>Please refer condition no. xii of EC Compliance report. Project is in operation phase.</p> <p>Sewage and effluent generated from port is being treated in designated ETP and treated water is used for horticulture purposes.</p> <p>Third party analysis of the treated water is being carried out twice in a month by NABL and MoEF&CC accredited agency namely M/s. Pollucon Laboratory Pvt. Ltd. The results of the same are attached as Annexure – 4.</p>
8	The company shall stick to the time bound programme submitted to this department for the proposed activities including installation of desalination plant for meeting the entire water requirement.	<p>Already complied. Not applicable at present.</p> <p>Construction work was completed on time and project is in operation phase. Desalination plant with the capacity of 47 MLD is installed to meet the water requirement for overall APSEZ, Mundra.</p> <p>For detail on present source of water and quantity of water consumption, Please refer to Specific Condition no. ix of the compliance of EC and CRZ clearance above.</p>
9	The company shall ensure that the commercial fisheries are not hampered due to the presence of barges, vessels and other activities in the region. Necessary plan in this	<p>Complied.</p> <p>Communication mechanisms have been developed for the smooth movement of fishing boats vis-à-vis shipping activities.</p> <p>Please refer to Specific Condition no. xiv of the compliance of EC and CRZ clearance above for details.</p>

Status of the conditions stipulated under CRZ Recommendation

Sr. No.	Conditions	CRZ Compliance Status as on 30-09-2021
	regards shall be prepared in consultation with the NIO.	
10	The company shall bear the cost of the external agency that may appointed by this department for carrying out the supervision and/or the monitoring of the construction activities.	<p>Complied.</p> <p>Construction activities are completed and project is in operation phase. If at all any study is suggested by Govt. of Gujarat, we will give full co-operation.</p> <p>Please refer to Specific Condition no. xv of the compliance of EC and CRZ clearance above for details.</p>
11	The company shall carry out the post project monitoring of various environmental parameters in consultation with this department and Gujarat Pollution Control Board.	<p>Being complied.</p> <p>Post project monitoring of various environmental parameters is being carried out regularly.</p> <p>Please refer to Specific Condition no. xvi of the compliance of EC and CRZ clearance above for details.</p>
12	The company shall prepare the detailed traffic control management plan for the port and shall participate in the VTMS to be developed for the Gulf of Kachchh.	<p>Complied.</p> <p>APSEZ has participated in VTMS.</p> <p>Please refer to Specific Condition no. xvii of the compliance of EC and CRZ clearance above for details.</p>
13	In order the eliminate adverse impact on the mangroves of Bocha Island and coastal ecology of the region, the company shall carry out construction activities only after the construction design and methodology is approved by NIO.	<p>Already complied. Not applicable at present.</p> <p>Construction activity is already completed.</p> <p>EIA report was prepared by NIO in which all impacts on mangroves and coastal ecology of the region for the proposed design were studied in detail.</p>
14	Any other conditions may be stipulated by this department from time to time.	Point noted.



**Adani Ports and Special Economic
Zone Limited, Mundra.**

**From : Apr'21
To : Sep'21**

Status of the conditions stipulated under CRZ Recommendation

Annexure – 1



GUJARAT POLLUTION CONTROL BOARD

PARYAVARAN BHAVAN

Sector-10-A, Gandhinagar-382 010

Phone : (079) 23226295

Fax : (079) 23232156

Website : www.gpcb.gov.in

CORRECTION TO CONSOLIDATED CONSENT TO AUTHORIZATION (CC & A)

NO: PC/ CCA- KUTCH-39(7) /GPCB ID 17739/

Date:

To
✓ M/s. Adani Ports & Special Economic Zone Limited,
Plot no. 169/P,
At-Navinal Island,
Tal: Mundra,
Dist: Kutch - 370 421

SUB: Correction in Consolidated consent & Authorization (CC & A)

REF: 1) Consolidated consent & Authorization (CC&A) order no. AWH- 83561 vide order no. PC/CCA-KUTCH 39(4) /GPCB ID 17739/ 403658 dated 09/02/2017.
2) Your letter dated 01/09/2020.

In exercise of the power conferred under section-27 of the Water (Prevention and Control of Pollution) Act-1974, under section-21 of the Air (Prevention and Control of Pollution)-1981 and Authorization under rule 6(2) of the Hazardous & Other Waste (Management & Transboundary Movement) Rules-2016 and without reducing your responsibility under the said Acts/ Rules in anyway.

And whereas Board is empowered to amend consent order conditions.

Accordingly, CCA order no. AWH-83561 vide order no. PC/CCA-KUTCH 39(4) /GPCB ID 17739/ 403658 dated 09/02/2017 is hereby corrected as below;

1. Sr. no. 2 of conditions no. 5.2 of the said CC&A order no. AWH-83561 vide order no. PC/CCA-KUTCH 39(4) /GPCB ID 17739/ 403658 dated 09/02/2017 shall be read as under:

Sr. No.	Waste	Quantity per Annum	Schedule & Category	Facility
2.	ETP Sludge	109.5 MT	I-34.3	Collection, Storage, Transportation and disposal by co-processing at cement industries and /or CHWIF site.

2. Rest of all conditions mentioned in CCA order no. AWH-83561 issued vides this office order no. PC/CCA-KUTCH 39(4) /GPCB ID 17739/ 403658 dated 09/02/2017 & industry shall comply with the same judiciously.

For and on behalf of
Gujarat Pollution Control Board

(Smt U.K. Upadhyay)
Environment Engineer

Clean Gujarat Green Gujarat

ISO - 9001 - 2008 & ISO - 14001 - 2004 Certified Organisation

Annexure – 2

Forwarding & Undertaking Letter from Industry

Application for consent for establishing / operation the industrial plant / plants under Section 21 of the Air (prevention & Control of Pollution) Act, 1981

Important This Document or its copy does "NOT" serve as a Supporting Document Proof of Industry's Submission of an Application for a NOC / Consent. This Letter does "NOT" ensure that the Application FEES has been paid.

Application Purpose : Applying for the CCA renewal, there are no changes in details related to Air, Water & Hazardous waste, Previous CC&A order is - Order No. AWH-83561, vide letter No. PC/ CCA – KUTCH -39(4)/ ID 17739/403658 valid up to 20/11/2021.

From : Adani Ports & Special Economic Zone Ltd., Category: RED / LARGE
PLOT NO: 169/P,
at-navinal island, mundra, kutch,
Mundra - 370421
Contact Person: Chirag Rajput, Mob:6359981629, Ph:02838255187
DIST: Kutch East, TAL: Mundra, SIDC: MPSEZ

Print Date: 23/09/2021

PCB-ID : 17739
INWARD : 202362
Dt:19/09/2021

Scrutinized By: B.M.Dolasiya,SSA(M)(452)

To,
 The Member Secretary,
 Gujarat Pollution Control Board
 Paryavaran Bhavan, Sector-10/A,
 Gandhinagar - 382010

I / We here by Submitting application for CCA ,Inward No : 202362 ,Date : 19/09/2021 for COW(CCA-Renewal).

Applying For : A,W,H Validity : 5 Years Grant By : CHR
 Air Sector :20000~Large Scale Industry Water Consumption : 1674.110 klpd
 Haz Sector : 5000~Large Scale Industry No of Plants : 1 Incenerator : 0

<u>Investment</u>	<u>Air</u>	<u>Water</u>	<u>Hazardous</u>
3394.621 Crs	20000	40000	5000+30000
0 Rs	5 Years	5 Years	5 Years

Payable Fees : Air : 100000, Water : 200000, Haz : 175000

Paid Amount : 475000, DD No : WAXC0277668539, Dt: 9/18/2021, at AXC , ***

Query / Reply:

	I / We have Uploaded the following PDFs	Date	# Files	Size(kb)	#Page
1	000 - Any Specific Information Called for [in SCRUTINY]	10/09/21	1	193869	940
2	ENV - Environment Statement , Form-V	06/09/21	1	4248	14
3	APC - Air Pollution Control Measures-Details	25/08/21	1	14708	59
4	ANN - Annual Return : Form 4	13/05/21	1	3132	10
5	SHT - Storage Handling & Transportation Plan	13/10/20	1	29251	96
6	EIA - Executive Summary Statement	22/04/20	1	41910	195
7	CER - Compliances for Reconsideration of Rejected-NOC	29/05/18	1	6698	35
8	C&A - Previous Consent-Reject / CCA Order / NOC Order	26/03/18	1	20175	136
9	SSI - SSI-IEM-C.A Certi / Investment Proofs	30/12/16	1	1375	8
10	CMP - Compliance of earlier CCAs - (ONLY Renewal cases)	22/09/16	1	22695	157
11	PLI - PLI Policy	10/06/16	1	564	8
12	PLL - Plan LayOut + Site Plan	17/03/15	1	2221	3
13	WAT - *** BreakUp of Water Uses & balance	10/11/08	1	231	2
14	INV - *** Pls ADD this file in SSI tag- Previous Cases	10/11/08	1	221	1
15	HW3 - *** N.A Now !!! (Details of HW - 2008 rules)	06/09/08	1	1239	4
16	PHT - *** Photos of Haz Waste Storage Facilities	06/09/08	1	91	2
17	RAW - *** Raw materials / Products with QTY-Month	06/09/08	1	11	1
18	EAR - Env. Audit Compliance/Auditor Recommendations,3Pgs		0	0	0

I, the applicant declare that I have submitted full and complete documents and information in conformity to the applicable acts / rules. I am aware that, any delay / rejection in the processing of application on account of incorrect / incomplete information shall be mine responsibility.

Company s SEAL

1 (Through XGN)

N I C



[Handwritten signature]

(Bhagwat Swaroop Sharma, Head - Environment, Adani Ports & SEZ Ltd.)

Note: I am hereby enclosing Form-I(AIR),Form-D(WATER),Form-1(HAZARDOUS) along with my application.

Please Attach Copy of NEFT/RTGS Challan with this Letter if you are paying through NEFT/RTGS.

FORM I
AIR / WATER / HAZARDOUS

Sl. No.	Particulars	Amount	Remarks
1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50

Company's SEAL

2 (Through XGN)

N I C

Annexure – 3



CSR KUTCH

Six Monthly
Report 2021-22

PREFACE

Corporate Social Responsibility in India is going through an interesting phase where the need for community centered impact is increasingly becoming more important than ever before. It is not just about the compliance with the laws and regulations but also about transitioning beyond the mandated CSR, Stakeholder engagement is a critical tool to ensure a comprehensive approach in carrying out responsible business and within that community ownership holds an important place.

In Year 2021-22 Uthhan Project spread the wings from 17 Primary schools to 31 Primary schools with MOU with Education Department. Natural Farming Promotion concept is started as a mission with training to 500+ Farmers and pure chemical free farming with 50+ Farmers. Mangroves coastal biodiversity, water harvesting structures and Tissue is ongoing sustainable Project with proper documentation and demarcation. Adani Vidya Mandir has proven best in education by reaching to unreached through digital technology, happy to see the fisherman students studying sincerely sitting in fisherfolk settlements by operating tablets. "

Under guidance of seniors proper frame work was developed for supporting community as a bridge between various Government schemes and needy people by "Community Resource Centre" its true need and real sustainable way. Fisherman and women employment sourcing created very positive impact as a regular source of income for them.

Adani skill Development center started General Duty Assistant Course training under DDUGKY. The ASDC is committed to the cause of the deprived and underprivileged to generate employment through enhancing skills. It has been working relentlessly which resulted in rapport building with District Administration Kachchh also.

Success is due to presence of torch bearer and mentor in life who is Respected Dr. Priti Adani. We heartily thanks our Rakshit bhai, Respected Gadhvi sir and Respected COO sir for guidance and motivation.

We wish all the very best to whole Adani Foundation Parivar !



INDEX

• Environment Sustainability Projects		• Community Resource Center	37
Miyawaki Forest Development, Nana Kapaya	05	• Community Infrastructure Projects	38
Smruti Van	09	• Adani Skill Development Center Mundra	39
Ecosystem Restoration, Guneri	11	• Adani Skill Development Center Bhuj	40
Mangrove Biodiversity Park	13	• CSR Nakhatrana	41
Home biogas	15	• CSR Tuna	42
Sea Weed Culture	16	• CSR Bitta	43
Water Conservation Projects	17	• Dignity of workforce	45
• Education Projects		• Community Speaks	47
Uthhan	19	• Events and Day Celebration	54
Adani Vidya Mandir Bhadreswar	22	• Sustainable Development Goals Mapping	59
• Sustainable Livelihood Projects		• Impact in numbers	60
Farmers	25	• Media Coverage	62
Fisherman	30		
Woman	31		
• Community health Project	34		



Environment Sustainability Projects : Ensuring ecological balance, protection of flora and fauna, terrestrial and coastal species conservation, welfare, agro forestry, conservation of natural resources and maintaining quality of soil, air and water

Reducing Carbon footprint

1. Miyawaki – Nana Kapaya

Nana Kapaya village and proposed site for Miyawaki- Dense Plantation is very close to many industries in and around the Mundra landscape. This area is also very close to main roads and coastal creeks. Mainly dense to sparse Prosopis juliflora- Ganda Bavar cover is recorded surrounding to project site with very few scattered native trees like- Limda, Deshi Bavar etc. Shrubs species like- Akado and Aavar are also predominant close to site; while, grasses like Chhabar and Dhrab are recorded in proposed plot area.

As shared and discussed by villagers, this proposed plot is also very close to sewage water tank and nallahs; and proposing for watering to our proposed plantation.

As discussed with villagers and Adani Foundation, we proposed the close or dense plantation at site- called 1Miyawaki Types of Plantations with following four major compartments (45X20 meters approx.) and with following strategies:

1. Mixed Plantation dominant Drought Resistant Plants
2. Mixed Plantation dominant by Larger Leaves
3. Mixed Plantation dominant by Saline Resistant Plants
4. Mixed Plantation dominant by Medicinal Values.

Plantation of 4965 saplings of different 42 spices is completed which will result in dense forest within 2 years



Reducing Carbon footprint

Species Name/ Botanical Name	Local Name in Gujarati	Saplings Required	TOTAL ACTUAL	TOTAL ACTUAL	Mixed Plantation dominant Drought Resistant Plants PLOT 1	Mixed Plantation dominant by Larger Leaves PLOT 2	Mixed Plantation dominant by Saline Resistant Plants PLOT 3	Mixed Plantation dominant by Medicinal Values PLOT 4	Mixed Plantation dominant Drought Resistant Plants PLOT 1	Mixed Plantation dominant by Larger Leaves PLOT 2	Mixed Plantation dominant by Saline Resistant Plants PLOT 3	Mixed Plantation dominant by Medicinal Values PLOT 4
Acacia nilotica (L.) Del. subsp. indica (Bth.) Brenan	દેશી બાવળ	300	500	500	200	75	150	75	6	15	9	15
Cordia gharaf (Forsk.) E.&A.	નાના ગુંદા, લિયાર	500	400	400	80	100	140	80	16	11	10	14
Pithecellobium dulce (Roxb.) Bth.	ગોરસ આમલી	400	400	400	80	100	150	70	16	11	9	16
Moringa oleifera Lam.	મીઠો સરગવો	300	300	300	75	75	90	60	17	15	15	19
Salvadora persica L.	ખાળી જાળ- પીલુડી ખાળી	100	250	250	40	60	100	50	32	19	14	23
Derris indica (Lam.) Bennet	કરંજ	200	200	200	25	75	25	75	52	15	55	15
Azadirachta indica A. Juss.	લીમડો	200	200	200	40	40	70	50	32	28	20	23
Moringa concanensis Nimmo	ખારો- જંગલી સરગવો	200	200	200	50	50	60	40	26	23	23	29
Morus alba L.	શેતુર	200	200	200	50	50	50	50	26	23	28	23
Tinospora cordifolia Roxb.	ગળો, ગિલોચ	200	200	200	50	50	50	50	26	23	28	23
Tecomella undulata(Sw.) Seem.	રગત રોહિડો	300	200	200	50	60	60	30	26	19	23	38
Commiphora wightii (Arn.) Bhandari	ગુગળ	200	200	200	75	25	25	75	17	46	55	15
Dalbergia sissoo Roxb.	સીસમ	200	200	200	100	25	25	50	13	46	55	23
Zizyphus mauritiana Lam.	બોરડી, મોટા બોર	200	180	180	50	30	70	30	26	38	20	38
Vitex negundo L.	નગોડ	200	150	150	35	55	30	30	37	21	46	38

Reducing Carbon footprint

Species Name/ Botanical Name	Local Name in Gujarati	Saplings Required	TOTAL ACTUAL	TOTAL ACTUAL	Mixed Plantation dominant Drought Resistant Plants PLOT 1	Mixed Plantation dominant by Larger Leaves PLOT 2	Mixed Plantation dominant by Saline Resistant Plants PLOT 3	Mixed Plantation dominant by Medicinal Values PLOT 4	Mixed Plantation dominant Drought Resistant Plants PLOT 1	Mixed Plantation dominant by Larger Leaves PLOT 2	Mixed Plantation dominant by Saline Resistant Plants PLOT 3	Mixed Plantation dominant by Medicinal Values PLOT 4
Adhatoda zeylanica Medic.	અરડૂસી	100	100	100	15	20	25	40	86	57	55	29
Parkinsonia aculeata	રામ બાવળ	100	100	100	20	10	50	20	65	114	28	58
Albizia lebbek (L.) Bth.	કાળો શિરીષ	100	100	100	25	20	35	20	52	57	40	58
Terminalia arjuna (Roxb.) W. & A.	અર્જુન સાદસ	100	80	80	20	20	20	20	65	57	69	58
Grewia tiliaefolia Vahl var. tiliaefolia	ફાલસા	100	60	60	15	20	10	15	86	57	139	77
Abrus precatorius L.	ચણોઠી	50	50	50	15	10	15	10	86	114	92	115
Aegle marmelos (L.) Corr.	બીલીપત્ર	50	50	50	15	10	10	15	86	114	139	77
Ailanthus excelsa Roxb.	અરડૂસો	50	50	50	15	10	10	15	86	114	139	77
Asparagus racemosus Willd. var. javanicus	શતાવરી	50	50	50	15	10	10	15	86	114	139	77
Cassia fistula L.	ગરમાળો	50	50	50	15	10	10	15	86	114	139	77
Cordia dichotoma Forst.	મોટા ગુંદા	50	50	50	15	10	10	15	86	114	139	77
Holoptelia integrifolia	કણજી	50	50	50	10	15	10	15	129	76	139	77
Murraya koenigii (L.) Spr.	મીઠો લીમડો	50	50	50	10	15	10	15	129	76	139	77
Psidium guajava L.	જામફળ	50	50	50	15	10	10	15	86	114	139	77
Punica granatum L.	દાડમ	50	50	50	15	10	10	15	86	114	139	77
Syzygium cumini	જાંબુ	50	50	50	15	10	10	15	86	114	139	77

Reducing Carbon footprint

Species Name/ Botanical Name	Local Name in Gujarati	Saplings Required	TOTAL ACTUAL	TOTAL ACTUAL	Mixed Plantation dominant Drought Resistant Plants PLOT 1	Mixed Plantation dominant by Larger Leaves PLOT 2	Mixed Plantation dominant by Saline Resistant Plants PLOT 3	Mixed Plantation dominant by Medicinal Values PLOT 4	Mixed Plantation dominant Drought Resistant Plants PLOT 1	Mixed Plantation dominant by Larger Leaves PLOT 2	Mixed Plantation dominant by Saline Resistant Plants PLOT 3	Mixed Plantation dominant by Medicinal Values PLOT 4
Tamarindus indica L.	આમલી ખાટી	50	50	50	15	10	10	15	3	6	4	Tamarindus indica L.
Butea monosperma (Lam.) Taub.	કેસુડો	30	30	30	5	10	5	10	8	6	7	Butea monosperma (Lam.) Taub.
Manilkara zapota (L.) van Royen	ચિકકુ	30	30	30	5	10	5	10	8	6	7	Manilkara zapota (L.) van Royen
Mimusops elengi L.	બોરસલી	30	30	30	5	10	5	10	8	6	7	Mimusops elengi L.
Plumeria rubra L.	ચંપો સફેદ કે ગુલાબી	30	30	30	5	10	5	10	8	6	7	Plumeria rubra L.
Ficus benghalensis L.	વડ	10	10	10	2	4	2	2	20	15	18	Ficus benghalensis L.
Ficus religiosa L.	પીપળો	10	10	10	2	4	2	2	20	15	18	Ficus religiosa L.
Gmelina arborea L.	શેવળ	30	5	5	1	1	1	2	40	59	35	Gmelina arborea L.
Arygyreia nervosa (Burm.f.) Boj.	સમુદ્ર શોષ	50	0	0	0	0	0	0	0	0	0	Arygyreia nervosa (Burm.f.) Boj.
Bauhinia racemosa Lam.	આસીત્રો	50	0	0	0	0	0	0	0	0	0	Bauhinia racemosa Lam.
Ficus racemosa L.	ઉમરો	10	0	0	0	0	0	0	0	0	0	Ficus racemosa L.
Grewia tenax (Forsk.) Fiori	ગાંગણી	300	0	0	0	0	0	0	0	0	0	Grewia tenax (Forsk.) Fiori
Grewia villosa Willd.	લુસ્કા	200	0	0	0	0	0	0	0	0	0	Grewia villosa Willd.
Prosopis cineraria (L.) Druce	ખીજડો	200	0	0	0	0	0	0	0	0	0	Prosopis cineraria (L.) Druce
Salvadora oleoides Decne.	મીઠી જાળ- પીલુડી મીઠી	100	0	0	0	0	0	0	0	0	0	Salvadora oleoides Decne.

TOTAL SAPLINGS PLANTED 4965

Reducing Carbon footprint

Smritivan Memorial park– Bhuj

Smritivan Memorial park is a unique initiative by Prime Minister in order to commemorate the death of about 13,805 people during this massive earthquake which had its epicenter in Bhuj District.

The memorial will occupy around 406 acres of space of the **Bhujia Dungar near Bhuj, Kutch** that will show people's **oppressive response to a natural disaster**.

As a part of this Smritivan Memorial Park, it will have a museum, convention Centre, sunset point and **Ecological park** with around varied species of trees to attract different biodiversity.

For the ecological park, approx. **24 acres** of land has been demarcated, wherein it is proposed to plant **~3 lakh local species trees**.



Reducing Carbon footprint

Smritivan Memorial park– Bhuj

Under Phase – 1 project, Govt of Gujarat through GSDMA will be planting across **1 lakh trees, across 8 acres** through "**Miyawaki**" methodology (Japanese technology of tree plantation). They have already enrolled the services of **M/s Forest Creator**, a Mumbai, based agency expertise in carrying out afforestation project, through Miyawaki technology.

Forest Creators have already been involved and completed **58** such kind of project of Terrestrial afforestation, across India and this will be their 59th project. (*Details of project carried out Forest Creator attached*)

Under this project, **~60+ local species of trees** will be planted and further the entire scope of development of Nursery, Soil enrichment, Plantation of saplings, mulching, biomass application, water supply & maintenance for 3 years are considered under their proposal. All Corporate of Kutch has supported fund for the same. APSEZ has done monitory support under CSR and Adani Foundation is coordinating for monitoring



Reducing Carbon footprint

Grassland Ecosystem Restoration project - Guneri

As a part of Biodiversity initiatives, APSEZ has proposed to take the pioneering steps towards building sustainable growth in the Lakhpat region, Kutch by taking the initiation of restoring the natural grassland habitats (Ecological Restoration) along the Guneri village, i.e. ~40 Ha grassland ecosystem in gauchar land, by involving Gujarat Ecology Society (GES) – A Nonprofit Organization, based in Vadodara, Gujarat.

The Restoration & Conservation Plan, will be executed in a phase wise manner over 40Ha of the area, over a period of 4 years

Guneri village is situated north of Lakhpat fort with a population of 967 as per the 2011 census. A Biodiversity Management Committee (BMC) already exists there and hence it becomes easy to undertake grassland restoration with the help of

committee members. The gauchar land available for restoration is around 100 Ha and about 40 Ha of the area can be considered for restoration. The restoration process will be spread over a time period of three years, starting initially with 10 Ha and slowly moving up to 40 Ha by the third year.

The project aims to take the pioneering steps towards building sustainable growth in the Lakhpat region by taking the initiation of restoring the natural habitats along the Guneri village. In the long run, this area can be declared as a Indigenous and Community Conserved Area (ICCA) in lines with a new category of protection status followed by IUCN.

Despite changes in hydrological regimes, there are certain pockets where unique biodiversity endemic to the area has

established itself with relics of past vegetation, the inland mangroves are one such area. Inland mangroves of Guneri village are a living example of the presence of rich estuary in the region sustained by a larger riverine system. The area has been well documented and proposed as Biodiversity Heritage Site. The rare and threatened species present in the area include *Helichrysum cutchicum* (endemic species), *Cistanche tubulosa*, *Campylanthus ramoissimus*, and *Sida tiagii*. Apart from the listed species, Guneri's unique ecosystem sustains good faunal diversity from herpetofauna to birds to mammals.

It is combined efforts of Environment APSEZ and Adani Foundation under consultation of GEC

Reducing Carbon footprint

Grassland Ecosystem Restoration project - Guneri

As a part of Biodiversity initiatives, APSEZ has proposed to take the pioneering steps towards building sustainable growth in the Lakhpat region, Kutch by taking the initiation of restoring the natural grassland habitats (Ecological Restoration) along the Guneri village, i.e. ~40 Ha grassland ecosystem in gauchar land, by involving Gujarat Ecology Society (GES) – A Nonprofit Organization, based in Vadodara, Gujarat.

The Restoration & Conservation Plan, will be executed in a phase wise manner over 40Ha of the area, over a period of 4 years

Guneri village is situated north of Lakhpat fort with a population of 967 as per the 2011 census. A Biodiversity Management Committee (BMC) already exists there and hence it becomes easy to undertake grassland restoration with the help of committee members. The gauchar land available for restoration is around 100 Ha and about 40 Ha of the area can be considered for restoration. The restoration process will be spread over a time period of three years, starting initially with 10 Ha and slowly moving up to 40 Ha by the third year.

The project aims to take the pioneering steps

towards building sustainable growth in the Lakhpat region by taking the initiation of restoring the natural habitats along the Guneri village. In the long run, this area can be declared as a Indigenous and Community Conserved Area (ICCA) in lines with a new category of protection status followed by IUCN.

Despite changes in hydrological regimes, there are certain pockets where unique biodiversity endemic to the area has established itself with relics of past vegetation, the inland mangroves are one such area. Inland mangroves of Guneri village are a living example of the presence of rich estuary in the region sustained by a larger riverine system. The area has been well documented and proposed as Biodiversity Heritage Site. The rare and threatened species present in the area include *Helichrysum cutchicum* (endemic species), *Cistanche tubulosa*, *Campylanthus ramoissimus*, and *Sida tiagii*. Apart from the listed species, Guneri's unique ecosystem sustains good faunal diversity from herpetofauna to birds to mammals.

It is combined efforts of Environment APSEZ and Adani Foundation under consultation of GEC



Reducing Carbon footprint


Coastal Biodiversity

In the coastal environment mangroves and mudflats are dynamic ecosystems that usually support a large population of floral and faunal life forms. Mangrove forests are highly productive ecosystems, which provide numerous goods and services both to the marine environment and people. Mangroves in India are spread over nine maritime states and three Union Territories. Gujarat has the longest (1,650 km) coastline among the maritime states of the country. With the second largest mangrove cover in India after West Bengal, Gujarat's mangrove area has increased from 1,140 km² in 2017 to 1,177 km² now.

A major portion of human population of Gujarat is solely dependent on these coastal ecosystems for their livelihood. Thus, several mangrove restoration programme/ activities are in progress in the state. Mangrove restoration activities in Gujarat are mostly single species stands of *Avicennia marina*. Adani Foundation at Mundra's initiated multi-species plantation of mangroves in Kutch association with GUIDE. During 2018-2019 (Phase-I) multi-species mangrove plantation was carried out in 10 ha, during Phase-II (2019-2020) it was 02 ha and during Phase III (2020-2021) it is 01 ha. Due to geological set up of Kutch where fresh water source is atypical, the survival and growth of mangrove plantation remains poor. Thus, a survival rate of 30% is expected for this multi-species plantation. Mangrove biodiversity park of its kind will help in disseminating knowledge on mangrove ecosystem and simultaneously conserving the species.

Since, some of the mangrove species are not readily available in Kutch, their seeds/ propagates were procured from other districts of Gujarat and other states. The proposed species of mangroves that have the potential for enhancing mangrove biodiversity in and around APSEZL include *Rhizophora mucronata*, *Ceriops tagal*, *Ceriops decandra*, *Rhizophora apiculata* and *Aegiceroscorniculatum*.

Current year 3 hector development is planned to extend biodiversity park





Reducing Carbon footprint

Homebiogas -

Home biogas is the Israel based company was founded in 2012 manufactures dynamic biogas unit not only for farm waste but for kitchen waste too.

Under Gram Utthan Project, Adani Foundation is supporting home biogas to farmers to Uthhan Villages phase wise. Current year supported 117 home biogas in Dhruv, Zarpara and Navinal Villages.

- Reducing organic waste,
- Transitioning to renewable energy
- Motivation for reduction in use for fertilizer

Promotion of Natural Farming–Home biogas

And Improving the health and living conditions for the millions of families that are still cooking on charcoal and wood. Adani Foundation is not only supporting but creating awareness to save environment and health of the community who regularly cooking on Chula. **It is proven that one hour cooking on Chula is as dangerous as smoking 40 cigrates.**

As a Main Process, Bacteria break down organic waste in a naturally occurring process, and Home Biogas stores and harnesses the energy created so that it can be used for gas.

Earlier we had proceeded for capacity 2 cum but after visit and series of meetings with farmer group –we need to take up plant capacity 6 cum. Till date 120 farmers are utilizing it with satisfaction and considerable outcome by saving Average Rs. 23,400 for gas and fertilizer as well - Homebiogas is base of promotion of natural farming.



2,053 TONS OF ANIMAL MANURE TREATED

159,687 HOURS OF CLEAN COOKING;

4.3 TONS OF BIOGAS CREATED

125 TONS OF FIREWOOD REPLACED;

27,375 HOURS SAVED ON REDUCTION OF FIREWOOD
&COLLECTION

625 TONS CO2 EMISSION REDUCTION

Reducing Carbon footprint

See Weed Culture -

Vision

The consortium aims to take a holistic view of transforming seaweed resources as natural capital and use open source knowledge to build an innovative technology platform for harnessing the economic potentials along with the associated ecological benefits thereof. Also, foster a cordial relationship with visionary sponsors and collaborators from India and abroad for sustainable production and utilisation of seaweed resources for the production of innovative products while engaging the coastal communities as direct beneficiaries (human capital) of this unique effort.

Collabroration

Agrocel, Piddilite, Adani Foundation has jointly initited the Pilot Project with a objective transform sew weed into Natual Capital as well as engaging community as a human capital.

Achievements

A pilot cultivation facility (5 KL tanks in 6 nos) for the farming of different economically important seaweeds in the tanks on the onshore has been established and commenced the cultivation trials with red seaweeds *Kappaphycus alvarezii*, *Gracilaria dura* and green seaweed *Ulva*. The initial trials have given very promising results and harvested 6-7 times the seeded material in a 40-45 days cultivation period. The successful completion of pilot cultivation trials of *Kappaphycus* has helped to move forward to set up raceway type tanks of 26 m Length × 6 m Width × 1.1 m Height in 2 nos for large scale cultivation of *Kappaphycus* in Balavadi campus at Juna Bandar, Mundra. The cultivation trials are in progress.



Water conservation Project

Since 10 years considerable Water Conservation Work carried out in Mundra Taluka. Due to satisfactory rain in current year 1.11 mtr ground water table increased in coastal belt of Mundra as per Government Figures. Our water conservation work is as Below.

- A large number of water harvesting structure (18 Nos. of check dams in coordination with salinity department) and Augmentation of 2 check dams **(1 Check dam current year)**
- Ground recharge activities (pond deepening work for more than 52 ponds) individually and 26 ponds under Sujlam Suflam Jal Abhiyan were built leading to a significant increase in water table and higher returns to the farmers
- Roof Top Rain Water Harvesting 90 Nos. **(35 Nos current year)** which is having 10,000 litre storage which is sufficient for one year drinking water purpose for 5 people family.
- Recharge Bore well 125 Nos **(50 Nos current year)** which is best ever option to
- Drip Irrigation 980 Farmers **(56 Application current year)** benefitted in coordination with Gujrat Green Revolution Company
- Bund construction on way of Nagmati River could save more than 575 MCFT water quantity which recharged in ground due to which bore well depth decreased by 50-100 Ft in Zarpara, Bhujpur and Navinal Vadi Vistar.
- **Luni Pond Bund Repairing Work is completed**



Water conservation Project

- **Basis of Requirements of Drip Irrigation**

The main source of livelihood being agriculture, the cultivators tend to use more and more underground water for irrigation. Underground waters have gone very highly saline. The use of such water for irrigation has made the soil also saline and the crop yields have dwindled.

- **Process of Drip Support**

Farmer have to applied in the prescribed form of Adani foundation with photograph.

Inspection and verification will be by AF representative.

Ration card, work order of G.G.R.C, 7/12 certificate and all bills must be attached.

Farmer will be informed by telephonic to have form query.

Primary information about farmer land will be received by telephone.

Farm visit within 10 days of after received of application and verified the installation of system as per map and material as per bill will be checked and get farmer feed back.

Verification report submitted to account office.

Payment within 20 days if all document is complete through net banking.

Farmer economic study after our support. – Follow up

- **We have covered 295 farmers and 1422 acre drip irrigation area in last two years which is remarkable for water conservation in first phase – in this phase we have covered 66 farmers and 360 Acre land for the same.**
- **Total 968 Farmers and 5626 Acre Drip since 2011-12 to 2020-21 and process is going on for 56 farmers for year 2021-22.**



Education Projects

Utthan

- The Virtual and Offline classes (Shri sikshan) with parents permission with all precautionary measures as Government Guide Lines. Its very encouraging that inspired by Our Shri Sikshan Initiative - Gov Teachers also started same approach.
 - **Online Outreach-259 Students**
 - **Individual Home visit-415 Students**
 - **Sheri sikshan and school students- 838 Students**
- Coaching of 49 students for National Means cum Merit Cum Scholarship Scheme (NMMS).
- Coaching of 34 Students for Javahar Navoday Entrance Exam by Utthan Sahayak since last Three Months.
- Total 93 Meetings were carried out with parents to create awareness for education progress. Apart from that aware about Precautionary measures and Covid -19 vaccination and Gyan-setu Program Telecast on Girnar Channel regularly approximately 1503 Mothers were engaged through various events and programmes.
- As Schools learning is not possible, our Library books corner Initiate is not in Function. Hence started to issue Library books to Students during Home Visit.
- Total 394 webinar and capacity building program were aranged for Utthan Sahayaks and Government Officers.
- **Uthhan First phase 17 Schools and 2951 students were part of the program, and second phase 14 Schools and 1952 Students were part of the programme. Total 4903 students are getting benefit from Utthan.**
- Second phase inauguration was held in last week of September in which District Primary Education Officer was remained present.



Education Projects

- Tree plantation at Utthan Primary School - Total 1000 saplings have been planted in the schools premises and laid responsibility for nurturing and care.
- Celebrated World Emoji Day. Its an unofficial holiday that is celebrated every year on July 17. Students prepared / draw 157 no of various and gifted to their friends and teachers.
- International Yoga Day celebration on 21st June Through Virtually and Physically. More than 520 Family members were participated
- Utthan Students had participated in **Lets us sing the National Anthem Contents** ,an Initiative of Government to Mark Azadi ka Amrit Mahotsav. Total 389 students and 76 parents have participated.
- Celebrated 75th Independence day with Commemorate 75 untold story , A Freedom Fighters who paid remarkable contribution for Indian Independence.



Activities	Location	
	Mundra	Nakhatrana
Silent reading	367	253
Virtual group reading – Classes: 7 and 8	42	30
Book review – Classes: 5 and 6	38	22
Puppetry show- Classes: 1-4	80	28
Total	527	333

Education Projects

- On the Rakhi festival Students made Eco friendly Rakhi and tied to the **104 Frontline corona warriors** who had paid remarkable service during Pandemic. (Doctor, Police, PHS and health Staff ,Sarpanch as well as Collector, Kutch and DDO ,Kutch).
- Arranged **Virtual Tour** regarding Plastic Waste Management with Municipal Corporation, Surat and aware about waste Collection , Segregation, treatment and Disposal Process. **Total 178 Students were participated for the same.**
- Teacher day celebration by preparing gratitude wall with card at all 17 schools.
- D- Talks are an Initiative of Global Dream, a Disruptive Movement for Universal Foundational Literacy and Numera. Mr. Jatin Upadhayay Talk On "Empowering the Marginalized Communities in Gujarat Through rejuvenating Education.
- World Book Day celebration on 23 April with various activities



Education Projects

Adani Vidya Mandir, Bhadreshwar
(SDG - 4/4.1)



EDUCATION: FREE AND COMPULSORY –
WHAT A WAY TO LEARN LOGIC!" The quote mentioned unfolds the distinguished vision of Adani Foundation to provide cost-free education, food, uniform, books to the children of economically challenged families of Mundra Bock. Adani Vidya Mandir, Bhadreshwar was established in June 2012, with aim of uplifting the communities through education. The school is equipped with excellent infrastructure and resources required for all-round development of the student. The child is given admission in class 1 and is molded to be an educated and a good human being by experienced and compassionate teachers. The school follows a curriculum designed by GSEB. Due to Covid Pandemic this year Class 1st Admission was done -


Education Projects



Adani Vidya Mandir Bhadreshwar Gujrat Board Standard 10th Examination Result is 100% as board examination was not held due to Covid. Adani Foundation will take all responsibility of further study of students with respect to their interest.

The global upsurge of the Covid-19 pandemic and the resultant lockdown has brought all of us to face such unprecedented times and situations. The challenge was rural locality, network unavailability, lack of health awareness, apprehensions for technology and gadgets and financial crunch to spend on mobile / Internet.

No's of Students



But We did not Give-up and reached out to our students to pursuit educational through virtual platform by various initiatives. Not only that, our teachers started visiting their home and initiated sheri shikshan concept.

Adani Vidya Mandir, Bhadreshwar

Objective

- Provide free and quality education to economically and socially under-privileged students
- Support to students for academics and co-curricular activities and overall well-being

Project Activity

- Balwadis started in 2010, for students in age group of 2-5 yrs. In 2013, this school was built on a donated land
- Free food, education, uniforms, online tablets
- Classes from Gr-I to Gr-X with 22 qualified teachers and 8 helping staffs
- Monthly stay of Gr-X students at school before exam, along with teachers

Outcome

- **508 underprivileged students** of Fisherman & Maldhari communities from **8 villages** taking education at the school
- Educated children have better opportunities of income beyond fishing
- Quality of life and change of mindset of students & families
- With education, many addictions reduced

Closer to SDG

1. No poverty
2. Zero hunger
3. Good Health & Well-being
4. Quality Education



Farmers Sustainable Livelihood Projects

Promotion of Natural Farming



- To promote Natural farming Adani Foundation has originated cow based farming initiative with interconnected techniques which can increase farmer yield – our main objective is to improve quality of soil.

Implementation

- Survey and identification of farmers to adopt Natural farming –Total 50 Farmers are selected as criteria in first phase of the Project.
- Water & Soil Testing- Most of Farm soil contain low organic carbon.
- Arranged Workshop & Hands on training for them which was conducted by Agri expert ,KVK and Progressive farmers with 500+ farmers
- 23 wormi compost unit have been set-up. Which is facilitated through Government with farmer Contribution.
- 50 Farmers have started to preparing JivaMrut & Gaukrupa Amrutam Bio-fertilizer and using in agri crop. Series of Training is arranged by ATMA and Adani Foundation
- Two Farmers Groups is registered with **ATMA –Agricultural technology management Agency – it will leverage Government schemes**





adani
Foundation

પ્રાકૃતિક જેવી

ઉત્થાના

જીવામૃત : દુનિયાના શ્રેષ્ઠ ખાતર

જીવામૃત બનાવવા માટેની સામગ્રી

વસ્તુ	પ્રમાણ	ઉપયોગીતા
માવનું વાયુ ભાષ	૧૦ કિલો	નાઈટ્રોજન, પોટાશ, કેલ્શિયમ, મેગ્નેશિયમ, મૃદાક, લોહ મેંગેનિયમ, જસત, તાંબુ, બોરોન, મોલીબ્ડેનમ
દેલી માવનું ગોમુખ	૧૦ લીટર	નાઈટ્રોજન, સલ્ફર, કોપર આર્ચન, એમોનીયમ, સુરીક-એસીડ, ફોસ્ફેટ, સોડિયમ, પોટેશિયમ, મેંગેનિયમ, કાર્બન એસીડ, કેલ્શિયમ, નમક અન્ય મિનરલ્સ, પિટામીન-એ, બી, સી, ડી, તેડટો-એન્જાઈમ, પાણી, જીમીક એસીડ સાયટોડાયનીન, હાઈડ્રોક્સોસાઈડ
કોર્ટપ્લ કોલ નો કોલ	૧ કિલો	પોટીન અને ફાઈબર
દેલી ગોળ	૧ કિલો	સુશ્રેષ્ઠ અને અસંખ્ય બેક્ટેરીયા
વડની નવે (તલાવની માટી)	૫૦૦ ગ્રામ	અસંખ્ય બેક્ટેરીયા

જીવામૃત બનાવવાની રીત	જીવામૃતનો ઉપયોગ
૨૦૦ લીટર પાણીમાં બધી જ વસ્તુઓ ભિરો	જીવામૃત ૫૫૬૫થી માલીને ૧ થી ૩ વાર ૬૦ડી સડાય - પોરીયા તેમજ ડ્રીપમાં આપી શકાય
દિવસમાં સવાર-સાંજ પડીવાલના કાંટાની દિશામાં ૩-૩ મિનિટ હલાવવું	૬૦ડાય વખતે પંપમાં ૨ થી ૨.૫ લીટર જીવામૃત પ્રમાણ રાખવું
જીવામૃતને ઇંચડામાં રાખવું	જીવામૃત ૧૫ દિવસે આપવું - કઠોળ, પાડ, પાન્યપાડ, શ્વજાડ, શાડભાજી કે કંદમુળ તેમજ કોર્ટપ્લ પાડમાં આપી શકાય
૩ - ૪ દિવસમાં જીવામૃત તેવાર.	

જીવામૃત
પ્રાકૃતિક જેવી

ગોમુખ
બેક્ટેરિયા

ગોમુખ
અનુલસ
વડની નવે

Farmers Sustainable Livelihood Projects

Pashudhan : " Fodder Support Programme, Individual Fodder Cultivation and Preventive Health Care

- Adani Foundation provides Good Quality dry and green fodder to 24 Villages. Project is covering total 14116 Cattles / 3008 farmers and hence enhancing cattle productivity. Dry Fodder 895398 Kg Green – 2425230Kg
- Fodder Cultivation- To made fodder sustain villages - 25 Acre Gauchar land of Siracha village is being cultivated for the same.
- To protect Cattles against Bovine Brucellosis zoonotic disease, Awareness and vaccination program is ongoing with Kutch fodder fruit & Forest development trust (KFFT) in our 11 Villages , **Total 1076 Female calves** below 3 years have been vaccinated in six months.

બ્રુસેલોસિસ કંટ્રોલ પ્રોગ્રામ
Brucellosis Control Program

શું તમારા પશુમાં બ્રુસેલોસિસ રોગનાં લક્ષણો તો નથી ને ? જો હોય, તો સાવધાન...!!!

બ્રુસેલોસિસ

બ્રુસેલોસિસ રોગના લક્ષણો...

માદા પશુને પ મહિના પછી ગર્ભપાત થયો

જડ/મેલી ના પડવી

પગના સાંધાઓમાં સોજો આવવો

આ ભયંકર ચેપી ગર્ભપાત રોગ મનુષ્યમાં પણ ફેલાઈ શકે છે.

જડ/મેલી તથા ચોની સ્ત્રાવના સંપર્કમાં આવવાથી

ઉકાળવા વગરનું દૂધ પીવાથી

મનુષ્યમાં ચઢ-ઉતરતો તાવ આવવો, સાંધા જકડાઈ જવા અને વૃષ્ટામાં સોજો આવવો વગેરે લક્ષણો જોવા મળે છે.

મનુષ્ય જાતિમાં આ રોગનું મિટાન કરવું અને તેની સારવાર કરવી ઘણી અઘરી તેમજ ખર્ચાળ છે અને આ રોગને અટકાવવા ઠોઈ રસી પણ નથી.

'પુખ્ત વયના પશુઓમાં આ રોગ બેઠવાર ફેલાઈ જવા પછી તેની સારવાર શક્ય નથી પણ રોગી પશુમાંથી અન્ય પશુઓમાં આ રોગ ફેલાતો અટકાવવો સંભવ છે.

એક માત્ર ઉપાય : રસીકરણ

પશુને બચાવવા માટે એક જ ઉપાય છે :
જ મહિના થી મોટી વાછરડીઓ અને પાડીઓને રસી મુકાવવી.
રસી મુકેલા બચ્ચાઓને અન્ય બચ્ચાઓથી અલગ રાખવા ફિતાવક છે.
તેની ઓળખ માટે કાનમાં ટેગ/કડી લગાવવી ખુબજ જરૂરી છે.

શું તમે તમારી જ મહિલા થી મોટી વાછરડીઓ અને પાડીઓને રસીકરણ કરાવ્યું છે? આવા રોગથી સંક્રાપ્ત પશુઓનું મિટાન કરાવ્યું છે? જો ના કરાવ્યું હોય તો ; તમારા ગામના "પશુપાલક મિત્ર" નો સંપર્ક કરો...

મફત રસીકરણ માટે નીચે જણાવેલ પશુવન નિરીક્ષકોનો સંપર્ક કરો

સહયોગ **અમલીકરણ**

adani Foundation

કચ્છપભાઈ : M. 96011 57148
જયદીપભાઈ : M. 99098 99740

અંકીતભાઈ : M. 97379 55362
રાજુભાઈ : M. 97277 65919

KUTCH FODDER FRUIT & FOREST DEVELOPMENT TRUST




Farmers Sustainable Livelihood Projects

Promotion of Horticulture : Date Palm and Dragon fruits

Kutch Kalpaturu Producer Company (KKPC) is established to address the challenges faced by the farmers, particularly to enhanced access for inputs, technology up gradation in Agri practices, output, Sorting, Grading, Value addition & marketing. by the farmers of Mundra Block in the year of 2020. The company is started with 196-shares of 89 Farmers , that is Rs.0.96 lacs Fund in the year of 2020. Right now it is on path of expansion up to 5000 Farmers.

- Current year for the dates Packaging and Marketing, KKPC Started to sell 10 Kg capacity packaging Box at Minimum Profit Margin At Rs.29/Boxes which resulted in turn over of Rs. 24 Lacs with Profit of 1 Lac. This initiative has supported more than 1800 farmers indirectly.
- Regular Director Board Meeting as well as capacity building Training were arranged.

Dragon fruit farming is on going by Five farmers each farmer is doing in 2 Acre farm – Total 11000 plants. Pleasure to share that Auspicious presence of Respected Douglas Smith sir, our CEO ,APSEZ the First batch of fruit was harvested.





Fisher folk Sustainable Livelihood Projects

- Get the technical and Non-technical Man-power Requirement details from CFS and APSEZ, Mundra And inform to fishermen Youth and Leader. Later Eligible fisher Youth had trained for interview facing and soft skilled practices and interviewed in respective Company. 11 Fisher Youth were interviewed among that 5 have been selected. Our target is to support 60+ Fisherman in alternative livelihood till March 2022.
- Fishermen Government Scheme awareness Program was Arranged at Adani Guest House Mundra on 11th Augusts. The schematic details was Felicited by Fisheries Department Staff. As well as Facilitation of Pagadiya Welfare scheme & boat license sanction letter to 06 Fishermen. Till date 59 Form has been submitted to fisheries department ,Bhuj for pagadiya and boat License.
- ASDC Courses Induction Meeting with Fishermen Youth at Navinal and as well as listed out their name to start computer & Spoken English classes through Adani Skill Development Center, Mundra.
- During the **Taukate cyclone** fishermen family had been shifted to safe Places As well as support to disaster management team for advance preparation.
- Fishermen's boat get across the vessel approach often while fishing Often , which create issue due to miscommunication Between Fishermen and Vessel crew members to clear vessel approach. its delay vessel berthing



Women Empowerment Projects

“You can tell the condition of a nation by looking at the status of its women” – Women are central to the entire development process, be it in an individual family, village, state and to the whole nation.

The below mentioned figure shows determinants associated with the empowerment of women and these are the challenges for us as a CSR to work upon.

Adani Foundation is considering all parameters as a part of Empowerment.

- Education – Uthhan Project promotes girl child education, Creating awareness through various Govt schemes i.e. Vahali Dikri Yojana, Sukanya Samridhi Yojana etc. till date covered more than 1200 girl child to get benefit out of it.
- Health and Nutrition – Suposhan Project focus on adolescent and Reproductive age women nutrition part. Till date covered more than 12500 women and 8700 adolescent under this Project and brought them to considerable status.
- Skill Development and Income Generation – Adani Foundation is working with 15 Self help group and supporting to develop entrepreneur skills to become self reliant, sourcing more than 350 women to absorb in various job – this will give them identity, confidence and right to speak in any decision for home, village and working area.
- Drinking Water and Sanitation – Total 89 Roof Top Rain Water Harvesting is supported for reducing hassle of the women to fetch the water as well as making clean water available.



Women Sustainable Livelihood Projects


- Total 15 Active SHG Group are engage as Mentioned Income generation activity. We facilitate them capacity building training for quality ,Marketing Finance and team work to made them self sustain.
- Saheli Swa Sahay Juth have completed order of 1500 Sanitary pad from District Health Department.
- "Shradhha Saheli Sva sahay Juth" is won the tender to provide Catering service in Block level Government
- Tejasvini SHG has received order of three layer mask preparation worth Rupees Nine Lacks
- Sonal Saheli Women SHG had supplied 500 KG washing powder to Adani port & Will mar.
- Shradha Saheli & Jay Adhar Saheli have been registered in FSSAI (Food safety and standards Authority of India.

Sr.No	Name of IG activity	Activity	Nos
1	Sonal Saheli Swa Sahay Juth	Phynale & Washing Powder	11
2	Jay Adhar Saheli Swa Sahay Juth	Dry Nasta	12
3	Tejasvi Saheli Swa Sahay Juth	Stiching,Uniform,Bag	12
4	Umang Saheli Swa Sahay Juth	Soft toys, Jula,	13
5	Vishvas Saheli Swa Sahay Juth	Tie & Die, Stiching	13
6	Jay Momay Saheli Swa Sahay Juth	Tie & Die, Stiching	12
7	Meghadhanush Saheli Swa Sahay Juth	Mud Works,	10
8	Saheli Swa Sahay Juth	Sanitary Pad	10
9	Radhe Saheli Swa Sahay Juth	Dhadaki, Small Godadi	14
10	Shraddha Saheli Swa Sahay Juth	Fresh Food	10
11	Chamunda Saheli Swa Sahay Juth	Tie & Die	10
12	Jay shakti Saheli Swa Sahay Juth	Stiching	10
13	Navdurga Saheli Swa Sahay Juth	Sanitary Pad Sale	10
14	Sakhi Saheli Swa Sahay Juth	Sanitary Pad Sale	10
15	Sonal Krupa Saheli Swa Sahay Juth	Stiching	10
			168 Members in Group


Women Sustainable Livelihood Projects



Economic Empowerment of women means “Enhancing the role of women as drivers of poverty reduction, promoting female investors and entrepreneurs as per SDG 5” in this half year all 15 women groups did turn over of Rs. 11.5 Lacs. 43 women got job in various SEZ industries by AF intervention and 11 women got absorbed as Gram Rakshak Dal, Bank Sakhi and Bima Sakhi.




Registration Certificate
Government of Gujarat
Food And Drugs Control Administration
Food Safety and Standards Authority of India
Registration Certificate under FSS Act, 2006



/ Registration Number: **20721013000245**

1. Name and permanent address of Food Business Operator (FBO) JAY AADHAR SAHELI SVA SAHAY JUTH BAROI , Baroi , Mundra, BHUJ(KUTCHH), Gujarat-370421
2. Address of location where food business is to be conducted / premises BAROI, Baroi , Mundra, BHUJ(KUTCHH), Gujarat - 370421
3. Kind of Business General Manufacturing
4. Photo Identity Card N/A

This Registration certificate is issued under and is subject to the provisions of FSS Act, 2006 all of which must be complied with by the petty food business.



Place / BHUJ(KUTCHH)
 Issued On / 12-03-2021 (New Registration)
 Valid Upto: 11-03-2022 (For details, refer Annexure)

Registering Authority

Annexures:

1. [Product Annexure](#)
2. [Validity Annexure](#)
3. [Registration Id Card](#)

Note:

1. Application for renewal of Registration Certificate can be filed as early as 180 days prior to expiry date of Registration Certificate. You can file application for renewal or modification of Registration Certificate by login into FSSAI's Food Safety Compliance System(<https://fscos.fssai.gov.in>) with your user id and password or call us at 1800112100 for any clarification.
2. This Registration Certificate is only to commence or carry on food businesses and not for any other purpose.
3. This is computer generated Registration Certificate and doesn't require any signature or stamp by authority.
4. This Registration Certificate is allowed to conduct food businesses activities having annual turnover upto Rs. 12 Lacs only.

Community Health Projects

Mobile Health Care Units
and Rural Clinics



9 Rural Clinics

06 from Mundra 02 from Anjar & 01 from Mandvi block treated ;

3843 patients.

31 villages covered, with 94 types of general and life saving medicines through Mobile healthcare unit

3364 patients benefited during six months

Community Health Projects

Swasthaya Seva to needy Patients

06 patients are provided Dialysis treatment at 133 times with nominal charges at Adani Hospital

471 – Economically Challenged patients have been supported for operation ,OPD ,IPD ,Medicines and lab-test.

Promoting preventive health care

Initiated identifying patients of NCD-Non communicable disease by survey which will help to diagnosed chronic disease at early stage and treated as well. From 960 patients - **80 Patients are find symptomatic to Hype, tension, Diabetic.**

As a part of emergency situation - Rural clinic and Mobile van are equipped with Portable ECG machine & Life saving medicines to treat cardiac patients For Preventive health care General and multispecialty camps Pediatric camp, General Health camps in nine villages and Super specialist camp which benefitted more than 1100 patients of Mundra Taluka.

16 Senior Citizen have been linked with Government Niradhar pension scheme, 34 senior citizen linked up with Ayushman Yojana and 67 Senior Citizens were referred to GKGH Bhuj for chronic illness.



Community Health Projects

Corona Related Work at GKGH and AHMPL

- Started Covid care centre service at **Samudra town ship** to Provide medical services at 24 x7 hrs. Home Visit for Medical Prescription and advise for further treatment & co-ordination.
- AF team voluntary performed patients care and co-ordination duty at GKGH ,Bhuj for 23 days.
- AHMPL,Mundra was converted into Covid Hospital with 100 bed Facilities with oxygen to extend Covid medical treatment over community. All related coordination done by our team for more than 353 OPD and IPD.
- Provided Oxygen Concentrator machines for Home isolated patients resulted in goodwill.
- Provide Dead body van service to shift covid demise patients to Crematorium with all dignity.
- Precautionary voice message dissemination through Awaj de voice message service Over Community.
- Started Village Sanitizing activities and Ukalo, Vitamin C tablet distribution



Community Resource Center

Scheme	Detail	Total
Widow	Widow pension	78
Fishermen	Pagadiya License & Boat License	59
Kitchen Garden Kit	Kitchen Garden kit	20
Mukhya Mantri Yojna	Orphan Covid Child	14
Su-kanya Yojna	Fix deposit	11
Manav Garima	Tools & Kit support	1
Agriculture	Barrel & Chaft Cutter	12
Bal Ayog Yojna	health	19
Senior Citizen	Pension Yojna	06
Vahali Dikri Yojna	Fix deposit	2
Total		222



Though there are huge number of Government welfare scheme but people could not get it s benefit because of awareness and access facilities.

We have started community resource center at Field office Mundra to facilitated Government scheme as below

Till the date more than 2100 beneficiaries and during past six months 222 application have been submitted to Government Department i.e. widow pension scheme, Senior Citizen pension scheme, agriculture and fisherfolk related scheme, child support scheme after pandemic, vahali dikri Yojana etc.

Community Infrastructure

Work Completed

- 31 RRWHS structure have been completed
- 45 Bore-well recharging activity is completed .
- Development Approach road Prasala vadi vistar Gogan Pachim at Zarpara
- Earthen bund Repairing work at Pond, Luni.
- Pre-moon soon activity Approach repairing, Village Pond lake strengthen and river cleaning (babul cutting) work is ongoing in Various Villages
- Approach Road repairing at Various Fishermen Vasahat(ARC).

Work in progress

1. Construction of common Gathering Rooms at Wandi village.
2. Development of Chain Link Fencing at tree forestation at Nana Kapaya.
3. Construction of community gathering Shed at Mundra- work in final Stage.



Adani Skill Development Centre

ASDC, Mundra

Courses	Female	Male	Total
Digital Literacy	10	20	30
Tally with GST	02	03	05
General Duty Assistant	04	01	05
Dori work	21	00	21
Mudwork	18	00	18
Basic Functional English	09	12	21
Beauty Therapist	01	00	01
Manicure and pedicure	20	0	20
Data entry operator	02	0	2
Junior crane operator	00	48	48
Total	87	84	171

RPL – Recognition of Prior Learning Training given to Adani Group Contractual Employees –Total 218 Employees have been benefitted Junior Crane Operator practical training to 36 Candidates for (Group-1,2 & 3) At MICT Port

Guest Lecture On Mehendi products , Beauty Therapist & Resin art Total 100 candidate have been benefitted.

Certificate Distributed to Mud work candidates at MICT Colony-30 women learnt Mud work.

Volunteer Support in GKGH and Adani Hospital during covid pandemic

21 students were coordinated for interview in sea bird CFS of Mundra.

Centre Inspection by Mr. Krunal (GSDM) At Solar Mundra Under Sankalp project

We Received 4 Star rating from the Department.



Adani Skill Development Centre



ASDC, Bhuj

Courses	Female	Male	Total
General Duty Assistant	47	16	63
Diet & Nutrition (Chanakya College)	36	5	41
Digital Literacy (Chanakya College: 30 + Online: 5 + University: 3)	26	12	38
GST with Tally (Online: 1 + University: 22)	20	3	23
First Aid (Chanakya College)	35	6	41
Basic Functional English	3	1	4
Beauty Therapist	3	0	3
Financial Literacy (Chanakya College: 18+ University: 3)	20	1	21
Junior Crane Operator	0	3	3
Welding Technician	0	1	1
Logistics & Supply Chain Management	0	1	1
Frontline Health Worker	5	0	5
Occupational Safety and Health Administration	1	0	1
Domestic Data Entry Operator	0	1	1
Total	196	50	246

Other Activities:

Launched New online General Duty Assistant & Beauty Therapist for 63 candidates under (DDU-GKY).

Certificate Distribution program to Old GDA batch (DDU-GKY).

Soft Skills Training Certificate distribution to Prisoners of Palara Special Jail.

Guest lecture on " **Tally: Older vs New**" & " **Concept of Emerging E-way Bill**"

total 100 Candidate had attend Guest Lecture.

Nakhatrana CSR

CSR activities being executed for the holistic development of eight most effected villages. in four core area Education, health, SLD and CID

- Carried out Survey of Widow women for Gov Pension scheme. There are Total 246 widow women among them 121 have been facilitated with Widow pension scheme@ Rs.1250/Month i.e. Rs.121250 /Month.
- To increase the ground water table we have started Ground water Recharging activity.Total 22 Bore well have been recharged at Ugedi and Deshalpar Villages.
- Repairing of Four Old check dam ,two pond have been deepen in Ugedi Village.
- World Environment day celebration on 5th June by tree Plantation at Jinjay & Ugedi Villages.
- Tree Plantation at Ugedi primary School with nurturing responsibility over Students **one Tree one Child.**
- Respected Gautam sir Birthday celebration with Tree Plantation at Ugedi schools.
- Adani Foundation day celebration at Deshpar –Gantuli Wiodw pension Government scheme form filling and brief about adani foundation activities.
- Mangoes sapling have been Given to Farmers and aware and awake about the important of Horticulture Cropping to doubling the farmer Income. 1000 Mangoes Sapling had been Distributed to Ugedi and Deshalpar Villages Farmers Accordingly.



Sr. No	Village Name	Total Widow woman	Eligible for Pension scheme	Total remaining	Facilitated Through AF
1	Ratdiya	45	27	18	26
2	Ugedi	42	36	6	19
3	Amara	43	17	26	17
4	Deshalpar (G)	69	44	25	39
5	Jinjay	25	18	7	12
6	Dhamay Navi	13	5	8	5
7	Dhamay Juni	9	3	6	3
Total		246	150	96	121

Nakhatrana CSR



- Under Utthan project total 8 schools and 1165 students are getting benefit since two years
- Even though the covid pandemic Uthhan education is ongoing with innovative teaching method.
 - **Online Outreach- Students-375**
 - **Individual Home visit-138**
 - **Sheri sikshan and school students- 313**
- Apart from regular classes Utthan Sahayks conducted online Covid awareness session. In which 100+ students and 80+ mothers took participate
- Utthan Sahayks approached Virtual classes for progressive learner before 9:00 am and after 8:30 pm.
- 21 students have been coached guided for National Means cum Merit Cum Scholarship Scheme (NMMS).
- Mothers Day Celebration and sensitized about how they are key point for their family growth. Total 350 mothers were participated
- International Yoga Day celebration on 21st June Through Virtually and Physically. More than 100 Family had participated
- More than 504 Mother were informed and awaked durinh mother meeting in Utthan Villages and aware about their wards education progress Health ,Hygine.
- Capacity building program for Utthan Sahayaks and Government Officers.
- Celebrated 75th Independence day with Commemorate 75 untold story , A Freedom Fighters who paid remarkable contribution for Indian Independence. And 139 Utthan school students and 53 parents had participated in Rashtragaan ,an initiative by the Ministry of Culture to Mark Azadi ka Amrit Mahotsav.
- Rakhi festival Students made Eco friendly Rakhi and tied to the 108 Frontline corona warriors.
- Arranged Virtual Tour on Plastic Waste Management with Municipal Corporation, Surat 73 Students were participated for the same.
- Teacher day celebration by preparing gratitude wall with card at 08 Utthan schools.
- D- Talks are an Initiative of Global Dream, a Disruptive Movement for Universal Foundational Literacy and Numera. Mr. Jatin Upadhayay Talk On "Empowering the Marginalized Communities in Gujarat Through rejuvenating Education.
- World Bool day celebration and started issue our library corner Books ,297 Books were issued by 6 to 9 standard students through our Library corner initiative which prompted them for reading nd created curiosity to know more.
- Teacher day celebration by preparing gratitude wall with card at all 08 schools.
- 25 Students are being taught for Javahar Navoday Entrance Exam by Utthan Sahayak since last Three Month.

Tuna CSR



CSR activities being executed for the holistic development of three most effected villages and two fisherfolk settlement AKBTPL, Tuna.

We are Providing sage and clean potable water to Vira and Ghavarvado Fishermen vasahat and Vandi Village. Total 11310 KL water was supplied by coordination with GWIL.

Two Pond Deepening at at Rampar Village and Community training center construction at Vandi Village.

Tree Plantation at Rampar primary School with **one Tree one Child concept to Nurturing Environment. 500+ trees planted**

Fodder distribution to Rampar and Tuna Villages.
Green Fodder -720310Kg
Dry Fodder -26680Kg Green.

Bitta CSR

Under Adani Solar Limited – 40 MW Solar Panel Power Unit is Situated at Bitta Village in Abdasa Taluka. We have done various activity under the CSR work.

As Abdasa is water scared region awareness for water conservation was provided to 50+ farmers of Bitta, Dhrufi and Moti Dhrufi villages.

Cleanliness of village Pond inlet in the Bita Village which lead more storage capacity and Village. Pond bunding construction in Dhufi village.

Panchayat Building construction was carried out by Adani Foundation's support and technical guidance.

Drainage line maintenance and Cleanliness is frequently done in Bita which lead Swachh Village



Dignity of Work Force Programme - EVP

Presently in Mundra Population of migrated labour community is increasing. Some of them are living in pathetic condition due to lack of awareness and education. It is true that we cannot achieve our goal of development until we support to up bring lives of this community. Basic needs of this labour force needs to be address. In labour Vasahats they are not getting facility of health facilities, proper living condition, sanitation or proper living atmosphere. This leads to addiction and various diseases.

Under Employee Volunteering Programme, Adani Foundation employees are supporting to more than 800 students of Hindi Medium from workforce background.

Adani Foundation Medical officers are providing their services at Labour clinic at Every Saturday Sunday and covering more than 150 patients in a week.

Joy of giving week celebration is scheduled twice in a year. In June 2021, more than 7500+ cloth distribution to workforce families by Employees of Adani Group under EVP.

DE addiction Awareness Campaign is going on with "Prajapita Brahmakumaris" at Labour Vasahat Areas. This campaign has changed life of many labours. Cleanliness Drive is organized in May and August with Adani Willmar Limited at vasahat areas.

Rakshabandhan and Ashadhi bij celebration by Mundra Solar

Dignity of workforce programme is arranged by joing collaboration with Adani Wilmar Limited, APSEZ, labour contractor and leaders of union. adan



Dignity of Work Force Programme - EVP



India's National TB Elimination Programme (NTEP) aims to meet the ambitious goal, announced by the Honorable Prime Minister Shri. Narendra Modi, of ending the TB epidemic by 2025, five years ahead of the UN Sustainable Development Goals (SDG) of 2030. In response to this call, the Government of India and USAID jointly launched the Corporate TB pledge (CTP), in April 2019 to galvanise corporate support to end TB. To continue the momentum and efforts, the USAID-supported iDEFEAT TB project,

which is working towards institutional strengthening to accelerate actions for Tuberculosis (TB) and drug resistant TB (DR-TB) in India; was launched as USAID/India's flagship TB project. The project works in collaboration with the Central TB Division (CTD), Ministry of Health and Family Welfare (Mo HFW) of the Government of India across a network of diagnostic, treatment, and program management institutions.

The CTP secretariat, hosted at The Union under the iDEFEAT TB project, provides technical assistance to government and corporates to adapt, implement TB interventions, and guide corporate resources for TB and DR-TB care.

Early diagnostics and treatment initiation are key to saving lives and minimizing disease transmission. In 2019, India reached a milestone of 24 lakh notified cases in India, an increase of 12% compared with 2018. Even then, an estimated 5.4 lakh were 'missing' across India, a serious drawback to our TB

elimination efforts as what is not measured is unlikely to be improved. Diagnostic delays are also prevalent in India, with studies indicating that these can be attributed to patients as well as health systems.

Adani foundation with APSEZ, APML, AWL and MSPVL HR department in coordination of FOKIA has launched cluster based screening program to eliminate TB in labours under Dignity of workforce program. Adani Ports and SEZ Limited has initiated screening with 2300 work force in first phase with target of screening more than 10,000 workforce of all group businesses and SEZ Industries.

USAID/India team including Director – Health Office has planned to visit Adani Foundation CSR Activities related to community health. He visited Adani Hospital, GKGH Hospital and related activities.

Success Stories : Stories of 9 Empowered Women of Mundra



Educating and investing in women and girls has a multiplier effect on productivity, efficiency and economic growth but economically strengthening women is not only a means by which to spur and sustain inclusive industrial development, it is also a matter of advancing women's human rights.

Success Stories



"Biogas asanje kutum jo hakdo sabhy j aay"
(Homebiogas is our family member now)
words by Gita Bharu sheda residing in
Zarpara village. We get bio slurry which is
golden material for growth and I am so happy
to cook on gas flame !! Earlier we have to
collect wood and 5 hours per day breathing
carbon during cooking period..
We will create awareness of the same to
other farmers also.



Jetbai Gadhvi residing in Borara, she is
saying " Now rural women can enjoy a smoke
free life and almost entirely freedom from
firewood collection and management. We
feel safer, healthier and less worried - now
we have time for other activities.

Success Stories



Valbai Sheda is residing at Zarpara village Prasla Vadi Vistar. She is Arts graduate and very much interested in developing various types of fodder. Having 5 cows and 2 buffalos, use of biogas since 4 years soil become fertile. She is developing Super Napier Bajra - NB21 and using chaff cutter for cutting it. She always use to make silage and cattle food with high protein. With all experiments milk quality and also quantity increased by half ltr to one ltr per day per cow



Heerbai sodham residing at Nana kapaya who is progressive lady farmer. She lost her husband in 2015 in road accident. Responsibility of 4 children made her determined to earn for family. Her mother in law encouraged her for continue agriculture work. Her daughter is studying BSc nursing at Ahmedabad. Since 3 years she is doing cow based natural farming. After knowing about homebiogas she approached Adani foundation and today on world environment day with her contribution installation carried out at her farm. We salute her strong approach for natural farming and courage to take care of whole family with confidence

Success Stories



Gitaben is lady farmer doing natural farming at Bhorara Village. She is taking care of her dragon fruit farm having more than 3000 plants with zero chemicals. She is widow and having 3 children . Her daughter is civil engineer and helping her in cultivation. When we meet her in month of March and offered our support – she told she just required guidance for jeevamrut and Gau Krupa Amrutam. She took part in "Kamlam" Exhibition at Ahmedabad. Adani Foundation salutes her confidence and self respect.

When a sweet little angel came into this world she was not at all aware about condition of her parents !!
Divyanen soni residing at Gandhidham was nine month pregnant, delivery date was having only 7 days time period.
In this happiness time - suddenly symptoms of corona appeared and corona test came out positive.
Her husband Nikunj soni inquired to many private hospital but nobody was ready to take responsibility of delivery of corona patient.
Finally the couple came to Adani GKGH hospital. Including corona treatment safe Delivery happened of patient - saved two lives !!
When divya ben left for home with a cute baby girl she said " Thanks word is very small for this nobel help - I got great gift of the God "



Success Stories



Ranjana ba is 28 years old lady lives in bhorara. She has 4 children. Her husband Raghuvirsinh lost his life before 3 months due to corona. For Ranjan ba it was a very crucial time - socially and financially.. Jagrutiben meet her n fill forms of bal sanrakshan for 4 children. She will start getting 2000 per child - Rs 8000 per month from GOG. This support will be blessings for her.



Diwali Ben Parmar age 62 Years living at Mundra. Her name is totally opposite to her personality - she is 100 percent blind. With help of karsanbhai she started getting Niradhar vridhd pension Rs 750 per month as well as she received bus pass today. We can see her blessings by her innocent smile..

Success Stories

"if you are planning for one year grow crops, if you are planning for 10 years grow the fruit saplings, but if your planning is for 100 years grow education" – this is a well-known proverb. It is not that person does not know about education but when a person has to make choice of education v/s hunger the later one wins the battle. Dearth for education burns to extinguish fire of hunger.

The war of Education v/s hunger was the same in the house of Haribhai Khetshi Sheda a resident of Zarpara Village of Mundra. The couple Haribhai Sheda has 7 daughters and 5 sons was earning livelihood through grazing animals, working in others farm, and trying to grow something in his own farm with great difficulty. In the grave financial conditions there was no scope that children could be educated as all were occupied as child labourers and all gave priority to work as compared to education. But, story was

different with the fourth child Nagajan Sheda. For him detection of polio followed by permanent defect in leg due to doctors fault turned as a blessing in disguise as he completed education till class 9 and dropped out after failing in class 10.

In 1991, when Adani Company started Mr Nagajan got labour work from a contractor. His first marriage had failed but was comfortable with the second wife. His first daughter from first marriage was Jyoti. He tried to give her best of childhood. He took an oath to educate the daughter by any means and make her doctor. It was his burning desire to see the upcoming generation of Charan samaj educated. He determined to do anything to have the tag of Dr. for his daughter.

Mr Nagajan started a tea stall for the people coming to work at Adani Port. But too bad of

his fate nobody turned up for 08 days as he was using cow and buffalos milk and not of the packet. He didn't have enough fund to invest for the same. Meanwhile one contractor came with 50 labourers to do some civil work and they all started coming to his tea stall. Gradually, he borrowed 5000 rupees to bring things for the shop and also took the franchisee for Amul. He admitted Jyoti in the govt school of Dhrub. The family of Nagajanbhai also got two more sons and a daughter.

In order to fulfill his desire Nagajanbhai started searching for a good school in nearby area and narrowed down to Adani Public School, CBSE school. The family members opposed for the same as it would increase the expense for all. He was firm and said " I will eat chapatti and salt but will educate my daughter".

Success Stories



Jyoti was admitted in the school in Jr.Kg. The teachers of the school could understand the passion of the parent and her journey in APS started which was followed by her 03 siblings joining her in the same school.

Inspite of distance, different timings of all

the section Mr Nagajan use to meticulously do pickup and drop for all the children. His wife supported him by doing all the household chores on her own, managing livestock and farm to earn some amount.

Time flied and Ms Jyoti secured 92% in Class 12 Science. The first target of Mr Nagajan was achieved. He received great appreciation and could set an example for his community. At present his two sons Rudra and Shivam are in 11th and 7th respectively and daughter Sonal is in class 9. It is not been an easy task to regularly pay fees of 04 kids. Yet he managed to do so. At times he has become fee defaulter which created various issues like result on hold etc. At one point of time he sold his plot and paid fees. His all the four children are good at studies and other co-curricular activities. Jyoti has got first position in district level

throw ball, has got the best school award in swachagraha, gave a speech on kargil day and many others.

Jyoti is firm to fullfil the dream of her parents. She is able to drive vehicles like bolero, bike and grows different plants.

In the community of Nagajan Bhai early marriages are still prevalent. But, he has not done so for any of his kids. Nagajan bhai has proved to be a living example that if one decides he could achieve anything be it education of kids or their bright future.

Our country needs many such Nagajan bhai to have many Jyoti's!!!!

Events



Inauguration of **Community Resource Centre on 3rd April** to bridge the gap between Government and community to facilitate government schemes with Launching of "Super 51" Book Let by auspicious presence of Respected DM kutchh Ms.Pravina D K - IAS, District Development Officer Mr Bhavya Verma - IAS, Director, DRDA Mr Joshi , Director- Social welfare office Mr Arvind Rohadiya, Mr Chaudhary Sub Divisional Magistrate.

All dignitaries has visited Sanitary pad making unit and discussed with Saheli group women regarding orders and capacity. Pravina D K mam meet all women groups and asked NRLM department to prepare empowerment plan for the SHG's.

Events



❖ Super specialist health camps

With Joint Collaboration of Adani Foundation, Adani Hospital Mundra & Sterling Ramakrishna Hospital Gandhidham at Adani Hospital Mundra on 26th August. With availability of **Dr. Ankur Gupta** (Neuro & spine surgeon), **Dr. Tausif Sauravardi** (Pulmonologist), **Dr. Gautam Pipara** (Urologist), **Dr. Kunal Thakkar** (Endocrinologist) form Sterling Ramakrishna Hospital Gandhidham render their services accordingly.

With Joint Collaboration of Adani Foundation, Adani Hospital Mundra & Sterling Ramakrishna Hospital Gandhidham at Rotary hall on 28th September. **Dr. Ankur Gupta** (Neuro & spine surgeon), **Dr. Tausif Sauravardi** (Pulmonologist), **Dr. Gautam Pipara** (Urologist), **Dr. Kunal Thakkar** (Endocrinologist) Dr. Sachin Patel (MD), Dr. Rajesh Shukla (Surgeon) and Dr. Treyank Shukla (Pediatrician) had provided their services

Total 961 **Patients** had benefitted.



Doctor's Day Celebration

Kutch Kalpataru farmer producer organization is working for promoting dates of Kutch. On the occasion of Doctor day on 1ST July , KKPC Farmers honored Doctor, Nurses and House keeping staff of GKGH, Bhuj & AHMPUL, Mundra with great respect to paid their sincere contribution during Covid -19 Pandemic.

On this day all Directors of KKPC were remain present and facilitate all medical staff with dates packet. More than 800 Staff members have been facilitated with the same.

This shows great feelings of farmers towards remarkable work of Adani healthcare in pandemic condition at Mundra and Bhuj Hospital.

Events



We celebrated **25th Silver Jubilee of Adani Foundation** at Adani House Mundra. On this Auspicious day We facilitated 11 women of Mundra Villages who have done Remarkable work in their filed in the Presence of EDM Shree Rakshit sir and HOD of APSEZ. acquainted about Adani Foundation Journey.

As well as Appointment letter Felicitated to Mamd Shakil Manjaliya, a First Fisher Youth who have peruse Mechanical Diploma



On the occasion of **Respected Dr. Pritiben Birthday** at 29th August, 21 Ration kit were distributed by APSEZ & AWL Employee To needy widow and senior citizen Women who are alone & passing measurable life

As well as ensure to continue ration kit support for life long to them.

Events



World Environment Day Celebration

Miyawaki forest development inauguration was held in coordination with Gram Panchayat, Forest Department and Mnrega. Additional collector, Sub division Magistrate, Range forest officer, TDO, Head environment, Panchayat members and Talati remained present. Press media was also live in this virtual event. Executive Director Mr. V. S. Gadhvi had given motivational speech on the occasion.

MOU signing ceremony for promotion of Natural farming with KSKV kutchh University. Dr.Jayrajsinh Jadeja vice chancellor and Dr.Mrugesh trivdi HOD of earth and environmental science were present and discussed about the road map for involving more than 2000 farmers for natural farming



International Coastal Clean up Day

Adani foundation MUNDRA has celebrated International Coastal Clean up Day with Coast Guard" with theme swachhagraha.. School students, Coast Guard staff and Adani foundation staff had cleaned Mandvi beach and give a message of swachhagraha.. In this event more than 150 students and 120 staff members of coast guard and Adani Foundation had taken part

Visits



- **ESG team** of Adani Group had visited AF Mundra - sustainable Project & business
- **Adani Foundation COO**, Respected Chandrasekhar Gowda sir-COO Adani Foundation had visit of all AF Project Mundra.
- **Adani Digital Lab & AF Communication Team**, had visit all AF Project Mundra.
- **MOEF team** had visit about APSEZ & AF Sustainability Projects.

- **EDI -Entrepreneurship Development Institute Team** had visit to frame out sustainable SHG development Project
- Gujrat Ecology Commission has visited grassland development project
- **100 VVIP Investor had Visit** APSEZ ,Mundra as well as Briefed about CSR activities and Gifted with NAMDA Frame which is unique combination to Revival of NAMDA craft and Mangrove Bio diversity- Fauna.



Mapping AF Projects with Sustainable Development Goals...

Sr No	UN-Sustainable Development Goals	Illustrative Mapping of Mundra Projects
1	No Poverty	Support to Farmers, Fishermen and Locals, Adani Skill Development Centre (ASDC)
2	Zero Hunger	Natural Farming, Drip Irrigation Project, Dragon Fruit Farming, Date Tissue Culture
3	Good Health & Well-being	Gujarat Adani Institute of Medical Sciences (GAIMS), Health Clinics, Mobile Health Vans
4	Quality Education	Adani Vidya Mandir, GAIMS & ASDC
5	Gender Equality	Co-education in Adani Vidya Mandir & ASDC, Saheli Samitis, Support to Women Farmers
6	Clean Water & Sanitization	Water Conservation Projects, Potable Water to Fishermen
7	Affordable & Clean Energy	Usage of Solar Energy, Promotion of Bio-Gas Plants
8	Decent Work & Economic Growth	ASDC, Self Help Groups (SHG), Local Arts Revival
9	Industry, innovation & infrastructure	Tissue Culture, Seaweed Culture, Local Arts Revival
10	Reduced Inequalities	SHGs, Local CSR Leadership
11	Sustainable Cities & Communities	Community Infrastructure, Smriti Van
12	Responsible Consumption & Production	Usage of Solar Energy, Natural Farming
13	Climate Action	Mangroves Conservation, Biodiversity, Water Conservation, Seaweed Culture
14	Life below Water	Mangroves Conservation, Seaweed Culture
15	Life on Land	Mangroves Conservation, Smriti Van, Animal Husbandry
16	Peace, Justice & Strong Institutions	Local CSR Leadership, Self-sustained Open Structures
17	Partnerships for Goals	Revival of Local Arts, Smriti Van, Project Swavalamban, Seaweed Culture

Stories of change - impact in numbers...



175+

Hectares of Land Luni
Mangroves Biodiversity

5820+

Fisherman person days
employed in Mangroves
Plantation

41000+

Plantations at Smriti Van
of 115 varieties

950+

Beneficiaries of
multispecialty health camp

500+

Students at Adani Vidya
Mandir

8900+

Beneficiaries of Health
Initiatives

15

SHGs under 'Saheli'
initiative for Women

121

Home Biogas Plants
installed in 5+ villages

8700+

Special health care for Sr
Citizens in 68 Villages

1632+

Beneficiaries enrolled in
Govt Schemes in FY21

20

Check Dams constructed
and rejuvenated

5000+

Students under Utthan
initiative in 39 Schools

Summary - Budget Utilization of six month F.Y. 2021-2022

Sr No	Particulars	Approved Budget	Budget Utilization	% of utilization
A.	General Management and Administration	76.12	23.67	31.10%
B.	Education	172.05	18.07	10.50%
B1	Utthan-Education -Mundra & Anjar	149.51	16.91	11.31%
B2	Utthan : Fisherfolk	22.54	1.16	5.14%
C.	Community Health	330.38	107.47	32.53%
D.	Sustainable Livelihood Development	426.28	171.64	40.26%
E.	Community Infrastructure Development	141.35	11.18	7.91%
F.	EDM Recommended Projects	100.00	2.65	2.65%
G.	COVID 19 Support	25.00	12.16	48.63%
	Total AF CSR Budget :	1,271.18	346.84	27.28%
[I]	Adani Vidya Mandir-Bhadreshwar	189.84	40.41	21.28%
[II]	Project Udaan-Mundra	167.42	17.99	10.75%
	GRAND TOTAL Budget F.Y. 2021-22 :	1,628.45	405.24	24.89%

Media coverage

અદાણી ફાઉન્ડેશન દ્વારા નાના કપાય્યા ખાતે ગાટ જંગલ ઉભું કરાશે

પુના - અદાણી ફાઉન્ડેશન દ્વારા ગાટ જંગલ ઉભું કરાશે. આ ઉપરાંત નાના કપાય્યા ખાતે ગાટ જંગલ ઉભું કરાશે. આ ઉપરાંત નાના કપાય્યા ખાતે ગાટ જંગલ ઉભું કરાશે.



અદાણી ફાઉન્ડેશન અને કલ્ચર મુખી વચ્ચે સ્થળ ખેતી માટે સંમતિપત્રો

પુના - અદાણી ફાઉન્ડેશન અને કલ્ચર મુખી વચ્ચે સ્થળ ખેતી માટે સંમતિપત્રો સહી કરવામાં આવી છે. આ સંમતિપત્રો અંતર્ગત અદાણી ફાઉન્ડેશન અને કલ્ચર મુખી વચ્ચે સ્થળ ખેતી માટે સંમતિપત્રો સહી કરવામાં આવી છે.



અદાણી ફાઉન્ડેશન અને કલ્ચર મુખી વચ્ચે સ્થળ ખેતી માટે સંમતિપત્રો

પુના - અદાણી ફાઉન્ડેશન અને કલ્ચર મુખી વચ્ચે સ્થળ ખેતી માટે સંમતિપત્રો સહી કરવામાં આવી છે. આ સંમતિપત્રો અંતર્ગત અદાણી ફાઉન્ડેશન અને કલ્ચર મુખી વચ્ચે સ્થળ ખેતી માટે સંમતિપત્રો સહી કરવામાં આવી છે.

અદાણી ફાઉન્ડેશન અને તાલુકા હેલ્થ ઓફીસના સંયુક્ત ઉપક્રમે “ટી.બી.હારેગા દેશ જીતેગા” અંતર્ગત કાર્યક્રમ યોજાયો

પુના (૨૭ જાન્યુઆરી) - અદાણી ફાઉન્ડેશન અને તાલુકા હેલ્થ ઓફીસના સંયુક્ત ઉપક્રમે “ટી.બી.હારેગા દેશ જીતેગા” અંતર્ગત કાર્યક્રમ યોજાયો.



અદાણી ફાઉન્ડેશન અને તાલુકા હેલ્થ ઓફીસના સંયુક્ત ઉપક્રમે “ટી.બી.હારેગા દેશ જીતેગા” અંતર્ગત કાર્યક્રમ યોજાયો

પુના (૨૭ જાન્યુઆરી) - અદાણી ફાઉન્ડેશન અને તાલુકા હેલ્થ ઓફીસના સંયુક્ત ઉપક્રમે “ટી.બી.હારેગા દેશ જીતેગા” અંતર્ગત કાર્યક્રમ યોજાયો.

કોરોનાકાળમાં મહિલાઓએ મેળવી રોજગારી

મુંદરા, તા. ૧૮ - અદાણી ફાઉન્ડેશન દ્વારા મહિલાઓને રોજગારી મેળવવા માટે કાર્યક્રમ યોજાયો.



કોરોનાકાળમાં મહિલાઓએ મેળવી રોજગારી

મુંદરા, તા. ૧૮ - અદાણી ફાઉન્ડેશન દ્વારા મહિલાઓને રોજગારી મેળવવા માટે કાર્યક્રમ યોજાયો.

અદાણી ફાઉન્ડેશનના પ્રયાસો રંગ લાવ્યા...

માછીમારના ટીકરો મિકેનિકલ અન્જિનીયર બન્યો, મોટી કંપનીમાં નોકરી પણ મળી

અદાણી ફાઉન્ડેશનના પ્રયાસો રંગ લાવ્યા. આ ઉપરાંત નાના કપાય્યા ખાતે ગાટ જંગલ ઉભું કરાશે.



અદાણી ફાઉન્ડેશનના પ્રયાસો રંગ લાવ્યા...

અદાણી ફાઉન્ડેશનના પ્રયાસો રંગ લાવ્યા. આ ઉપરાંત નાના કપાય્યા ખાતે ગાટ જંગલ ઉભું કરાશે.

અદાણી ફાઉન્ડેશનનો મંત્ર : સેવાનું ઉત્તરદાયિત્વ

અદાણી ફાઉન્ડેશનનો મંત્ર : સેવાનું ઉત્તરદાયિત્વ. આ ઉપરાંત નાના કપાય્યા ખાતે ગાટ જંગલ ઉભું કરાશે.



અદાણી ફાઉન્ડેશનનો મંત્ર : સેવાનું ઉત્તરદાયિત્વ

અદાણી ફાઉન્ડેશનનો મંત્ર : સેવાનું ઉત્તરદાયિત્વ. આ ઉપરાંત નાના કપાય્યા ખાતે ગાટ જંગલ ઉભું કરાશે.

“શાળા બંધ પણ શિક્ષણ નહિ”

અદાણી વિદ્યા મંદિર, ભદ્રેશ્વર દ્વારા અંતરિયાળ ગામોમાં શેરી શિક્ષણ શરૂ કરાયું

અદાણી વિદ્યા મંદિર, ભદ્રેશ્વર દ્વારા અંતરિયાળ ગામોમાં શેરી શિક્ષણ શરૂ કરાયું.



“શાળા બંધ પણ શિક્ષણ નહિ”

અદાણી વિદ્યા મંદિર, ભદ્રેશ્વર દ્વારા અંતરિયાળ ગામોમાં શેરી શિક્ષણ શરૂ કરાયું.

કોમ્યુનિટી રિસોર્સ સેન્ટરનો કરાયેલો પ્રારંભ

મુંદરામાં અદાણી ફાઉન્ડેશન દ્વારા કોમ્યુનિટી રિસોર્સ સેન્ટરનો કરાયેલો પ્રારંભ.



કોમ્યુનિટી રિસોર્સ સેન્ટરનો કરાયેલો પ્રારંભ

મુંદરામાં અદાણી ફાઉન્ડેશન દ્વારા કોમ્યુનિટી રિસોર્સ સેન્ટરનો કરાયેલો પ્રારંભ.

મુંદરાની અદાણી હોસ્પિટલમાં કોરોના પોઝિટિવ દર્દીઓની કરાતી સેવા-ચક્રરી

મુંદરાની અદાણી હોસ્પિટલમાં કોરોના પોઝિટિવ દર્દીઓની કરાતી સેવા-ચક્રરી.



મુંદરાની અદાણી હોસ્પિટલમાં કોરોના પોઝિટિવ દર્દીઓની કરાતી સેવા-ચક્રરી

મુંદરાની અદાણી હોસ્પિટલમાં કોરોના પોઝિટિવ દર્દીઓની કરાતી સેવા-ચક્રરી.

Adani Foundation Kutch

Thank You

Annexure – 4



POLLUCON LABORATORIES PVT. LTD.

Environmental Auditors, Consultants & Analysts.
Cleaner Production / Waste Minimization Facilitator

Recognised by MoEF, New Delhi Under Sec. 12 of Environmental (Protection) Act-1986

"HALF YEARLY ENVIRONMENTAL MONITORING REPORT"

FOR

adaniTM

**ADANI PORTS AND SPECIAL ECONOMIC ZONE LIMITED
TAL: MUNDRA, KUTCH, MUNDRA – 370 421**

**MONITORING PERIOD:
APRIL 2021 TO SEPTEMBER 2021**

PREPARED BY:

Pollucon

POLLUCON LABORATORIES PVT.LTD.

**PLOT NO.5/6 "POLLUCON HOUSE", OPP. BALAJI INDUSTRIAL SOCIETY,
OLD SHANTINATH SILK MILL LANE, NEAR GAYTRI FARSAN MART,
NAVJIVAN CIRCLE, UDHANA MAGDALLA ROAD, SURAT-395007.
PHONE/FAX – (+91 261) 2455 751, 2601 106, 2601 224.
E-mail: pollucon@gmail.com web: www.polluconlab.com**

TC - 5945

ISO 9001:2015

ISO 14001:2015

ISO45001:2018



Recognised by MoEF, New Delhi Under Sec. 12 of Environmental (Protection) Act-1986

MARINE WATER MONITORING SUMMARY REPORT**RESULTS OF MARINE WATER [M1 LEFT SIDE OF BOCHA CREEK - N 22°45'183" E 069°43'241"]**

SR. NO.	TEST PARAMETERS	UNIT	APRIL 2021		MAY 2021		JUNE 2021		JULY 2021		AUGUST 2021		SEPTEMBER 2021		TEST METHOD
			SURFACE	BOTTOM	SURFACE	BOTTOM	SURFACE	BOTTOM	SURFACE	BOTTOM	SURFACE	BOTTOM	SURFACE	BOTTOM	
1	pH	--	8.41	8.35	8.32	8.25	8.27	8.21	8.24	8.31	8.17	8.12	8.13	8.09	IS3025(P11)83Re.02
2	Temperature	oC	30.7	30.5	30.5	30.1	30.2	30	29.5	29.3	29.9	29.8	29.9	29.7	IS3025(P9)84Re.02
3	Total Suspended Solids	mg/L	102	88	119	102	127	108	107	92	113	102	93	85	IS3025(P17)84Re.02
4	BOD (3 Days @ 27 °C)	mg/L	5.0	Not Detected	4.2	Not Detected	3.4	Not Detected	3.1	Not Detected	2.8	Not Detected	2.3	Not Detected	IS 3025 (P44)1993Re.03Edition2.1
5	Dissolved Oxygen	mg/L	6.0	5.8	5.9	5.8	6.0	5.8	5.9	5.7	6.0	5.8	6.0	5.95	IS3025(P38)89Re.99
6	Salinity	ppt	37.1	37.4	36.2	36.7	35.2	35.6	35.72	36.18	35.14	35.46	34.90	35.32	APHA (22 nd Edition) 2550 B
7	Oil & Grease	mg/L	Not Detected	Not Detected	Not Detected	Not Detected	Not Detected	Not Detected	Not Detected	Not Detected	Not Detected	Not Detected	Not Detected	Not Detected	APHA(22 nd Edition)5520 D
8	Nitrate as NO ₃	µmol/L	2.21	2.40	2.98	2.75	2.54	2.39	2.86	2.74	2.36	2.14	2.17	2.06	IS3025(P34)88
9	Nitrite as NO ₂	µmol/L	0.75	0.81	0.83	0.79	0.35	0.46	0.92	0.81	0.75	0.63	0.63	0.54	IS3025(P34)88 NEDA
10	Ammonical Nitrogen as NH ₃	µmol/L	2.90	2.72	2.76	2.51	2.13	1.97	2.35	2.16	2.59	2.48	2.38	2.13	IS3025(P34)88Cla.2.3
11	Phosphates as PO ₄	µmol/L	2.58	2.04	1.93	1.72	2.64	2.48	1.97	1.83	2.28	2.19	2.46	2.35	APHA(22 nd Edition) 4500 C
12	Total Nitrogen	µmol/L	5.86	5.93	6.57	6.05	5.02	4.82	6.13	5.71	5.70	5.25	5.18	4.73	IS3025(P34)88
13	Petroleum Hydrocarbon	µg/L	8.0	Not Detected	14.0	Not Detected	Not Detected	Not Detected	Not Detected	Not Detected	Not Detected	Not Detected	Not Detected	Not Detected	PLPL-TPH
14	Total Dissolved Solids	mg/L	38712	38901	37804	38216	36809	37118	36802	37184	36758	37066	35994	36384	IS3025(P16)84Re.02
15	COD	mg/L	20	Not Detected	23.6	19.8	21.6	Not Detected	15.4	Not Detected	12.9	10.8	10.28	Not Detected	APHA(22 nd Edition) 5520-D Open Reflux
A Phytoplankton															
16.1	Chlorophyll	mg/m ³	2.62	2.25	2.59	2.20	2.67	2.25	2.21	2.16	2.18	2.13	2.23	2.12	APHA (22 nd Edition) 10200-H

H. T. Shah
Lab Manager**Dr. Arun Bajpai**
Lab Manager (Q)

Recognised by MoEF, New Delhi Under Sec. 12 of Environmental (Protection) Act-1986

16.2	Phaeophytin	mg/m ³	0.15	0.32	0.18	0.38	0.1	0.3	0.36	0.60	0.59	0.44	0.54	0.46	APHA (22 nd Edi) 10200-H
16.3	Cell Count	No. x 10 ³ /L	162	96	150	94	146	102	124	94	156	106	142	96	APHA (22 nd Edi) 10200-H
16.4	Name of Group Number and name of group species of each group	--	<i>Biddulphia sp.</i> <i>Cheatoceous sp.</i> <i>Skeletonema sp.</i> <i>Rhizosolenia sp.</i>	<i>Nitzschia sp.</i> <i>Stauroneis sp.</i> <i>Navicula sp.</i>	<i>Rhizosolenia sp.</i> <i>Stauroneis sp.</i> <i>Pleurosigma sp.</i> <i>Coscinodiscus sp.</i>	<i>Navicula sp.</i> <i>Skeletonema sp.</i> <i>Nitzschia sp.</i>	<i>Thalassiosira sp.</i> <i>Cheatoceous sp.</i> <i>Skeletonema sp.</i> <i>Thalassionema sp.</i>	<i>Nitzschia sp.</i> <i>Navicula sp.</i> <i>Melosira sp.</i> <i>Synedra sp.</i>	<i>Ceratium sp.</i> <i>Pleurosigma sp.</i> <i>Rhizosolenia sp.</i> <i>Mastogloia sp.</i> <i>Thalassionema sp.</i>	<i>Synedra sp.</i> <i>Nitzschia sp.</i> <i>Rhizosolenia sp.</i> <i>Cyclotella sp.</i> <i>Melosira sp.</i>	<i>Skeletonema sp.</i> <i>Rhizosolenia sp.</i> <i>Coscinodiscus sp.</i> <i>Cyclotella sp.</i> <i>Thalassionema sp.</i>	<i>Navicula sp.</i> <i>Nitzschia sp.</i> <i>Coscinodiscus sp.</i> <i>Cyclotella sp.</i> <i>Melosira sp.</i>	<i>Chaetoceros sp.</i> <i>Coscinodiscus sp.</i> <i>Biddulphia sp.</i> <i>Skeletonema sp.</i>	<i>Rhizosolenia sp.</i> <i>Pleurosigma sp.</i> <i>Navicula sp.</i> <i>Synedra sp.</i>	APHA (22 nd Edi) 10200-H
B Zooplanktons															
17.1	Abundance (Population)	noX10 ³ /100 m ³	24		22		32		27		33		25		APHA (22 nd Edi) 10200-G
17.2	Name of Group Number and name of group species of each group	--	Chaetognathes Polychaetes Amphipods Decapods		Copepods Isopods Polychaetes Nematodes		Copepods Polychaetes Decapods Ostracods		Bivalves Gastropods Polychaetes		Decapods Gastropods Polychaetes		Polychaetes Lamellibranches Gastropods Ostracods		APHA (22 nd Edi) 10200-G
17.3	Total Biomass	ml/100 m ³	2.1		1.9		2.25		2.4		3.1		2.45		APHA (22 nd Edi) 10200-G
C Microbiological Parameters															
18.1	Total Bacterial Count	CFU/ml	2410		2320		2540		2550		2610		2740		IS 5402:2002
18.2	Total Coliform	/ml	Present		Present		Present		Present		Present		Present		APHA(22 nd Edi)9221-D
18.3	Ecoli	/ml	Absent		Absent		Absent		Absent		Absent		Absent		IS:1622:1981Edi.2.4(2003-05)
18.4	Enterococcus	/ml	Present		Present		Present		Present		Present		Present		IS : 15186 :2002
18.5	Salmonella	/ml	Absent		Absent		Absent		Absent		Absent		Absent		IS : 5887 (P-3)
18.6	Shigella	/ml	Absent		Absent		Absent		Absent		Absent		Absent		IS : 1887 (P-7)
18.7	Vibrio	/ml	Absent		Absent		Absent		Absent		Absent		Absent		IS : 5887 (P-5)



H. T. Shah
Lab Manager




Dr. Arun Bajpai
Lab Manager (Q)

RESULTS OF SEDIMENT ANALYSIS [M1 LEFT SIDE OF BOCHA CREEK - N 22°45'183" E 069°43'241"]

SR. NO.	TEST PARAMETERS	UNIT	APRIL 2021	MAY 2021	JUNE 2021	JULY 2021	AUGUST 2021	SEPTEMBER 2021	TEST METHOD
			SEDIMENT	SEDIMENT	SEDIMENT	SEDIMENT	SEDIMENT	SEDIMENT	
1	Organic Matter	%	0.63	0.52	0.48	0.43	0.39	0.42	FCO:2007
2	Phosphorus as P	µg/g	529	463	593	528	613	574	APHA(22 nd Eti) 4500 C
3	Texture	--	Sandy	Sandy	Sandy	Sandy	Sandy	Sandy	--
4	Petroleum Hydrocarbon	µg/g	Not Detected	Not Detected	Not Detected	Not Detected	Not Detected	Not Detected	PLPL-TPH
5	Heavy Metals								
5.1	Aluminum as Al	%	5.59	4.26	4.87	4.37	4.56	4.98	AAS APHA 3111 B
5.2	Total Chromium as Cr ⁺³	µg/g	128	110	126	109	127	112	AAS 3111B
5.3	Manganese as Mn	µg/g	716	673	706	684	639	728	AAS APHA 3111 B
5.4	Iron as Fe	%	4.93	4.39	4.68	4.47	4.61	4.76	AAS APHA(22 nd Eti)3111 B
5.5	Nickel as Ni	µg/g	57	31.72	39.5	29.84	33.58	28.64	AAS APHA(22 nd Eti)3111 B
5.6	Copper as Cu	µg/g	48	28.6	42.6	32.6	49.8	46.70	AAS APHA(22 nd Eti)3111 B
5.7	Zinc as Zn	µg/g	135	107	113	97.5	110	92.70	AAS APHA(22 nd Eti)3111 B
5.8	Lead as Pb	µg/g	2.76	3.28	2.59	3.16	2.68	2.38	AAS APHA(22 nd Eti)3111 B
5.9	Mercury as Hg	µg/g	Not Detected	Not Detected	Not Detected	Not Detected	Not Detected	Not Detected	AAS APHA- 3112 B
6	Benthic Organisms								
6.1	Macrobenthos	--	Polychaetes Ostracods Gastropods	Polychaetes Amphipods Gastropods	Polychaetes Amphipods Branchyaran	Gastropods Crustaceans Decapods	Gastropods Crustaceans Bivalves	Gastropods Polychaetes Bivalves	APHA (22 nd Edi) 10500-C
6.2	MeioBenthos	--	Foraminiferans Nematodes	Foraminiferans	Nematodes	Foraminiferans Nematodes	Foraminiferans	Nematodes	APHA (22 nd Edi) 10500-C
6.3	Population	no/m2	379	262	350	440	352	499	APHA (22 nd Edi) 10500-C



H. T. Shah
Lab Manager




Dr. Arun Bajpai
Lab Manager (Q)

RESULTS OF MARINE WATER [M2 MOUTH OF BOCHA & NAVINAL CREEK - N 22°44'239" E 069°43'757"]

SR. NO.	TEST PARAMETERS	UNIT	APRIL 2021		MAY 2021		JUNE 2021		JULY 2021		AUGUST 2021		SEPTEMBER 2021		TEST METHOD
			SURFACE	BOTTOM	SURFACE	BOTTOM	SURFACE	BOTTOM	SURFACE	BOTTOM	SURFACE	BOTTOM	SURFACE	BOTTOM	
1	pH	--	8.39	8.37	8.32	8.25	8.23	8.17	8.17	8.14	8.13	8.09	8.09	8.04	IS3025(P11)8 3Re.02
2	Temperature	oC	30.9	30.8	30.8	30.6	30.2	30.1	29.6	29.3	29.9	29.8	29.8	29.7	IS3025(P9)84 Re.02
3	Total Suspended Solids	mg/L	109	124	123	107	135	119	123	107	113	102	102	91	IS3025(P17)8 4Re.02
4	BOD (3 Days @ 27 °C)	mg/L	3.0	Not Detected	3.5	Not Detected	3.2	Not Detected	3.0	Not Detected	2.8	Not Detected	2.3	Not Detected	IS 3025 (P44)1993Re. 03Edition2.1
5	Dissolved Oxygen	mg/L	5.9	5.7	5.9	5.8	6.0	5.9	5.9	5.7	6.0	5.7	6.0	5.8	IS3025(P38)8 9Re.99
6	Salinity	ppt	37	37.3	37.2	37.5	35.3	35.5	35.46	35.92	35.26	35.74	34.86	35.2	APHA (22 nd Edi) 2550 B
7	Oil & Grease	mg/L	Not Detected	Not Detected	Not Detected	Not Detected	Not Detected	Not Detected	Not Detected	Not Detected	Not Detected	Not Detected	Not Detected	Not Detected	APHA(22 nd Edi) 5520D
8	Nitrate as NO ₃	µmol/L	2.56	2.74	2.96	2.63	2.61	2.42	2.37	2.19	2.47	2.39	2.53	2.41	IS3025(P34)8 8
9	Nitrite as NO ₂	µmol/L	0.65	0.74	0.75	0.51	0.45	0.56	0.89	0.75	0.76	0.68	0.81	0.73	IS3025(P34)8 8 NEDA
10	Ammonical Nitrogen as NH ₃	µmol/L	2.45	2.80	2.34	2.24	2.51	2.34	2.38	2.23	2.57	2.41	2.34	2.19	IS3025(P34)8 8Cla.2.3
11	Phosphates as PO ₄	µmol/L	2.71	2.49	2.69	2.47	2.37	2.28	1.75	1.68	1.36	1.27	1.75	1.63	APHA(22 nd Edi) 4500 C
12	Total Nitrogen	µmol/L	5.66	5.49	6.05	5.38	5.57	5.32	5.64	5.17	5.80	5.48	5.68	5.33	IS3025(P34)8 8
13	Petroleum Hydrocarbon	µg/L	6.0	Not Detected	10.5	Not Detected	Not Detected	Not Detected	Not Detected	Not Detected	Not Detected	Not Detected	Not Detected	Not Detected	PLPL-TPH
14	Total Dissolved Solids	mg/L	38544	38675	38664	38926	36898	37104	37066	37504	36862	37314	35964	36276	IS3025(P16)8 4Re.02
15	COD	mg/L	14	8	21.7	19.3	19.4	Not Detected	16.2	Not Detected	13.4	12.8	10.48	Not Detected	APHA(22 nd Edi) 5520-D Open Reflux
A Phytoplankton															
16.1	Chlorophyll	mg/m ³	2.71	2.63	2.65	2.49	2.58	2.4	2.37	2.29	2.26	2.18	2.24	2.16	APHA (22 nd Edi) 10200-H



H. T. Shah
Lab Manager




Dr. Arun Bajpai
Lab Manager (Q)

Recognised by MoEF, New Delhi Under Sec. 12 of Environmental (Protection) Act-1986

16.2	Phaeophytin	mg/m ³	0.99	0.19	1.04	0.33	0.2	1.3	0.45	1.40	0.65	1.51	0.67	1.54	APHA (22 nd Edi) 10200-H
16.3	Cell Count	No. x 10 ³ /L	156	95	142	86	152	106	134	99	152	106	138	108	APHA (22 nd Edi) 10200-H
16.4	Name of Group Number and name of group species of each group	--	Rhizosolenia sp. Biddulphia sp. Thalassiosira sp. Coscinodiscus sp.	Synedra sp. Nitzschia sp. Pleurosigma sp.	Thalassiosira sp. Pleurosigma sp. Biddulphia sp.	Navicula sp. Synedra sp. Cheatocerous sp.	Thalassiosira sp. Synedra sp. Biddulphia sp. Cheatocerous sp.	Synedra sp. Navicula sp. Nitzschia sp. Pleurosigma sp.	Biddulphia sp. Stauroneis sp. Coscinodiscus sp. Skeletone ma sp.	Navicula sp. Nitzschia sp. Cyclotella sp.	Rhizosolenia sp. Synedra sp. Thalassiosira sp. Skeletone ma sp. Coscinodiscus sp.	Thalassiosira sp. Navicula sp. Skeletone ma sp. Biddulphia sp.	Coscinodiscus sp. Biddulphia sp. Thalassiosira sp. Rhizosolenia sp.	Synedra sp. Nitzschia sp. Navicula sp. Stauroneis sp.	APHA (22 nd Edi) 10200-H
B Zooplanktons															
17.1	Abundance (Population)	noX10 ³ / 100 m ³	27		25		31		23		29		24		APHA (22 nd Edi) 10200-G
17.2	Name of Group Number and name of group species of each group	--	Ostracods Gastropods Chaetognathes Polychaetes		Namatodes Copepods Polychaetes Mysids		Decapods Polychaetes Gastropods		Polychaetes Bivalves Decapods Ostracods		Polychaetes Bivalves Decapods Chaetognathes		Lamellibranches Polychaetes Gastropods		APHA (22 nd Edi) 10200-G
17.3	Total Biomass	ml/100 m ³	2.6		2.2		2.35		2.2		2.9		2.15		APHA (22 nd Edi) 10200-G
C Microbiological Parameters															
18.1	Total Bacterial Count	CFU/ml	2240		2380		2450		2600		2580		2710		IS 5402:2002
18.2	Total Coliform	/ml	Present		Present		Present		Present		Present		Present		APHA(22 nd Edi) 9221-D
18.3	Ecoli	/ml	Absent		Absent		Absent		Absent		Absent		Absent		IS:1622:1981 Edi.2.4(2003-05)
18.4	Enterococcus	/ml	Present		Present		Present		Present		Present		Present		IS : 15186 :2002
18.5	Salmonella	/ml	Absent		Absent		Absent		Absent		Absent		Absent		IS : 5887 (P-3)
18.6	Shigella	/ml	Absent		Absent		Absent		Absent		Absent		Absent		IS : 1887 (P-7)
18.7	Vibrio	/ml	Absent		Absent		Absent		Absent		Absent		Absent		IS : 5887 (P-5)



H. T. Shah
Lab Manager




Dr. Arun Bajpai
Lab Manager (Q)

Recognised by MoEF, New Delhi Under Sec. 12 of Environmental (Protection) Act-1986

RESULTS OF SEDIMENT ANALYSIS [M2 MOUTH OF BOCHA & NAVINAL CREEK – N 22°44'239" E 069°43'757"]

SR. NO.	TEST PARAMETERS	UNIT	APRIL 2021	MAY 2021	JUNE 2021	JULY 2021	AUGUST 2021	SEPTEMBER 2021	TEST METHOD
			SEDIMENT	SEDIMENT	SEDIMENT	SEDIMENT	SEDIMENT	SEDIMENT	
1	Organic Matter	%	--	--	--	--	0.47	0.37	FCO:2007
2	Phosphorus as P	µg/g	--	--	--	--	619	568	APHA(22 nd E di) 4500 C
3	Texture	--	--	--	--	--	Sandy	Sandy	--
4	Petroleum Hydrocarbon	µg/g	--	--	--	--	Not Detected	Not Detected	PLPL-TPH
5	Heavy Metals								
5.1	Aluminum as Al	%	--	--	--	--	4.78	4.88	AAS APHA 3111 B
5.2	Total Chromium as Cr+3	µg/g	--	--	--	--	169	152	AAS 3111B
5.3	Manganese as Mn	µg/g	--	--	--	--	852	783	AAS APHA 3111 B
5.4	Iron as Fe	%	--	--	--	--	4.8	4.72	AAS APHA(22 nd E di)3111 B
5.5	Nickel as Ni	µg/g	--	--	--	--	42.96	37.98	AAS APHA(22 nd E di)3111 B
5.6	Copper as Cu	µg/g	--	--	--	--	37.64	41.23	AAS APHA(22 nd E di)3111 B
5.7	Zinc as Zn	µg/g	--	--	--	--	152	139	AAS APHA(22 nd E di)3111 B
5.8	Lead as Pb	µg/g	--	--	--	--	2.75	1.86	AAS APHA(22 nd E di)3111 B
5.9	Mercury as Hg	µg/g	--	--	--	--	Not Detected	Not Detected	AAS APHA- 3112 B
6	Benthic Organisms								
6.1	Macrobenthos	--	--	--	--	--	Gastropods Polychaetes Crustaceans	Gastropods Polychaetes Crustaceans	APHA (22 nd E di) 10500-C
6.2	MeioBenthos	--	--	--	--	--	Nematodes	--	APHA (22 nd E di) 10500-C
6.3	Population	no/m ²	--	--	--	--	499	469	APHA (22 nd E di) 10500-C


H. T. Shah
Lab Manager


Dr. Arun Bajpai
Lab Manager (Q)

Recognised by MoEF, New Delhi Under Sec. 12 of Environmental (Protection) Act-1986

RESULTS OF MARINE WATER [M3 EAST OF BOCHAISLAND - N 22°46'530" E 069°41'690"]

SR. NO.	TEST PARAMETERS	UNIT	APRIL 2021		MAY 2021		JUNE 2021		JULY 2021		AUGUST 2021		SEPTEMBER 2021		TEST METHOD
			SURFACE	BOTTOM	SURFACE	BOTTOM	SURFACE	BOTTOM	SURFACE	BOTTOM	SURFACE	BOTTOM	SURFACE	BOTTOM	
1	pH	--	8.43	8.47	8.31	8.27	8.24	8.20	8.19	8.13	8.12	8.09	8.09	7.98	IS3025(P11)83Re.02
2	Temperature	oC	30.8	30.9	30.7	30.5	30.1	29.8	29.6	29.5	29.9	29.8	29.8	29.7	IS3025(P9)84Re.02
3	Total Suspended Solids	mg/L	98	85	110	92	123	107	114	93	128	104	107	89	IS3025(P17)84Re.02
4	BOD (3 Days @ 27°C)	mg/L	4.0	Not Detected	3.6	Not Detected	3.4	Not Detected	3.2	Not Detected	2.8	Not Detected	2.3	Not Detected	IS 3025 (P44)1993Re.03Edition2.1
5	Dissolved Oxygen	mg/L	6.2	6	6.0	5.9	6.0	5.8	5.9	5.8	6.0	5.7	6.0	5.85	IS3025(P38)89Re.99
6	Salinity	ppt	36.9	37.3	37.1	37.4	35.3	35.6	35.74	36.18	35.14	35.89	35.24	35.76	APHA (22 nd Edi) 2550 B
7	Oil & Grease	mg/L	Not Detected	Not Detected	Not Detected	Not Detected	Not Detected	Not Detected	Not Detected	Not Detected	Not Detected	Not Detected	Not Detected	Not Detected	APHA(22 nd Edi)5520D
8	Nitrate as NO ₃	µmol/L	2.41	2.65	2.87	2.74	2.69	2.47	2.39	2.13	2.57	2.41	2.39	2.27	IS3025(P34)88
9	Nitrite as NO ₂	µmol/L	0.55	0.60	0.93	0.81	0.75	0.68	0.68	0.52	0.73	0.68	0.64	0.58	IS3025(P34)88 NEDA
10	Ammonical Nitrogen as NH ₃	µmol/L	2.75	2.84	2.68	2.58	2.53	2.45	2.28	2.17	2.39	2.17	2.47	2.30	IS3025(P34)88Cla.2.3
11	Phosphates as PO ₄	µmol/L	2.66	2.14	2.57	2.41	2.39	2.31	1.99	1.75	2.15	2.10	2.25	2.17	APHA(22 nd Edi) 4500 C
12	Total Nitrogen	µmol/L	5.71	5.14	6.48	6.13	5.97	5.60	5.35	4.82	5.69	5.26	5.50	5.15	IS3025(P34)88
13	Petroleum Hydrocarbon	µg/L	18.0	Not Detected	16.8	Not Detected	Not Detected	Not Detected	Not Detected	Not Detected	Not Detected	Not Detected	Not Detected	Not Detected	PLPL-TPH
14	Total Dissolved Solids	mg/L	38241	38656	38558	38282	36894	37180	37312	37726	36748	37456	36318	36784	IS3025(P16)84Re.02
15	COD	mg/L	24	17	21.6	19.4	20.5	Not Detected	16.3	Not Detected	13.6	11.4	10.86	Not Detected	APHA(22 nd Edi) 5520-D Open Reflux
A	Phytoplankton														
16.1	Chlorophyll	mg/m ³	2.87	2.34	2.71	2.29	2.61	2.34	2.33	2.25	2.26	2.10	2.34	2.27	APHA (22 nd Edi) 10200-H
16.2	Phaeophytin	mg/m ³	0.12	0.16	0.39	0.22	0.5	0.2	0.77	0.26	0.83	0.40	0.14	0.80	APHA (22 nd Edi) 10200-H
16.3	Cell Count	No. x 10 ³ /L	137	103	117	89	131	104	117	84	131	97	123	91	APHA (22 nd Edi) 10200-H


H. T. Shah
 Lab Manager


Dr. Arun Bajpai
 Lab Manager (Q)

Recognised by MoEF, New Delhi Under Sec. 12 of Environmental (Protection) Act-1986

16.4	Name of Group Number and name of group species of each group	--	Nitzschia sp. Pleurosig ma sp. Biddulphi a sp. Coscinodi scus sp.	Navicula sp. Stauronei s sp. Cheatocor ous sp. Synedra sp.	Pleurosig ma sp. Thallasios ira sp. Biddulphi a sp. Rhizosole nia sp.	Cyclotella sp. Navicula sp. Nitzschia sp.	Skeletone ma sp. Biddulphi a sp. Coscinodi scus sp. Rhizosole nia sp.	Navicula sp. Nitzschia sp. Pleurosig ma sp. Melosira sp.	Skeletone ma sp. Biddulphi a sp. Thallasion ema sp. Coscinodi scus sp.	Nitzschia sp. Rhizosole nia sp. Synedra sp. Pleurosig ma sp.	Nitzschia sp. Biddulphi a sp. Skeletone ma sp. Rhizosole nia sp.	Navicula sp. Pleurosig ma sp. Synedra sp. Cheatocor ous sp.	Gyro sigma sp. Guinardia sp. Thallasion ema sp. Coscinodi scus sp. Cyclotella sp.	Nitzschia sp. Amphipr ora sp. Biddulphi a sp. Melosira sp. Synedra sp.	APHA (22 nd Edi) 10200-H	
B Zooplanktons																
17.1	Abundance (Population)	noX10 ³ / 100 m ³	28		26		30		25		31		26		APHA (22 nd Edi) 10200-G	
17.2	Name of Group Number and name of group species of each group	--	Decapods	Polychaetes Si phonophores	Chaetognathes Ostraco ds Gastropods	Ostraco ds Gastropods	Gastropods Polychaetes Decapods Ostracods	Polychaetes Decapods O stracods Amphipods	Polychaetes Gastropods Decapods	Polychaetes Gastropods Decapods	Polychaetes Gastropods Ostracods				APHA (22 nd Edi) 10200-G	
17.3	Total Biomass	ml/100 m ³	2.6		2.3		2.45		2.4		2.9		2.55		APHA (22 nd Edi) 10200-G	
C Microbiological Parameters																
18.1	Total Bacterial Count	CFU/ml	2390		2450		2520		2320		2490		2640		IS 5402:2002	
18.2	Total Coliform	/ml	Present		Present		Present		Present		Present		Present		APHA(22 nd Edi)922 1-D	
18.3	Ecoli	/ml	Present		Absent		Absent		Absent		Absent		Absent		IS:1622:1981Edi.2 .4(2003-05)	
18.4	Enterococcus	/ml	Present		Present		Present		Present		Present		Present		IS : 15186 :2002	
18.5	Salmonella	/ml	Absent		Absent		Absent		Absent		Absent		Absent		IS : 5887 (P-3)	
18.6	Shigella	/ml	Absent		Absent		Absent		Absent		Absent		Absent		IS : 1887 (P-7)	
18.7	Vibrio	/ml	Absent		Absent		Absent		Absent		Absent		Absent		IS : 5887 (P-5)	



H. T. Shah
Lab Manager




Dr. Arun Bajpai
Lab Manager (Q)

Recognised by MoEF, New Delhi Under Sec. 12 of Environmental (Protection) Act-1986

RESULTS OF SEDIMENT ANALYSIS [M3 RIGHT SIDE OF BOCHA CREEK - N 22°46'530" E 069°41'690"]

SR NO	TEST PARAMETERS	UNIT	APRIL 2021	MAY 2021	JUNE 2021	JULY 2021	AUGUST 2021	SEPTEMBER 2021	TEST METHOD
			SEDIMENT	SEDIMENT	SEDIMENT	SEDIMENT	SEDIMENT	SEDIMENT	
1	Organic Matter	%	0.56	0.47	0.43	0.42	0.37	0.35	FCO:2007
2	Phosphorus as P	µg/g	539	603	576	537	569	542	APHA(22 nd Edi) 4500 C
3	Texture	--	Sandy	Sandy	Sandy	Sandy	Sandy	Sandy	--
4	Petroleum Hydrocarbon	µg/g	Not Detected	Not Detected	Not Detected	Not Detected	Not Detected	Not Detected	PLPL-TPH
5	Heavy Metals								
5.1	Aluminum as Al	%	4.72	4.39	4.63	4.46	4.68	4.58	AAS APHA 3111 B
5.2	Total Chromium as Cr+3	µg/g	119	127	119	106	132	107	AAS 3111B
5.3	Manganese as Mn	µg/g	703	613	710	692	613	592	AAS APHA 3111 B
5.4	Iron as Fe	%	4.81	4.68	4.56	4.37	4.58	4.63	AAS APHA(22 nd Edi)3111 B
5.5	Nickel as Ni	µg/g	63	35.7	39.28	35.6	31.24	41.28	AAS APHA(22 nd Edi)3111 B
5.6	Copper as Cu	µg/g	40	32.6	42.5	37.48	41.98	36.7	AAS APHA(22 nd Edi)3111 B
5.7	Zinc as Zn	µg/g	139	112	119	102	129	109	AAS APHA(22 nd Edi)3111 B
5.8	Lead as Pb	µg/g	2.75	2.93	2.64	2.36	2.75	2.17	AAS APHA(22 nd Edi)3111 B
5.9	Mercury as Hg	µg/g	Not Detected	Not Detected	Not Detected	Not Detected	Not Detected	Not Detected	AAS APHA- 3112 B
6	Benthic Organisms								
6.1	Macrobenthos	--	Polychaetes Crustaceans Bivalves	Polychaetes Gastropods Crustaceans	Amphipods Polychaetes Crustaceans	Gastropods Polychaetes Bivalves	Crustaceans Polychaetes Bivalves	Gastropods Polychaetes Bivalves	APHA (22 nd Edi) 10500-C
6.2	MeioBenthos	--	Nematodes Turbellaria	Namatodes	Namatodes	Foraminiferams	--	--	APHA (22 nd Edi) 10500-C
6.3	Population	no/m ²	324	352	411	471	353	372	APHA (22 nd Edi) 10500-C


H. T. Shah
 Lab Manager


Dr. Arun Bajpai
 Lab Manager (Q)

Recognised by MoEF, New Delhi Under Sec. 12 of Environmental (Protection) Act-1986

RESULTS OF MARINE WATER [M4 JUNA BANDAR N 22°47'57" E 069°43'620"]

SR. NO.	TEST PARAMETERS	UNIT	APRIL 2021		MAY 2021		JUNE 2021		JULY 2021		AUGUST 2021		SEPTEMBER 2021		TEST METHOD
			SURFACE	BOTTOM	SURFACE	BOTTOM	SURFACE	BOTTOM	SURFACE	BOTTOM	SURFACE	BOTTOM	SURFACE	BOTTOM	
1	pH	--	8.38	8.35	8.29	8.17	8.24	8.20	8.19	8.15	8.15	8.12	8.07	8.01	IS3025(P11)83R e.02
2	Temperature	oC	30.8	30.5	30.6	30.4	30.3	30	29.7	29.5	29.9	29.8	29.8	29.6	IS3025(P9)84Re .02
3	Total Suspended Solids	mg/L	94	80	97	86	119	102	105	93	113	102	97	83	IS3025(P17)84R e.02
4	BOD (3 Days @ 27 °C)	mg/L	3.0	Not Detected	3.4	Not Detected	3.2	Not Detected	3.1	Not Detected	2.7	Not Detected	2.3	Not Detected	IS 3025 (P44)1993Re.03 Edition2.1
5	Dissolved Oxygen	mg/L	6.0	5.9	5.9	5.8	6.0	5.8	5.9	5.8	6.0	5.7	5.9	5.75	IS3025(P38)89R e.99
6	Salinity	ppt	36.8	37.2	37.3	37.6	35.4	35.7	35.68	35.92	35.29	35.68	35.16	35.42	APHA (22 nd Edi) 2550 B
7	Oil & Grease	mg/L	Not Detected	Not Detected	Not Detected	Not Detected	Not Detected	Not Detected	Not Detected	Not Detected	Not Detected	Not Detected	Not Detected	Not Detected	APHA(22 nd Edi)5 520D
8	Nitrate as NO ₃	µmol/L	2.45	2.14	2.73	2.59	2.61	2.53	2.74	2.58	2.47	2.31	2.46	2.31	IS3025(P34)88
9	Nitrite as NO ₂	µmol/L	0.59	0.45	0.65	0.53	0.75	0.65	0.69	0.61	0.73	0.64	0.57	0.49	IS3025(P34)88 NEDA
10	Ammonical Nitrogen as NH ₃	µmol/L	2.58	2.50	2.38	2.29	2.51	2.38	2.37	2.29	2.16	1.97	2.28	2.17	IS3025(P34)88C la.2.3
11	Phosphates as PO ₄	µmol/L	2.64	2.44	2.84	2.76	2.69	2.58	1.99	1.87	2.39	2.31	2.53	2.46	APHA(22 nd Edi) 4500 C
12	Total Nitrogen	µmol/L	5.02	5.09	5.74	5.41	5.87	5.56	5.8	5.48	5.36	4.92	5.31	4.97	IS3025(P34)88
13	Petroleum Hydrocarbon	µg/L	9.0	Not Detected	13.6	Not Detected	Not Detected	Not Detected	Not Detected	Not Detected	Not Detected	Not Detected	Not Detected	Not Detected	PLPL-TPH
14	Total Dissolved Solids	mg/L	38415	37818	38742	39052	36992	37280	37256	37472	36874	37258	36472	36472	IS3025(P16)84R e.02
15	COD	mg/L	15	10	26.8	17.2	19.6	Not Detected	17.3	Not Detected	13.2	11.6	10.28	Not Detected	APHA(22 nd Edi) 5520-D Open Reflux
A Phytoplankton															
16.1	Chlorophyll	mg/m ³	2.61	2.32	2.52	2.28	2.56	2.37	2.48	2.25	2.21	2.13	2.04	1.95	APHA (22 nd Edi) 10200-H
16.2	Phaeophytin	mg/m ³	0.77	0.65	0.86	0.69	0.8	0.6	0.90	0.72	1.17	0.84	0.93	0.30	APHA (22 nd Edi) 10200-H
16.3	Cell Count	No. x 10 ³ /L	131	101	121	91	139	109	123	96	134	110	127	89	APHA (22 nd Edi) 10200-H


H. T. Shah
 Lab Manager


Dr. Arun Bajpai
 Lab Manager (Q)

Recognised by MoEF, New Delhi Under Sec. 12 of Environmental (Protection) Act-1986

16.4	Name of Group Number and name of group species of each group	--	Melosira sp. Closterium sp. Biddulphia sp. Rhizosolenia sp.	Thalassiosira sp. Nitzschia sp. Navicula sp. Fragillaria sp.	Thalassiosira sp. Coscinodiscus sp. Rhizosolenia sp. Pleurosigma sp.	Navicula sp. Nitzschia sp. Melosira sp.	Rhizosolenia sp. Nitzschia sp. Synedra sp. Pleurosigma sp. Coscinodiscus sp.	Navicula sp. Cheatoceros sp. Biddulphia sp. Melosira sp.	Navicula sp. Pleurosigma sp. Biddulphia sp. Coscinodiscus sp.	Synedra sp. Chetoceros sp. Stauronidium sp. Nitzschia sp.	Navicula sp. Pleurosigma sp. Biddulphia sp. Coscinodiscus sp.	Synedra sp. Chetoceros sp. Stauronidium sp. Nitzschia sp.	Nitzschia sp. Melosira sp. Ceratium sp. Pleurosigma sp. Coscinodiscus sp.	Cyclotella sp. Biddulphia sp. Synedra sp. Nitzschia sp.--	APHA (22 nd Edi) 10200-H
B Zooplanktons															
17.1	Abundance (Population)	noX10 ³ /100 m ³	31		27		30		25		31		28		APHA (22 nd Edi) 10200-G
17.2	Name of Group Number and name of group species of each group	--	Polychaetes Decapods Gastropods Medusae		Siphonophores Chaetognathes Polychaetes Isopods		Polychaetes Decapods Ostracods Copepods		Polychaetes Gastropods Bivalves Ostracods		Polychaetes Gastropods Decapods		Foraminiferans Gastropods Lamellibranches Amphipods		APHA (22 nd Edi) 10200-G
17.3	Total Biomass	ml/100 m ³	2.9		2.5		2.65		2.5		3.0		2.75		APHA (22 nd Edi) 10200-G
C Microbiological Parameters															
18.1	Total Bacterial Count	CFU/ml	2450		2340		2540		2160		2180		2390		IS 5402:2002
18.2	Total Coliform	/ml	Present		Present		Present		Present		Present		Present		APHA(22 nd Edi)9 221-D
18.3	Ecoli	/ml	Absent		Absent		Absent		Absent		Absent		Absent		IS:1622:1981Edi .2.4(2003-05)
18.4	Enterococcus	/ml	Present		Present		Present		Present		Present		Present		IS : 15186 :2002
18.5	Salmonella	/ml	Absent		Absent		Absent		Absent		Absent		Absent		IS : 5887 (P-3)
18.6	Shigella	/ml	Absent		Absent		Absent		Absent		Absent		Absent		IS : 1887 (P-7)
18.7	Vibrio	/ml	Absent		Absent		Absent		Absent		Absent		Absent		IS : 5887 (P-5)



H. T. Shah
Lab Manager




Dr. Arun Bajpai
Lab Manager (Q)

Recognised by MoEF, New Delhi Under Sec. 12 of Environmental (Protection) Act-1986

RESULTS OF SEDIMENT ANALYSIS [M4 JUNA BANDAR N 22°47'57" E 069°43'620"]

SR. NO.	TEST PARAMETERS	UNIT	APRIL 2021	MAY 2021	JUNE 2021	JULY 2021	AUGUST 2021	SEPTEMBER 2021	TEST METHOD
			SEDIMENT	SEDIMENT	SEDIMENT	SEDIMENT	SEDIMENT	SEDIMENT	
1	Organic Matter	%	0.54	0.48	0.46	0.4	0.42	0.39	FCO:2007
2	Phosphorus as P	µg/g	603	590	560	574	664	582	APHA(22 nd Edi) 4500 C
3	Texture	--	Sandy	Sandy	Sandy	Sandy	Sandy	Sandy	--
4	Petroleum Hydrocarbon	µg/g	Not Detected	Not Detected	Not Detected	Not Detected	Not Detected	Not Detected	PLPL-TPH
5	Heavy Metals								
5.1	Aluminum as Al	%	4.86	4.72	4.82	4.62	4.83	4.64	AAS APHA 3111 B
5.2	Total Chromium as Cr ⁺³	µg/g	152	129	139	114	129	112	AAS 3111B
5.3	Manganese as Mn	µg/g	693	658	587	630	675	576	AAS APHA 3111 B
5.4	Iron as Fe	%	4.78	4.42	4.69	4.27	4.78	4.52	AAS APHA(22 nd Edi)3111 B
5.5	Nickel as Ni	µg/g	59	38.6	43.2	35.6	41.92	51.6	AAS APHA(22 nd Edi)3111 B
5.6	Copper as Cu	µg/g	47	52.9	39.5	27.4	38.4	32.94	AAS APHA(22 nd Edi)3111 B
5.7	Zinc as Zn	µg/g	127	108	117	92.8	113	98.7	AAS APHA(22 nd Edi)3111 B
5.8	Lead as Pb	µg/g	3.38	2.93	2.59	2.17	2.64	2.17	AAS APHA(22 nd Edi)3111 B
5.9	Mercury as Hg	µg/g	Not Detected	Not Detected	Not Detected	Not Detected	Not Detected	Not Detected	AAS APHA- 3112 B
6	Benthic Organisms								
6.1	Macrobenthos	--	Gastropods Amphipods Bivalves	Polychaetes Gastropods Crustaceans	Polychaetes Amphipods Branchyans	Polychaetes Gastropods Bivalves	Gastropods Amphipods Decapods	Gastropods Polychaetes Amphipods	APHA (22 nd Edi) 10500-C
6.2	MeioBenthos	--	Nematodes	Foraminiferams	Foraminiferams	Foraminiferams	Foraminiferams	Nematodes	APHA (22 nd Edi) 10500-C
6.3	Population	no/m ²	351	292	322	499	322	352	APHA (22 nd Edi) 10500-C


H. T. Shah
Lab Manager


Dr. Arun Bajpai
Lab Manager (Q)

RESULTS OF MARINE WATER [M5 TOWARDS WESTERN SIDE OF EAST PORT – N 22°46'041" E 069°47'296"]

SR. NO.	TEST PARAMETERS	UNIT	APRIL 2021		MAY 2021		JUNE 2021		JULY 2021		AUGUST 2021		SEPTEMBER 2021		TEST METHOD
			SURFACE	BOTTOM	SURFACE	BOTTOM	SURFACE	BOTTOM	SURFACE	BOTTOM	SURFACE	BOTTOM	SURFACE	BOTTOM	
1	pH	--	8.43	8.40	8.34	8.25	8.23	8.16	8.15	8.12	8.13	8.09	8.08	8.03	IS3025(P11)83Re.02
2	Temperature	oC	30.7	30.5	30.6	30.4	30.3	30.1	29.7	29.4	29.9	29.8	29.9	29.8	IS3025(P9)84Re.02
3	Total Suspended Solids	mg/L	88	80	95	87	104	116	102	89	113	91	105	89	IS3025(P17)84Re.02
4	BOD (3 Days @ 27 °C)	mg/L	4.0	Not Detected	3.5	Not Detected	3.2	Not Detected	3.1	Not Detected	2.7	Not Detected	2.4	Not Detected	IS 3025 (P44)1993Re.03Edition2.1
5	Dissolved Oxygen	mg/L	6.2	6	5.9	5.8	6.0	5.9	5.9	5.8	5.9	5.7	6.0	5.85	IS3025(P38)89Re.99
6	Salinity	ppt	37.2	37.5	37.1	37.4	35.3	35.7	35.86	36.12	35.36	35.69	35.14	35.388	APHA (22 nd Edi) 2550 B
7	Oil & Grease	mg/L	Not Detected	Not Detected	Not Detected	Not Detected	Not Detected	Not Detected	Not Detected	Not Detected	Not Detected	Not Detected	Not Detected	Not Detected	APHA(22 nd Edi)5520D
8	Nitrate as NO ₃	μmol/L	2.71	2.78	2.83	2.51	2.47	2.38	2.36	2.19	2.47	2.39	2.37	2.26	IS3025(P34)88
9	Nitrite as NO ₂	μmol/L	0.59	0.66	0.75	0.60	0.59	0.51	0.64	0.53	0.68	0.57	0.74	0.53	IS3025(P34)88 NEDA
10	Ammonical Nitrogen as NH ₃	μmol/L	1.95	2.10	2.31	2.24	2.28	2.17	2.17	2.10	2.31	2.24	2.59	2.47	IS3025(P34)88Cl a.2.3
11	Phosphates as PO ₄	μmol/L	2.69	2.51	2.19	1.93	2.49	2.43	2.13	1.95	2.39	2.33	2.17	2.08	APHA(22 nd Edi) 4500 C
12	Total Nitrogen	μmol/L	5.75	5.54	5.89	5.35	5.34	5.06	5.17	4.82	5.46	5.20	5.70	5.26	IS3025(P34)88
13	Petroleum Hydrocarbon	μg/L	7.0	Not Detected	15.4	Not Detected	Not Detected	Not Detected	Not Detected	Not Detected	Not Detected	Not Detected	Not Detected	Not Detected	PLPL-TPH
14	Total Dissolved Solids	mg/L	38612	38796	38556	38842	36897	37286	37148	37684	36948	37264	36234	36462	IS3025(P16)84Re.02
15	COD	mg/L	20	17.2	25.2	18.4	21.4	Not Detected	17.2	Not Detected	12.76	Not Detected	10.76	Not Detected	APHA(22 nd Edi) 5520-D Open Reflux
A	Phytoplankton														
16.1	Chlorophyll	mg/m ³	2.75	2.61	2.65	2.57	2.56	2.4	2.37	2.30	2.24	2.20	2.21	2.13	APHA (22 nd Edi) 10200-H
16.2	Phaeophytin	mg/m ³	2.26	1.08	2.35	1.12	2.5	1.3	1.60	1.39	1.73	1.50	1.48	1.84	APHA (22 nd Edi) 10200-H
16.3	Cell Count	No. x 10 ³ /L	162	116	152	102	190	118	164	98	168	108	156	98	APHA (22 nd Edi) 10200-H



H. T. Shah
Lab Manager




Dr. Arun Bajpai
Lab Manager (Q)

Recognised by MoEF, New Delhi Under Sec. 12 of Environmental (Protection) Act-1986

16.4	Name of Group Number and name of group species of each group	--	Skeletonema sp. Navicula sp. Biddulphia sp. Coccinodiscus sp.	Nitzschia sp. Fragillaria sp. Synedra sp. Melosira sp.	Amphipods sp. Biddulphia sp. Coccinodiscus sp. Rhizosolenia sp.	Navicula sp. Nitzschia sp. Synedra sp. Melosira sp.	Rhizosolenia sp. Cheatoceros sp. Pleurosigma sp. Skeletonema sp. Melosira sp.	Synedra sp. Coccinodiscus sp. Navicula sp. Nitzschia sp.	Coccinodiscus sp. Cheatoceros sp. Skeletonema sp. Thalassionema sp.	Nitzschia sp. Synedra sp. Cyclotella sp. Pleurosigma sp.	Coccinodiscus sp. Cheatoceros sp. Skeletonema sp. Rhizosolenia sp.	Nitzschia sp. Biddulphia sp. Pleurosigma sp. Navicula sp.	Gyrodinium sp. Skeletonema sp. Cyclotella sp. Melosira sp. Nitzschia sp.	Thalassionema sp. Amphiprotera sp. Cymbella sp. Pleurosigma sp.	APHA (22 nd Edi) 10200-H
B Zooplanktons															
17.1	Abundance (Population)	noX10 ³ /100 m ³	28		24		28		23		29		26		APHA (22 nd Edi) 10200-G
17.2	Name of Group Number and name of group species of each group	--	Polychaetes Amphipods Decapods Medusae		Polychaetes Gastropods Decapods		Gastropods Decapods Mysids Chaetognathes		Polychaetes Bivalves Decapods Foraminiferans		Polychaetes Chaetognaths Decapods		Gastropods Amphipods Ostracods Lamellibranches		APHA (22 nd Edi) 10200-G
17.3	Total Biomass	ml/100 m ³	2.4		2.1		2.4		2.2		2.8		2.55		APHA (22 nd Edi) 10200-G
C Microbiological Parameters															
18.1	Total Bacterial Count	CFU/ml	2340		2310		2280		2530		2510		2780		IS 5402:2002
18.2	Total Coliform	/ml	Present		Present		Present		Present		Present		Present		APHA(22 nd Edi)92 21-D
18.3	Ecoli	/ml	Absent		Absent		Absent		Absent		Absent		Absent		IS:1622:1981Edi. 2.4(2003-05)
18.4	Enterococcus	/ml	Present		Present		Present		Present		Present		Present		IS : 15186 :2002
18.5	Salmonella	/ml	Absent		Absent		Absent		Absent		Absent		Absent		IS : 5887 (P-3)
18.6	Shigella	/ml	Absent		Absent		Absent		Absent		Absent		Absent		IS : 1887 (P-7)
18.7	Vibrio	/ml	Absent		Absent		Absent		Absent		Absent		Absent		IS : 5887 (P-5)



H. T. Shah
Lab Manager




Dr. Arun Bajpai
Lab Manager (Q)

Recognised by MoEF, New Delhi Under Sec. 12 of Environmental (Protection) Act-1986

RESULTS OF SEDIMENT ANALYSIS [M5 TOWARDS WESTERN SIDE OF EAST PORT – N 22°46'041" E 069°47'296"]

SR. NO.	TEST PARAMETERS	UNIT	APRIL 2021	MAY 2021	JUNE 2021	JULY 2021	AUGUST 2021	SEPTEMBER 2021	TEST METHOD
			SEDIMENT	SEDIMENT	SEDIMENT	SEDIMENT	SEDIMENT	SEDIMENT	
1	Organic Matter	%	0.58	0.47	0.45	0.41	0.38	0.36	FCO:2007
2	Phosphorus as P	µg/g	593	618	574	517	629	528	APHA(22 nd Edi) 4500 C
3	Texture	--	Sandy	Sandy	Sandy	Sandy	Sandy	Sandy	--
4	Petroleum Hydrocarbon	µg/g	Not Detected	Not Detected	Not Detected	Not Detected	Not Detected	Not Detected	PLPL-TPH
5	Heavy Metals								
5.1	Aluminum as Al	%	4.87	4.53	4.69	4.46	4.67	4.53	AAS APHA 3111 B
5.2	Total Chromium as Cr ⁺³	µg/g	143	117	127	107	119	129	AAS 3111B
5.3	Manganese as Mn	µg/g	724	692	568	612	635	558	AAS APHA 3111 B
5.4	Iron as Fe	%	4.76	4.52	4.72	4.58	4.73	4.80	AAS APHA(22 nd Edi)3111 B
5.5	Nickel as Ni	µg/g	61	53.7	35.64	31.76	37.94	42.99	AAS APHA(22 nd Edi)3111 B
5.6	Copper as Cu	µg/g	35	41.9	47.3	39.84	31.26	35.6	AAS APHA(22 nd Edi)3111 B
5.7	Zinc as Zn	µg/g	123	109	128	112	135	128	AAS APHA(22 nd Edi)3111 B
5.8	Lead as Pb	µg/g	3.17	2.67	2.59	2.19	2.28	2.16	AAS APHA(22 nd Edi)3111 B
5.9	Mercury as Hg	µg/g	Not Detected	Not Detected	Not Detected	Not Detected	Not Detected	Not Detected	AAS APHA- 3112 B
6	Benthic Organisms								
6.1	Macrobenthos	--	Polychaetes Crustaceans Bivalves	Polychaetes Gastropods Crustaceans	Polychaetes Bivalves Crustaceans	Polychaetes Gastropods Bivalves	Polychaetes Crustaceans Decapods	Gastropods Polychaetes Amphipods	APHA (22 nd Edi) 10500-C
6.2	MeioBenthos	--	--	Namatodes	Namatodes	Foraminiferams	Foraminiferams	Nematodes	APHA (22 nd Edi) 10500-C
6.3	Population	no/m 2	409	322	353	439	350	322	APHA (22 nd Edi) 10500-C


H. T. Shah
Lab Manager


Dr. Arun Bajpai
Lab Manager (Q)

Recognised by MoEF, New Delhi Under Sec. 12 of Environmental (Protection) Act-1986

RESULTS OF MARINE WATER [M7 EAST PORT N 22°47'120" E 069°47'110"]

SR. NO.	TEST PARAMETERS	UNIT	APRIL 2021		MAY 2021		JUNE 2021		JULY 2021		AUGUST 2021		SEPTEMBER 2021		TEST METHOD
			SURFACE	BOTTOM	SURFACE	BOTTOM	SURFACE	BOTTOM	SURFACE	BOTTOM	SURFACE	BOTTOM	SURFACE	BOTTOM	
1	pH	--	8.46	8.40	8.34	8.29	8.27	8.22	8.17	8.14	8.11	8.07	8.02	7.95	IS3025(P11)83Re.02
2	Temperature	oC	30.7	30.5	30.6	30.3	30.3	30.1	29.9	29.8	30	29.8	29.8	29.7	IS3025(P9)84Re.02
3	Total Suspended Solids	mg/L	129	102	112	98	105	118	114	97	121	105	113	93	IS3025(P17)84Re.02
4	BOD (3 Days @ 27°C)	mg/L	4.0	Not Detected	3.9	Not Detected	3.2	Not Detected	3.2	Not Detected	2.9	Not Detected	2.3	Not Detected	IS 3025 (P44)1993Re.03Edition2.1
5	Dissolved Oxygen	mg/L	6.4	6	6.0	5.9	6.0	5.8	5.9	5.7	5.8	5.7	6.0	5.9	IS3025(P38)89Re.99
6	Salinity	ppt	36.9	37.3	37.4	37.6	35.4	35.7	36.12	36.34	35.69	35.98	35.14	35.46	APHA (22 nd Edition) 2550 B
7	Oil & Grease	mg/L	Not Detected	Not Detected	Not Detected	Not Detected	Not Detected	Not Detected	Not Detected	Not Detected	Not Detected	Not Detected	Not Detected	Not Detected	APHA(22 nd Edition)5520D
8	Nitrate as NO ₃	µmol/L	2.44	2.65	2.69	2.51	2.75	2.51	2.57	2.39	2.41	2.35	2.57	2.40	IS3025(P34)88
9	Nitrite as NO ₂	µmol/L	0.25	0.36	0.57	0.43	0.46	0.42	0.49	0.41	0.73	0.68	0.53	0.34	IS3025(P34)88 NEDA
10	Ammonical Nitrogen as NH ₃	µmol/L	2.71	2.84	2.86	2.59	2.61	2.53	2.38	2.18	2.27	2.21	2.36	2.28	IS3025(P34)88Clause 2.3
11	Phosphates as PO ₄	µmol/L	2.65	2.78	2.49	2.24	2.37	2.21	2.51	2.39	2.43	2.38	2.31	2.19	APHA(22 nd Edition) 4500 C
12	Total Nitrogen	µmol/L	5.4	5.85	6.12	5.53	5.82	5.46	5.44	4.98	5.41	5.22	5.46	5.02	IS3025(P34)88
13	Petroleum Hydrocarbon	µg/L	9.0	Not Detected	16.4	Not Detected	Not Detected	Not Detected	Not Detected	Not Detected	Not Detected	Not Detected	Not Detected	Not Detected	PLPL-TPH
14	Total Dissolved Solids	mg/L	37948	38984	38842	39026	37108	37290	37669	37864	37264	37530	36242	36514	IS3025(P16)84Re.02
15	COD	mg/L	29	18	28.7	17.3	21.6	Not Detected	17.8	Not Detected	13.9	10.76	9.94	Not Detected	APHA(22 nd Edition) 5520-D Open Reflux
A	Phytoplankton														
16.1	Chlorophyll	mg/m ³	2.69	2.48	2.77	2.40	2.67	2.53	2.48	2.37	2.36	2.21	2.2	1.94	APHA (22 nd Edition) 10200-H
16.2	Phaeophytin	mg/m ³	0.30	0.43	0.22	0.51	0.3	0.4	0.52	0.54	0.64	0.70	0.80	0.97	APHA (22 nd Edition) 10200-H
16.3	Cell Count	No. x 10 ³ /L	136	104	130	92	152	98	136	90	130	104	124	86	APHA (22 nd Edition) 10200-H


H. T. Shah
 Lab Manager


Dr. Arun Bajpai
 Lab Manager (Q)

Recognised by MoEF, New Delhi Under Sec. 12 of Environmental (Protection) Act-1986

16.4	Name of Group Number and name of group species of each group	--	Biddulphia sp. Cymbella sp. Thalassiosira sp. Melosira sp. Peridinium sp.	Coscinodiscus sp. Navicula sp. Nitzschia sp. Fragillaria sp.	Thalassiosira sp. Rhizosolenia sp. Pleurosigma sp. Coscinodiscus sp. Melosira sp.	Cyclotella sp. Navicula sp. Nitzschia sp. Guinardia sp.	Thalassiosira sp. Rhizosolenia sp. Pleurosigma sp. Coscinodiscus sp. Melosira sp.	Melosira sp. Navicula sp. Nitzschia sp. Synedra sp.	Rhizosolenia sp. Chaetognathes sp. Pleurosigma sp. Skeletonema sp.	Nitzschia sp. Navicula sp. Coscinodiscus sp. Synedra sp.	Amphora sp. Peridinium sp. Skeletonema sp. Thalassiosira sp. Surirella sp.	Navicula sp. Rhizosolenia sp. Synedra sp. Biddulphia sp.	Pinnularia sp. Stauronnis sp. Cymbella sp. Fragillaria sp. Coscinodiscus sp.	Cyclotella sp. Chaetoceros sp. Gyrodinium sp. Melosira sp.	APHA (22 nd Edi) 10200-H
B Zooplanktons															
17.1	Abundance (Population)	noX10 ³ / 100 m ³	29		26		30		24		32		28		APHA (22 nd Edi) 10200-G
17.2	Name of Group Number and name of group species of each group	--	Gastropods Foraminiferans	Polychaetes Ostracods	Polychaetes Molluscans	Copepods Foraminiferans Decapods	Polychaetes Foraminiferans	Copepods Polychaetes Gastropods	Hydrozoa Crustaceans	Polychaetes Bivalves	Foraminiferans Gastropods Amphipods Bivalves				APHA (22 nd Edi) 10200-G
17.3	Total Biomass	ml/100 m ³	2.4		2.1		2.45		2.3		3.0		2.60		APHA (22 nd Edi) 10200-G
C Microbiological Parameters															
18.1	Total Bacterial Count	CFU/ml	2440		2370		2270		2490		2340		2610		IS 5402:2002
18.2	Total Coliform	/ml	Present		Present		Present		Present		Present		Present		APHA(22 nd Edi)922 1-D
18.3	Ecoli	/ml	Absent		Absent		Absent		Absent		Absent		Absent		IS:1622:1981Edi.2 .4(2003-05)
18.4	Enterococcus	/ml	Present		Present		Present		Present		Present		Present		IS : 15186 :2002
18.5	Salmonella	/ml	Absent		Absent		Absent		Absent		Absent		Absent		IS : 5887 (P-3)
18.6	Shigella	/ml	Absent		Absent		Absent		Absent		Absent		Absent		IS : 1887 (P-7)
18.7	Vibrio	/ml	Absent		Absent		Absent		Absent		Absent		Absent		IS : 5887 (P-5)


H. T. Shah
Lab Manager


Dr. Arun Bajpai
Lab Manager (Q)

RESULTS OF MARINE WATER [M8 RIGHT SIDE OF BOCHA CREEK N 22°45'987" E 069°43'119"]

SR. NO.	TEST PARAMETERS	UNIT	APRIL 2021		MAY 2021		JUNE 2021		JULY 2021		AUGUST 2021		SEPTEMBER 2021		TEST METHOD
			SURFACE	BOTTOM	SURFACE	BOTTOM	SURFACE	BOTTOM	SURFACE	BOTTOM	SURFACE	BOTTOM	SURFACE	BOTTOM	
1	pH	--	8.45	8.48	8.31	8.26	8.25	8.20	8.16	8.13	8.14	8.10	8.05	7.99	IS3025(P11)83Re.02
2	Temperature	oC	30.6	30.9	30.7	30.5	30.3	30	30	29.9	30	29.8	29.9	29.7	IS3025(P9)84Re.02
3	Total Suspended Solids	mg/L	101	117	105	96	117	108	104	98	117	103	104	91	IS3025(P17)84Re.02
4	BOD (3 Days @ 27 °C)	mg/L	3.0	Not Detected	3.4	Not Detected	3.2	Not Detected	3.0	Not Detected	2.9	Not Detected	2.3	Not Detected	IS 3025 (P44)1993Re.03E dition2.1
5	Dissolved Oxygen	mg/L	6.1	5.8	6.0	5.8	6.0	5.9	5.9	5.7	5.9	5.8	6.0	5.9	IS3025(P38)89Re.99
6	Salinity	ppt	36.9	37.4	37.2	37.6	35.3	35.6	36.24	36.48	35.73	35.96	35.20	35.72	APHA (22 nd Edi) 2550 B
7	Oil & Grease	mg/L	Not Detected	Not Detected	Not Detected	Not Detected	Not Detected	Not Detected	Not Detected	Not Detected	Not Detected	Not Detected	Not Detected	Not Detected	APHA(22 nd Edi)5520D
8	Nitrate as NO ₃	µmol/L	2.56	2.71	2.89	2.71	2.65	2.47	2.48	2.36	2.56	2.48	2.43	2.37	IS3025(P34)88
9	Nitrite as NO ₂	µmol/L	0.2	0.27	0.67	0.53	0.48	0.39	0.7	0.61	0.87	0.79	0.69	0.52	IS3025(P34)88 NEDA
10	Ammonical Nitrogen as NH ₃	µmol/L	2.61	2.75	2.51	2.34	2.76	2.62	2.35	2.19	2.27	2.20	2.17	2.04	IS3025(P34)88Cla.2.3
11	Phosphates as PO ₄	µmol/L	2.56	2.40	2.47	2.29	2.35	2.17	1.75	1.63	2.16	1.97	2.28	2.13	APHA(22 nd Edi) 4500 C
12	Total Nitrogen	µmol/L	5.37	5.73	6.07	5.58	5.89	5.48	5.53	5.16	5.70	5.47	5.29	4.93	IS3025(P34)88
13	Petroleum Hydrocarbon	µg/L	7.0	Not Detected	12.3	Not Detected	Not Detected	Not Detected	Not Detected	Not Detected	Not Detected	Not Detected	Not Detected	Not Detected	PLPL-TPH
14	Total Dissolved Solids	mg/L	37844	38814	38652	39034	36914	37214	37782	37982	37306	37512	36284	36764	IS3025(P16)84Re.02
15	COD	mg/L	25	16	20.8	17.2	20.2	Not Detected	16.2	Not Detected	12.9	10.2	9.82	Not Detected	APHA(22 nd Edi) 5520-D Open Reflux
A Phytoplankton															
16.1	Chlorophyll	mg/m ³	2.61	2.48	2.67	2.42	2.71	2.5	2.45	2.25	2.28	2.13	2.14	1.93	APHA (22 nd Edi) 10200-H
16.2	Phaeophytin	mg/m ³	0.36	0.44	0.30	0.50	0.3	0.4	0.52	0.67	0.69	0.79	0.82	0.99	APHA (22 nd Edi) 10200-H
16.3	Cell Count	No. x 10 ³ /L	148	98	136	90	152	118	134	92	150	104	142	92	APHA (22 nd Edi) 10200-H



H. T. Shah
Lab Manager




Dr. Arun Bajpai
Lab Manager (Q)

Recognised by MoEF, New Delhi Under Sec. 12 of Environmental (Protection) Act-1986

16.4	Name of Group Number and name of group species of each group	--	Rhizosolenia sp. Biddulphia sp. Thalassiosira sp. Coccolithoida sp.	Navicula sp. Fragillaria sp. Nitzschia sp. Melosira sp.	Biddulphia sp. Amphipods sp. Thalassiosira sp. Coccolithoida sp.	Nitzschia sp. Pleurosigma sp. Melosira sp. Synedra sp.	Thalassiosira sp. Thalassiosira sp. Melosira sp. Coccolithoida sp.	Navicula sp. Nitzschia sp. Rhizosolenia sp. Synedra sp.	Rhizosolenia sp. Chaetognathes sp. Thalassiosira sp. Biddulphia sp.	Nitzschia sp. Navicula sp. Coccolithoida sp. Synedra sp.	Skeletonema sp. Synedra sp. Pleurosigma sp. Amphora sp.	Thalassiosira sp. Navicula sp. Synedra sp. Surirella sp.	Skeletonema sp. Pleurosigma sp. Cyclotella sp. Melosira sp. Guinardia sp.	Nitzschia sp. Amphipoda sp. Biddulphia sp. Gyrodinium sp.--	APHA (22 nd Edi) 10200-H	
B Zooplanktons																
17.1	Abundance (Population)	noX10 ³ /100 m ³	26		21		27		22		28		25		APHA (22 nd Edi) 10200-G	
17.2	Name of Group Number and name of group species of each group	--	Amphipods Gastropods Polychaetes Ostracods	Gastropods Decapods Nematodes Fish eggs		Foraminiferans Polychaetes Copepods Ostracods		Decapods Copepods Gastropods		Polychaetes Ostracods Decapods Bivalves		Polychaetes Decapods Lamellibranches Isopods		APHA (22 nd Edi) 10200-G		
17.3	Total Biomass	ml/100 m ³	2.4		2.1		2.4		2.1		2.7		2.45		APHA (22 nd Edi) 10200-G	
C Microbiological Parameters																
18.1	Total Bacterial Count	CFU/ml	2410		2320		2490		2570		2840		2480		IS 5402:2002	
18.2	Total Coliform	/ml	Present		Present		Present		Present		Present		Present		APHA(22 nd Edi)922 1-D	
18.3	Ecoli	/ml	Absent		Absent		Absent		Absent		Absent		Absent		IS:1622:1981Edi. 2.4(2003-05)	
18.4	Enterococcus	/ml	Present		Present		Present		Present		Present		Present		IS : 15186 :2002	
18.5	Salmonella	/ml	Absent		Absent		Absent		Absent		Absent		Absent		IS : 5887 (P-3)	
18.6	Shigella	/ml	Absent		Absent		Absent		Absent		Absent		Absent		IS : 1887 (P-7)	
18.7	Vibrio	/ml	Absent		Absent		Absent		Absent		Absent		Absent		IS : 5887 (P-5)	


H. T. Shah
Lab Manager


Dr. Arun Bajpai
Lab Manager (Q)

Recognised by MoEF, New Delhi Under Sec. 12 of Environmental (Protection) Act-1986

RESULTS OF SEDIMENT ANALYSIS [M8 RIGHT SIDE OF BOCHA CREEK – N 22°45'987" E 069°43'119"]

SR. NO.	TEST PARAMETERS	UNIT	APRIL 2021	MAY 2021	JUNE 2021	JULY 2021	AUGUST 2021	SEPTEMBER 2021	TEST METHOD
			SEDIMENT	SEDIMENT	SEDIMENT	SEDIMENT	SEDIMENT	SEDIMENT	
1	Organic Matter	%	0.57	0.46	0.47	0.54	0.43	0.38	FCO:2007
2	Phosphorus as P	µg/g	518	612	568	603	638	570	APHA(22 nd Edi) 4500 C
3	Texture	--	Sandy	Sandy	Sandy	Sandy	Sandy	Sandy	--
4	Petroleum Hydrocarbon	µg/g	Not Detected	Not Detected	Not Detected	Not Detected	Not Detected	Not Detected	PLPL-TPH
5	Heavy Metals								
5.1	Aluminum as Al	%	4.81	4.63	4.76	4.58	4.7	4.56	AAS APHA 3111 B
5.2	Total Chromium as Cr ⁺³	µg/g	135	112	129	117	128	138	AAS 3111B
5.3	Manganese as Mn	µg/g	746	674	583	619	650	564	AAS APHA 3111 B
5.4	Iron as Fe	%	4.73	4.58	4.69	4.52	4.64	4.72	AAS APHA(22 nd Edi)3111 B
5.5	Nickel as Ni	µg/g	65	48.35	37.6	31.76	37.93	41.98	AAS APHA(22 nd Edi)3111 B
5.6	Copper as Cu	µg/g	53	39.68	43.2	35.2	42.8	32.6	AAS APHA(22 nd Edi)3111 B
5.7	Zinc as Zn	µg/g	112	105	128	98.52	110	115	AAS APHA(22 nd Edi)3111 B
5.8	Lead as Pb	µg/g	3.18	2.87	2.59	2.18	3.14	2.30	AAS APHA(22 nd Edi)3111 B
5.9	Mercury as Hg	µg/g	Not Detected	Not Detected	Not Detected	Not Detected	Not Detected	Not Detected	AAS APHA- 3112 B
6	Benthic Organisms								
6.1	Macrobenthos	--	Polychaetes Crustaceans Amphipods	Polychaetes Gastropods Crustaceans	Polychaetes Amphipods Crustaceans	Polychaetes Crustaceans Decapods	Polychaetes Gastropods Amphipods	Gastropods Polychaetes Amphipods	APHA (22 nd Edi) 10500-C
6.2	MeioBenthos	--	Nematodes	Foraminiferams	Foraminiferams	Foraminiferams Nematodes	Foraminiferams	Nematodes	APHA (22 nd Edi) 10500-C
6.3	Population	no/ m ²	379	382	262	408	294	350	APHA (22 nd Edi) 10500-C


H. T. Shah
Lab Manager


Dr. Arun Bajpai
Lab Manager (Q)

RESULTS OF MARINE WATER [M11 MPT T1 JETTY N 22°42'278" E 069°43'450"]

SR. NO.	TEST PARAMETERS	UNIT	APRIL 2021		MAY 2021		JUNE 2021		JULY 2021		AUGUST 2021		SEPTEMBER 2021		TEST METHOD
			SURFACE	BOTTOM	SURFACE	BOTTOM	SURFACE	BOTTOM	SURFACE	BOTTOM	SURFACE	BOTTOM	SURFACE	BOTTOM	
1	pH	--	8.39	8.35	8.31	8.27	8.24	8.19	8.21	8.17	8.17	8.13	8.09	8.02	IS3025(P11)83Re.02
2	Temperature	oC	30.7	30.5	30.6	30.4	30	29.8	29.9	29.7	30	29.8	29.8	29.7	IS3025(P9)84Re.02
3	Total Suspended Solids	mg/L	107	96	112	98	109	113	112	95	109	87	97	81	IS3025(P17)84Re.02
4	BOD (3 Days @ 27 °C)	mg/L	2.8	Not Detected	3.2	Not Detected	3.0	Not Detected	3.1	Not Detected	2.5	Not Detected	2.4	Not Detected	IS 3025 (P44)1993Re.03E dition2.1
5	Dissolved Oxygen	mg/L	6.2	6	6.0	5.8	6.1	5.9	5.9	5.7	6.0	5.8	6.0	5.8	IS3025(P38)89Re.99
6	Salinity	ppt	37	37.3	37.3	37.7	35.2	35.5	36.42	36.68	35.82	36.24	35.28	35.72	APHA (22 nd Edi) 2550 B
7	Oil & Grease	mg/L	Not Detected	Not Detected	Not Detected	Not Detected	Not Detected	Not Detected	Not Detected	Not Detected	Not Detected	Not Detected	Not Detected	Not Detected	APHA(22 nd Edi)552 OD
8	Nitrate as NO ₃	µmol/L	2.4	2.71	2.58	2.41	2.64	2.53	2.47	2.35	2.39	2.25	2.48	2.40	IS3025(P34)88
9	Nitrite as NO ₂	µmol/L	0.45	0.49	0.69	0.53	0.78	0.69	0.69	0.57	0.58	0.41	0.53	0.42	IS3025(P34)88 NEDA
10	Ammonical Nitrogen as NH ₃	µmol/L	2.80	2.54	2.76	2.49	2.45	2.36	2.38	2.19	2.27	2.19	2.35	2.29	IS3025(P34)88Cla.2.3
11	Phosphates as PO ₄	µmol/L	2.45	2.16	2.38	2.16	2.57	2.48	1.91	1.77	2.28	2.10	2.24	2.18	APHA(22 nd Edi) 4500 C
12	Total Nitrogen	µmol/L	5.65	5.84	6.03	5.43	5.87	5.58	5.54	5.11	5.24	4.85	5.36	5.11	IS3025(P34)88
13	Petroleum Hydrocarbon	µg/L	7.8	Not Detected	10.3	Detected	Detected	Detected	Detected	Detected	Detected	Detected	Detected	Detected	PLPL-TPH
14	Total Dissolved Solids	mg/L	37945	38812	38742	39117	36814	37129	38014	38192	36834	37798	36346	36754	IS3025(P16)84Re.02
15	COD	mg/L	25	17	21.8	18.4	20.1	Not Detected	16.4	Not Detected	10.98	Not Detected	9.24	Not Detected	APHA(22 nd Edi) 5520-D Open Reflux
A	Phytoplankton														
16.1	Chlorophyll	mg/m ³	2.99	2.77	2.93	2.67	2.83	2.61	2.56	2.50	2.5	2.34	2.21	1.92	APHA (22 nd Edi) 10200-H
16.2	Phaeophytin	mg/m ³	2.84	2.19	2.89	2.30	2.1	2.1	2.41	2.16	2.16	2.25	0.89	0.59	APHA (22 nd Edi) 10200-H
16.3	Cell Count	No. x 10 ³ /L	158	102	142	94	172	104	138	96	146	106	134	90	APHA (22 nd Edi) 10200-H



H. T. Shah
Lab Manager




Dr. Arun Bajpai
Lab Manager (Q)

Recognised by MoEF, New Delhi Under Sec. 12 of Environmental (Protection) Act-1986

16.4	Name of Group Number and name of group species of each group	--	Biddulphia sp. Coscinodiscus sp. Rhizosolenia sp. Thalassiosira sp.	Nitzschia sp. Thalassiosira sp. Pleurosigma sp.	Coscinodiscus sp. Rhizosolenia sp. Pleurosigma sp. Gyrosigma sp. Peridinium sp.	Cyclotella sp. Nitzschia sp. Melosira sp. Synedra sp.	Thalassiosira sp. Peridinium sp. Biddulphia sp. Rhizosolenia sp.	Melosira sp. Synedra sp. Nitzschia sp. Skeletone ma sp.	Thalassiosira sp. Pleurosigma sp. Biddulphia sp. Skeletone ma sp.	Navicula sp. Synedra sp. Coscinodiscus sp. Rhizosolenia sp.	Thalassiosira sp. Amphora sp. Peridinium sp. Gyro sigma sp.	Nitzschia sp. Skeletone ma sp. Navicula sp. Synedra sp.	Suriella sp. Amphiprotra sp. Cyclotella sp. Ceratium sp. Guinardia sp.	Biddulphia sp. Cymbella sp. Skeletone ma sp. Gyro sigma sp.--	APHA (22 nd Edi) 10200-H
B Zooplanktons															
17.1	Abundance (Population)	noX10 ³ / 100 m ³	26		22		27		22		28		24		APHA (22 nd Edi) 10200-G
17.2	Name of Group Number and name of group species of each group	--	Amphipods Gastropods Ostracods Foraminiferans	Decapods Isopods Polychaetes Nematodes		Decapods Isopods Polychaetes Nematodes		Decapods Gastropods Polychaetes Ostracods		Hydrozoa Gastropods Polychaetes Ostracods		Foraminiferans Polychaetes Gastropods		APHA (22 nd Edi) 10200-G	
17.3	Total Biomass	ml/100 m ³	2.4		2.0		2.45		2.2		2.7		2.35		APHA (22 nd Edi) 10200-G
C Microbiological Parameters															
18.1	Total Bacterial Count	CFU/m l	2290		2430		2510		2400		2480		2540		IS 5402:2002
18.2	Total Coliform	/ml	Present		Present		Present		Present		Present		Present		APHA(22 nd Edi)922 19.21-D
18.3	Ecoli	/ml	Absent		Absent		Absent		Absent		Absent		Absent		IS:1622:1981Edi. 2.4(2003-05)
18.4	Enterococcus	/ml	Present		Present		Present		Present		Present		Present		IS : 15186 :2002
18.5	Salmonella	/ml	Absent		Absent		Absent		Absent		Absent		Absent		IS : 5887 (P-3)
18.6	Shigella	/ml	Absent		Absent		Absent		Absent		Absent		Absent		IS : 1887 (P-7)
18.7	Vibrio	/ml	Absent		Absent		Absent		Absent		Absent		Absent		IS : 5887 (P-5)


H. T. Shah
Lab Manager


Dr. Arun Bajpai
Lab Manager (Q)

Recognised by MoEF, New Delhi Under Sec. 12 of Environmental (Protection) Act-1986

RESULTS OF MARINE WATER [M12 SPM N 22°40'938" E 069°39'191"]

SR. NO.	TEST PARAMETERS	UNIT	APRIL 2021		MAY 2021		JUNE 2021		JULY 2021		AUGUST 2021		SEPTEMBER 2021		TEST METHOD
			SURFACE	BOTTOM	SURFACE	BOTTOM	SURFACE	BOTTOM	SURFACE	BOTTOM	SURFACE	BOTTOM	SURFACE	BOTTOM	
1	pH	--	8.47	8.43	8.34	8.29	8.21	8.18	8.17	8.13	8.13	8.09	8.07	8.02	IS3025(P11)83Re.02
2	Temperature	oC	30.6	30.3	30.7	30.4	30.2	30	30	29.9	29.9	29.8	29.7	29.5	IS3025(P9)84Re.02
3	Total Suspended Solids	mg/L	119	133	129	102	114	109	119	105	125	110	114	103	IS3025(P17)84Re.02
4	BOD (3 Days @ 27 °C)	mg/L	4.0	Not Detected	3.5	Not Detected	3.1	Not Detected	3.2	Not Detected	2.9	Not Detected	2.4	Not Detected	IS 3025 (P44)1993Re.03Edition2.1
5	Dissolved Oxygen	mg/L	6.1	5.8	6.0	5.8	6.1	5.9	5.9	5.7	5.9	5.8	6.0	5.7	IS3025(P38)89Re.99
6	Salinity	ppt	37.2	37.5	37.3	37.5	35.5	35.7	36.32	36.58	35.94	36.32	35.32	35.84	APHA (22 nd Edi) 2550 B
7	Oil & Grease	mg/L	Not Detected	Not Detected	Not Detected	Not Detected	Not Detected	Not Detected	Not Detected	Not Detected	Not Detected	Not Detected	Not Detected	Not Detected	APHA(22 nd Edi)5520D
8	Nitrate as NO ₃	µmol/L	2.14	2.43	2.47	2.39	2.53	2.39	2.48	2.35	2.68	2.59	2.54	2.48	IS3025(P34)88
9	Nitrite as NO ₂	µmol/L	0.35	0.41	0.58	0.47	0.76	0.60	0.81	0.73	0.75	0.63	0.65	0.52	IS3025(P34)88 NEDA
10	Ammonical Nitrogen as NH ₃	µmol/L	2.41	2.68	2.93	2.76	2.65	2.47	2.54	2.39	2.39	2.28	2.27	2.20	IS3025(P34)88Cla.2.3
11	Phosphates as PO ₄	µmol/L	2.31	2.16	2.57	2.41	2.31	2.28	1.89	1.75	2.24	2.13	2.38	2.31	APHA(22 nd Edi) 4500 C
12	Total Nitrogen	µmol/L	5.05	5.42	5.98	5.62	5.94	5.46	5.83	5.47	5.82	5.50	5.46	5.20	IS3025(P34)88
13	Petroleum Hydrocarbon	µg/L	10.1	Not Detected	13.4	Not Detected	Not Detected	Not Detected	Not Detected	Not Detected	Not Detected	Not Detected	Not Detected	Not Detected	PLPL-TPH
14	Total Dissolved Solids	mg/L	38689	38974	38759	38927	37093	37276	37294	38094	37498	37846	36384	36928	IS3025(P16)84Re.02
15	COD	mg/L	29	18	24.3	17.5	19.9	Not Detected	16.8	Not Detected	12.8	10.6	9.58	Not Detected	APHA(22 nd Edi) 5520-D Open Reflux
A	Phytoplankton														
16.1	Chlorophyll	mg/m ³	2.65	2.40	2.61	2.40	2.67	2.45	2.5	2.40	2.56	2.45	2.24	2.16	APHA (22 nd Edi) 10200-H
16.2	Phaeophytin	mg/m ³	2.52	2.19	2.58	2.19	2.5	2.1	2.31	2.19	2.26	2.14	0.78	0.33	APHA (22 nd Edi) 10200-H
16.3	Cell Count	No. x 10 ³ /L	144	118	138	103	152	118	126	101	158	103	146	101	APHA (22 nd Edi) 10200-H


H. T. Shah
 Lab Manager


Dr. Arun Bajpai
 Lab Manager (Q)

Recognised by MoEF, New Delhi Under Sec. 12 of Environmental (Protection) Act-1986

16.4	Name of Group Number and name of group species of each group	--	Biddulphia sp. Rhizosolenia sp. Skeletone ma sp. Coscinodiscus sp.	Nitzschia sp. Navicula sp. Pleurosigma sp. Melosira sp.	Guinordia sp. Melosira sp. Peridinium sp. Thalassiosira sp.	Nitzschia sp. Navicula sp. Biddulphia sp. Skeletone ma sp. Cyclotella sp.	Rhizosolenia sp. Thalassiosira sp. Biddulphia sp. Melosira sp. Skeletone ma sp. Coscinodiscus sp.	Navicula sp. Nitzschia sp. Melosira sp. Synedra sp.	Biddulphia sp. Coscinodiscus sp. Chaetognathes sp. Rhizosolenia sp.	Nitzschia sp. Navicula sp. Pleurosigma sp. Synedra sp.	Pleurosigma sp. Peridinium sp. Thalassiosira sp. Biddulphia sp. Melosira sp.	Synedra sp. Nitzschia sp. Surirella sp. Navicula sp.	Thalassiosira sp. Loscinodiscus sp. Cyclotella sp. Amphiprotera sp. Rhizosolenia sp.	Nitzschia sp. Synedra sp. Skeletone ma sp. Biddulphia sp. Gyrosigma sp.	APHA (22 nd Edi) 10200-H
B Zooplanktons															
17.1	Abundance (Population)	noX10 ³ / 100 m ³	30		25		27		23		26		23		APHA (22 nd Edi) 10200-G
17.2	Name of Group Number and name of group species of each group	--	Polychaetes Decapods Amphipods Mysids	Isopods Decapods Polychaetes Mysids		Copepods Decapods Gastropods Ostracods		Polychaetes Decapods Chaetocenes Ostracods		Polychaetes Gastropods Chaetognaths Bivalves		Polychaetes Gastropods Decapods Lamellibranches		APHA (22 nd Edi) 10200-G	
17.3	Total Biomass	ml/100 m ³	2.6		2.2		2.25		2.1		2.5		2.25		APHA (22 nd Edi) 10200-G
C Microbiological Parameters															
18.1	Total Bacterial Count	CFU/ml	2350		2470		2350		2220		2480		2620		IS 5402:2002
18.2	Total Coliform	/ml	Present		Present		Present		Present		Present		Present		APHA(22 nd Edi)922 19.21-D
18.3	Ecoli	/ml	Absent		Absent		Absent		Absent		Absent		Absent		IS:1622:1981Edi. 2.4(2003-05)
18.4	Enterococcus	/ml	Present		Present		Present		Present		Present		Present		IS : 15186 :2002
18.5	Salmonella	/ml	Absent		Absent		Absent		Absent		Absent		Absent		IS : 5887 (P-3)
18.6	Shigella	/ml	Absent		Absent		Absent		Absent		Absent		Absent		IS : 1887 (P-7)
18.7	Vibrio	/ml	Absent		Absent		Absent		Absent		Absent		Absent		IS : 5887 (P-5)


H. T. Shah
Lab Manager


Dr. Arun Bajpai
Lab Manager (Q)



Recognised by MoEF, New Delhi Under Sec. 12 of Environmental (Protection) Act-1986

RESULTS OF ETP OUTLET

SR. NO.	TEST PARAMETERS	UNIT	Liquid Terminal ETP Outlet						GPCB Permissible Limit
			APR-21	MAY-21	JUN-21	JUL-21	AUG-21	SEP-21	
1	Colour	Co-pt	20	30	30	25	30	25	100
2	pH	--	7.59	7.68	7.99	7.84	7.94	6.58	6.5 to 8.5
3	Temperature	°C	30.2	30.1	30.3	29.9	30.1	30	40
4	Total Suspended Solids	mg/L	29	32	52	24	37	27	100
5	Total Dissolved Solids	mg/L	793	819	2069	1839	1968	1568	2100
6	COD	mg/L	65	72	84	70	86	78	100
7	BOD (3 Days @ 27 °C)	mg/L	12	16	19	15	17	15	30
8	Chloride as Cl	mg/L	243	352	415	408	374	358	600
9	Oil & Grease	mg/L	2.8	3.4	3.6	2.9	3.8	4.2	10
10	Sulphate as SO ₄	mg/L	206	238	401	320	276	216	1000
11	Ammonical Nitrogen as NH ₃	mg/L	1.76	2.34	5.3	8.56	7.39	8.13	50
12	Phenolic Compound	mg/L	Not Detected	Not Detected	Not Detected	Not Detected	Not Detected	Not Detected	1
13	Copper as Cu	mg/L	Not Detected	Not Detected	Not Detected	Not Detected	Not Detected	Not Detected	3
14	Lead as Pb	mg/L	Not Detected	Not Detected	Not Detected	Not Detected	Not Detected	Not Detected	0.1
15	Sulphide as S	mg/L	0.28	0.14	0.5	0.12	0.16	0.18	2
16	Cadmium as Cd	mg/L	Not Detected	Not Detected	Not Detected	Not Detected	Not Detected	Not Detected	2
17	Fluoride as F	mg/L	0.13	0.12	0.3	0.21	0.32	0.27	2
18	Residual Chlorine	mg/L	0.6	0.8	0.6	0.7	0.8	0.7	0.5 min

H. T. Shah

Lab Manager



Dr. Arun Bajpai

Lab Manager (Q)



Recognised by MoEF New Delhi Under Sec. 12 of Environmental (Protection) Act-1986

RESULT OF AMBIENT AIR QUALITY MONITORING**ADANI PORT – TUG BERTH 600 KL PUMP HOUSE**

Sr. No.	Date of Sampling	Particulate Matter (PM10) µg/m ³	Particulate Matter (PM 2.5) µg/m ³	Sulphur Dioxide (SO ₂) µg/m ³	Oxides of Nitrogen (NO ₂) µg/m ³	Carbon Monoxide as CO mg/m ³	Hydrocarbon as CH ₄ mg/m ³	Benzene as C ₆ H ₆ µg/m ³
1	02/04/2021	62.72	28.62	20.52	34.26	0.30	ND*	ND*
2	06/04/2021	72.44	36.36	16.33	29.48	0.74	ND*	ND*
3	09/04/2021	68.49	27.71	19.59	37.57	0.65	ND*	ND*
4	13/04/2021	76.33	32.37	23.41	40.28	0.55	ND*	ND*
5	16/04/2021	63.47	29.41	17.71	35.43	0.82	ND*	ND*
6	20/04/2021	80.38	46.39	14.43	33.48	0.52	ND*	ND*
7	22/04/2021	74.26	42.52	18.50	30.56	0.76	ND*	ND*
8	26/04/2021	66.53	31.41	15.48	36.22	0.63	ND*	ND*
9	29/04/2021	78.58	35.32	10.57	24.23	0.37	ND*	ND*
10	03/05/2021	57.54	31.54	9.50	24.33	0.29	ND*	ND*
11	07/05/2021	77.56	46.51	15.31	28.61	0.57	ND*	ND*
12	10/05/2021	63.45	34.53	18.46	32.58	0.48	ND*	ND*
13	13/05/2021	70.56	38.40	16.25	29.35	0.47	ND*	ND*
14	19/05/2021	62.51	27.50	12.70	18.66	0.30	ND*	ND*
15	21/05/2021	71.52	37.65	19.40	35.44	0.49	ND*	ND*
16	24/05/2021	80.23	41.56	13.50	31.53	0.66	ND*	ND*
17	27/05/2021	61.56	45.35	17.51	34.52	0.53	ND*	ND*
18	31/05/2021	72.43	40.56	8.78	26.76	0.71	ND*	ND*
19	03/06/2021	80.47	35.70	17.34	33.47	0.37	ND*	ND*
20	07/06/2021	72.66	26.34	18.67	39.53	0.21	ND*	ND*
21	10/06/2021	68.22	31.24	9.85	20.29	0.52	ND*	ND*
22	14/06/2021	77.52	40.27	19.57	30.27	0.66	ND*	ND*
23	17/06/2021	65.45	45.35	16.32	34.56	0.85	ND*	ND*
24	21/06/2021	59.65	32.37	10.26	29.52	0.53	ND*	ND*
25	24/06/2021	75.68	46.26	15.62	37.54	0.89	ND*	ND*
26	28/06/2021	82.62	43.60	12.54	26.61	0.41	ND*	ND*
27	02/07/2021	90.30	50.30	10.66	19.65	0.24	ND*	ND*
28	05/07/2021	95.36	46.85	11.40	23.53	0.38	ND*	ND*
29	08/07/2021	85.36	53.46	16.26	18.67	0.63	ND*	ND*
30	12/07/2021	75.62	36.45	13.41	21.36	0.29	ND*	ND*

Continue ...

H. T. Shah

Lab Manager



Dr. Arun Bajpai

Lab Manager (Q)



Recognised by MoEF New Delhi Under Sec. 12 of Environmental (Protection) Act-1986

RESULT OF AMBIENT AIR QUALITY MONITORING

ADANI PORT – TUG BERTH 600 KL PUMP HOUSE								
Sr.No.	Date of Sampling	Particulate Matter (PM10) µg/m ³	Particulate Matter (PM 2.5) µg/m ³	Sulphur Dioxide (SO2) µg/m ³	Oxides of Nitrogen (NO2) µg/m ³	Carbon Monoxide as CO mg/m ³	Hydrocarbon as CH ₄ mg/m ³	Benzene as C ₆ H ₆ µg/m ³
31	15/07/2021	86.36	47.51	21.36	33.24	0.18	ND*	ND*
32	19/07/2021	77.52	40.23	18.34	22.83	0.33	ND*	ND*
33	22/07/2021	70.37	38.32	12.44	25.58	0.40	ND*	ND*
34	26/07/2021	65.25	28.33	17.36	28.67	0.50	ND*	ND*
35	29/07/2021	79.62	44.35	19.27	32.51	0.76	ND*	ND*
36	16/08/2021	75.34	39.65	8.65	20.31	0.26	ND*	ND*
37	19/08/2021	80.42	35.45	12.39	23.34	0.16	ND*	ND*
38	23/08/2021	72.12	33.53	23.45	38.45	0.55	ND*	ND*
39	26/08/2021	66.60	36.24	20.23	33.45	0.41	ND*	ND*
40	30/08/2021	74.42	40.31	17.42	28.38	0.46	ND*	ND*
41	02/09/2021	70.63	40.23	19.60	33.40	0.41	ND*	ND*
42	06/09/2021	74.35	43.39	12.55	24.31	0.25	ND*	ND*
43	09/09/2021	81.36	45.35	16.23	32.68	0.37	ND*	ND*
44	13/09/2021	86.30	36.40	14.54	25.66	0.23	ND*	ND*
45	16/09/2021	60.33	24.34	9.62	18.70	0.46	ND*	ND*
46	20/09/2021	85.66	47.55	11.21	26.36	0.34	ND*	ND*
47	23/09/2021	67.62	26.38	8.36	16.36	0.39	ND*	ND*
LIMIT[#]		100	60	80	80	4	Not Specified	5
TEST METHOD		IS:5182(Part 23):Gravimetric CPCB - Method (Vol.I,May-2011)	Gravimetric-CPCB - Method (Vol.I,May-2011)	IS:5182(Part II):Improved West and Gaeke	IS:5182(Part VI):Modified Jacob &Hochheiser (NaOH-NaAsO ₂)	NDIR Digital Gas Analyzer	SOP: HC: GC/GCMS/Gas analyzer	IS 5182 (Part XI):2006/CPCB Method

*Not Detected

#: Industrial, Residential, Rural and other Area Notification Dated 16th Nov.2009 as per national Ambient Air Quality Standards, CPCB New Delhi.

H. T. Shah

Lab Manager



Dr. Arun Bajpai

Lab Manager (Q)

**RESULT OF AMBIENT AIR QUALITY MONITORING****NEAR FIRE STATION**

Sr. No.	Date of Sampling	Particulate Matter (PM10) $\mu\text{g}/\text{m}^3$	Particulate Matter (PM 2.5) $\mu\text{g}/\text{m}^3$	Sulphur Dioxide (SO2) $\mu\text{g}/\text{m}^3$	Oxides of Nitrogen (NO2) $\mu\text{g}/\text{m}^3$	Carbon Monoxide as CO mg/m^3	Hydrocarbon as CH ₄ mg/m^3	Benzene as C ₆ H ₆ $\mu\text{g}/\text{m}^3$
1	02/04/2021	73.54	32.45	14.58	27.54	0.24	ND*	ND*
2	06/04/2021	84.62	50.39	12.48	22.25	0.62	ND*	ND*
3	09/04/2021	56.37	33.42	8.35	16.69	0.54	ND*	ND*
4	13/04/2021	66.45	37.56	13.68	28.52	0.61	ND*	ND*
5	16/04/2021	54.24	23.63	11.23	20.30	0.49	ND*	ND*
6	20/04/2021	45.96	20.45	6.53	17.60	0.60	ND*	ND*
7	22/04/2021	52.63	38.39	9.42	14.26	0.22	ND*	ND*
8	26/04/2021	61.24	26.43	7.54	25.52	0.36	ND*	ND*
9	29/04/2021	53.23	22.46	15.28	19.27	0.31	ND*	ND*
10	03/05/2021	63.53	28.56	13.57	20.40	0.60	ND*	ND*
11	07/05/2021	72.55	40.27	7.63	15.29	0.41	ND*	ND*
12	10/05/2021	58.46	26.56	14.27	25.38	0.33	ND*	ND*
13	13/05/2021	65.42	23.63	17.59	32.39	0.78	ND*	ND*
14	19/05/2021	50.26	20.49	21.54	29.30	0.54	ND*	ND*
15	21/05/2021	60.23	25.64	15.71	30.57	0.42	ND*	ND*
16	24/05/2021	69.53	36.47	18.36	21.30	0.63	ND*	ND*
17	27/05/2021	57.58	24.34	10.27	16.58	0.70	ND*	ND*
18	31/05/2021	66.54	29.36	12.49	22.38	0.44	ND*	ND*
19	03/06/2021	65.65	26.56	15.32	25.65	0.48	ND*	ND*
20	07/06/2021	55.64	20.33	16.20	23.87	0.58	ND*	ND*
21	10/06/2021	71.33	36.51	11.54	28.53	0.54	ND*	ND*
22	14/06/2021	66.56	27.56	8.66	16.37	0.36	ND*	ND*
23	17/06/2021	60.36	32.66	10.23	20.34	0.70	ND*	ND*
24	21/06/2021	49.55	23.63	12.55	27.51	0.22	ND*	ND*
25	24/06/2021	61.25	33.50	14.22	24.64	0.73	ND*	ND*
26	28/06/2021	88.45	48.64	9.57	21.56	0.63	ND*	ND*
27	02/07/2021	71.81	43.20	8.59	16.37	0.57	ND*	ND*
28	05/07/2021	78.45	41.32	10.70	14.31	0.49	ND*	ND*
29	08/07/2021	73.66	46.34	15.42	15.31	0.30	ND*	ND*
30	12/07/2021	70.36	32.41	9.56	23.41	0.22	ND*	ND*

Continue ...

H. T. Shah**Lab Manager****Dr. Arun Bajpai****Lab Manager (Q)**



Recognised by MoEF New Delhi Under Sec. 12 of Environmental (Protection) Act-1986

RESULT OF AMBIENT AIR QUALITY MONITORING**NEAR FIRE STATION**

Sr.No.	Date of Sampling	Particulate Matter (PM10) $\mu\text{g}/\text{m}^3$	Particulate Matter (PM 2.5) $\mu\text{g}/\text{m}^3$	Sulphur Dioxide (SO2) $\mu\text{g}/\text{m}^3$	Oxides of Nitrogen (NO2) $\mu\text{g}/\text{m}^3$	Carbon Monoxide as CO mg/m^3	Hydrocarbon as CH ₄ mg/m^3	Benzene as C ₆ H ₆ $\mu\text{g}/\text{m}^3$
31	15/07/2021	67.34	26.31	11.51	27.68	0.15	ND*	ND*
32	19/07/2021	58.38	29.32	13.66	30.32	0.47	ND*	ND*
33	22/07/2021	66.36	34.17	16.43	33.62	0.23	ND*	ND*
34	26/07/2021	60.27	37.51	14.23	31.21	0.32	ND*	ND*
35	29/07/2021	48.54	24.51	17.82	22.35	0.37	ND*	ND*
36	23/08/2021	92.38	45.33	11.58	32.32	0.48	ND*	ND*
37	26/08/2021	52.45	31.32	9.43	26.25	0.24	ND*	ND*
38	30/08/2021	65.67	36.43	12.81	20.52	0.58	ND*	ND*
39	02/09/2021	52.47	44.21	14.24	29.46	0.34	ND*	ND*
40	06/09/2021	62.36	27.64	7.70	18.48	0.29	ND*	ND*
41	09/09/2021	70.37	32.66	13.24	20.83	0.45	ND*	ND*
42	13/09/2021	80.36	31.45	9.46	28.40	0.14	ND*	ND*
LIMIT#		100	60	80	80	4	Not Specified	5
TEST METHOD		IS:5182(Part 23):Gravimetric CPCB - Method (Vol.I,May-2011)	Gravimetric-CPCB - Method (Vol.I,May-2011)	IS:5182(Part II):Improved West and Gaeke	IS:5182(Part VI):Modified Jacob &Hochheiser (NaOH-NaAsO2)	NDIR Digital Gas Analyzer	SOP: HC: GC/GCMS/Gas analyzer	IS 5182 (Part XI):2006/CPCB Method

*Not Detected

#: Industrial, Residential, Rural and other Area Notification Dated 16th Nov.2009 as per national Ambient Air Quality Standards, CPCB New Delhi.

H. T. Shah

Lab Manager



Dr. Arun Bajpai

Lab Manager (Q)



Recognised by MoEF New Delhi Under Sec. 12 of Environmental (Protection) Act-1986

RESULT OF AMBIENT AIR QUALITY MONITORING**ADANI HOUSE**

Sr. No.	Date of Sampling	Particulate Matter (PM10) $\mu\text{g}/\text{m}^3$	Particulate Matter (PM 2.5) $\mu\text{g}/\text{m}^3$	Sulphur Dioxide (SO2) $\mu\text{g}/\text{m}^3$	Oxides of Nitrogen (NO2) $\mu\text{g}/\text{m}^3$	Carbon Monoxide as CO mg/m^3	Hydrocarbon as CH ₄ mg/m^3	Benzene as C ₆ H ₆ $\mu\text{g}/\text{m}^3$
1	02/04/2021	56.28	29.60	11.58	23.63	0.34	ND*	ND*
2	06/04/2021	67.57	26.59	19.30	32.54	0.29	ND*	ND*
3	09/04/2021	62.16	31.52	16.53	29.22	0.32	ND*	ND*
4	13/04/2021	70.27	34.58	9.53	22.66	0.24	ND*	ND*
5	16/04/2021	51.55	16.56	15.32	31.56	0.38	ND*	ND*
6	20/04/2021	60.45	35.58	10.36	26.59	0.41	ND*	ND*
7	22/04/2021	58.66	28.68	14.28	21.27	0.58	ND*	ND*
8	26/04/2021	50.42	22.53	12.42	28.45	0.40	ND*	ND*
9	29/04/2021	63.22	25.38	17.60	30.40	0.48	ND*	ND*
10	03/05/2021	52.52	22.67	15.59	27.62	0.23	ND*	ND*
11	07/05/2021	82.42	33.49	9.55	19.40	0.50	ND*	ND*
12	10/05/2021	72.55	30.52	7.84	16.32	0.79	ND*	ND*
13	13/05/2021	60.24	20.53	10.34	17.53	0.58	ND*	ND*
14	19/05/2021	56.36	23.54	19.54	24.35	0.56	ND*	ND*
15	21/05/2021	65.31	34.62	12.40	28.26	0.55	ND*	ND*
16	24/05/2021	59.64	29.43	8.32	20.21	0.37	ND*	ND*
17	27/05/2021	53.41	21.62	11.32	30.34	0.82	ND*	ND*
18	31/05/2021	61.27	26.26	6.22	15.40	0.68	ND*	ND*
19	03/06/2021	71.23	33.41	11.61	20.34	0.31	ND*	ND*
20	07/06/2021	65.37	23.41	13.42	34.27	0.39	ND*	ND*
21	10/06/2021	58.65	26.59	15.30	31.42	0.32	ND*	ND*
22	14/06/2021	70.26	31.65	6.56	23.41	0.23	ND*	ND*
23	17/06/2021	55.31	28.56	8.33	16.56	0.62	ND*	ND*
24	21/06/2021	64.56	35.37	14.40	32.58	0.33	ND*	ND*
25	24/06/2021	52.47	39.30	10.40	35.35	0.68	ND*	ND*
26	28/06/2021	60.42	27.09	7.60	19.38	0.50	ND*	ND*
27	02/07/2021	94.36	55.35	13.40	27.55	0.48	ND*	ND*
28	05/07/2021	82.62	49.67	7.52	17.53	0.56	ND*	ND*
29	08/07/2021	91.36	56.86	9.64	22.6	0.42	ND*	ND*
30	12/07/2021	88.67	44.57	14.35	28.44	0.16	ND*	ND*

Continue ...

H. T. Shah

Lab Manager



Dr. Arun Bajpai

Lab Manager (Q)

**ADANI HOUSE**

Sr. No.	Date of Sampling	Particulate Matter (PM10) $\mu\text{g}/\text{m}^3$	Particulate Matter (PM 2.5) $\mu\text{g}/\text{m}^3$	Sulphur Dioxide (SO2) $\mu\text{g}/\text{m}^3$	Oxides of Nitrogen (NO2) $\mu\text{g}/\text{m}^3$	Carbon Monoxide as CO mg/m^3	Hydrocarbon as CH ₄ mg/m^3	Benzene as C ₆ H ₆ $\mu\text{g}/\text{m}^3$
31	15/07/2021	92.36	53.35	12.35	24.68	0.39	ND*	ND*
32	19/07/2021	87.62	46.53	10.23	18.84	0.57	ND*	ND*
33	22/07/2021	93.62	41.52	8.56	21.32	0.46	ND*	ND*
34	26/07/2021	83.43	48.62	11.38	25.38	0.60	ND*	ND*
35	29/07/2021	71.28	35.66	6.39	31.81	0.55	ND*	ND*
36	02/08/2021	60.44	27.26	12.44	20.35	0.53	ND*	ND*
37	05/08/2021	65.16	24.54	15.68	31.31	0.27	ND*	ND*
38	09/08/2021	77.62	28.56	13.72	24.50	0.18	ND*	ND*
39	12/08/2021	69.54	21.41	17.55	29.35	0.50	ND*	ND*
40	16/08/2021	86.28	47.32	11.43	23.47	0.62	ND*	ND*
41	19/08/2021	70.61	29.48	9.45	21.29	0.25	ND*	ND*
42	23/08/2021	80.35	40.60	21.37	41.25	0.57	ND*	ND*
43	26/08/2021	87.62	57.32	16.48	30.40	0.29	ND*	ND*
44	30/08/2021	78.45	43.44	10.62	25.76	0.19	ND*	ND*
45	02/09/2021	67.52	28.43	6.56	18.85	0.49	ND*	ND*
46	06/09/2021	56.51	33.61	16.39	32.50	0.40	ND*	ND*
47	09/09/2021	76.38	38.46	9.35	25.35	0.26	ND*	ND*
48	23/09/2021	71.66	29.31	14.26	33.66	0.21	ND*	ND*
49	27/09/2021	58.45	23.62	10.24	36.50	0.13	ND*	ND*
LIMIT*		100	60	80	80	4	Not Specified	5
TEST METHOD		IS:5182(Part 23):Gravimetric CPCB - Method (Vol.I,May-2011)	Gravimetric-CPCB - Method (Vol.I,May-2011)	IS:5182(Part II):Improved West and Gaeke	IS:5182(Part VI):Modified Jacob &Hochheiser (NaOH-NaAsO2)	NDIR Digital Gas Analyzer	SOP: HC: GC/GCMS/Gas analyzer	IS 5182 (Part XI):2006/CPCB Method

*Not Detected

#: Industrial, Residential, Rural and other Area Notification Dated 16th Nov.2009 as per national Ambient Air Quality Standards, CPCB New Delhi.

H. T. Shah**Lab Manager****Dr. Arun Bajpai****Lab Manager (Q)**

**RESULT OF AMBIENT AIR QUALITY MONITORING****CT-3 RMU-2**

Sr.No.	Date of Sampling	Particulate Matter (PM10) $\mu\text{g}/\text{m}^3$	Particulate Matter (PM 2.5) $\mu\text{g}/\text{m}^3$	Sulphur Dioxide (SO ₂) $\mu\text{g}/\text{m}^3$	Oxides of Nitrogen (NO ₂) $\mu\text{g}/\text{m}^3$	Carbon Monoxide as CO mg/m^3	Hydrocarbon as CH ₄ mg/m^3	Benzene as C ₆ H ₆ $\mu\text{g}/\text{m}^3$
1	02/04/2021	79.62	37.51	18.66	30.46	0.63	ND*	ND*
2	06/04/2021	93.52	47.62	22.50	38.43	0.46	ND*	ND*
3	09/04/2021	89.62	43.63	12.51	19.59	0.57	ND*	ND*
4	13/04/2021	77.52	38.43	15.40	31.56	0.30	ND*	ND*
5	16/04/2021	92.76	52.40	20.23	39.43	0.77	ND*	ND*
6	20/04/2021	88.24	42.29	8.60	20.62	0.23	ND*	ND*
7	22/04/2021	86.34	48.53	16.24	26.46	0.42	ND*	ND*
8	26/04/2021	94.38	53.61	19.37	22.47	0.50	ND*	ND*
9	29/04/2021	69.52	30.86	21.28	33.60	0.53	ND*	ND*
10	03/05/2021	80.36	44.50	22.62	34.66	0.50	ND*	ND*
11	07/05/2021	66.26	39.51	14.58	26.36	0.24	ND*	ND*
12	10/05/2021	71.86	41.55	16.52	22.64	0.62	ND*	ND*
13	13/05/2021	76.78	35.43	12.21	20.42	0.76	ND*	ND*
14	19/05/2021	82.42	52.61	17.54	27.69	0.34	ND*	ND*
15	21/05/2021	94.38	33.64	9.20	21.62	0.60	ND*	ND*
16	24/05/2021	72.62	50.53	10.87	23.41	0.52	ND*	ND*
17	27/05/2021	95.52	45.70	8.61	19.55	0.40	ND*	ND*
18	31/05/2021	83.42	55.56	15.84	35.22	0.38	ND*	ND*
19	03/06/2021	92.62	45.33	12.62	29.57	0.76	ND*	ND*
20	07/06/2021	85.35	42.67	9.66	22.53	0.65	ND*	ND*
21	10/06/2021	93.42	38.72	17.45	34.66	0.71	ND*	ND*
22	14/06/2021	83.42	50.32	11.63	25.41	0.82	ND*	ND*
23	17/06/2021	90.36	54.52	14.54	28.62	0.98	ND*	ND*
24	21/06/2021	43.61	20.34	16.56	23.70	0.45	ND*	ND*
25	24/06/2021	78.65	49.57	8.59	26.53	0.34	ND*	ND*
26	28/06/2021	94.28	55.35	15.23	30.55	0.60	ND*	ND*
27	02/07/2021	55.96	29.49	16.37	37.56	0.39	ND*	ND*
28	05/07/2021	73.55	36.43	18.56	33.43	0.52	ND*	ND*
29	08/07/2021	51.33	25.49	14.23	28.32	0.82	ND*	ND*
30	12/07/2021	84.35	39.47	17.61	31.58	0.34	ND*	ND*

Continue ...

H. T. Shah

Lab Manager



Dr. Arun Bajpai

Lab Manager (Q)


**RESULT OF AMBIENT AIR QUALITY MONITORING****CT-3 RMU-2**

Sr.No.	Date of Sampling	Particulate Matter (PM10) $\mu\text{g}/\text{m}^3$	Particulate Matter (PM 2.5) $\mu\text{g}/\text{m}^3$	Sulphur Dioxide (SO2) $\mu\text{g}/\text{m}^3$	Oxides of Nitrogen (NO2) $\mu\text{g}/\text{m}^3$	Carbon Monoxide as CO mg/m^3	Hydrocarbon as CH ₄ mg/m^3	Benzene as C ₆ H ₆ $\mu\text{g}/\text{m}^3$
31	15/07/2021	77.47	56.52	19.61	38.38	0.24	ND*	ND*
32	19/07/2021	71.36	32.44	12.84	26.40	0.64	ND*	ND*
33	22/07/2021	85.35	45.62	20.22	29.37	0.71	ND*	ND*
34	26/07/2021	78.26	42.63	10.35	34.54	0.54	ND*	ND*
35	29/07/2021	65.65	31.57	8.69	19.36	0.61	ND*	ND*
36	02/08/2021	81.37	48.41	14.37	28.47	0.71	ND*	ND*
37	05/08/2021	78.63	38.47	17.61	35.84	0.36	ND*	ND*
38	09/08/2021	85.64	44.58	19.29	31.31	0.22	ND*	ND*
39	12/08/2021	76.53	41.30	15.37	25.45	0.56	ND*	ND*
40	16/08/2021	90.34	52.57	18.64	39.49	0.47	ND*	ND*
41	19/08/2021	94.35	45.37	20.43	33.45	0.40	ND*	ND*
42	23/08/2021	89.42	51.36	13.94	30.42	0.64	ND*	ND*
43	26/08/2021	93.56	55.39	11.45	18.45	0.38	ND*	ND*
44	30/08/2021	88.43	53.48	16.86	34.54	0.33	ND*	ND*
45	02/09/2021	92.36	37.60	15.32	25.37	0.82	ND*	ND*
46	06/09/2021	80.35	45.37	19.60	36.35	0.61	ND*	ND*
47	09/09/2021	65.38	28.45	21.56	38.44	0.55	ND*	ND*
48	13/09/2021	78.36	43.42	16.33	34.22	0.47	ND*	ND*
49	16/09/2021	82.47	46.37	17.56	29.48	0.64	ND*	ND*
50	20/09/2021	90.33	48.32	8.64	18.62	0.50	ND*	ND*
51	23/09/2021	86.38	42.42	18.44	37.50	0.30	ND*	ND*
52	27/09/2021	70.31	35.43	22.46	40.33	0.66	ND*	ND*
53	30/09/2021	93.42	40.22	13.37	30.63	0.57	ND*	ND*
LIMIT[#]		100	60	80	80	4	Not Specified	5
TEST METHOD		IS:5182(Part 23):Gravimetric CPCB - Method (Vol.I,May-2011)	Gravimetric-CPCB - Method (Vol.I,May-2011)	IS:5182(Part II):Improved West and Gaeke	IS:5182(Part VI):Modified Jacob &Hochheiser (NaOH-NaAsO2)	NDIR Digital Gas Analyzer	SOP: HC: GC/GCMS/Gas analyzer	IS 5182 (Part XI):2006/CPCB Method

*Not Detected

#: Industrial, Residential, Rural and other Area Notification Dated 16th Nov.2009 as per national Ambient Air Quality Standards, CPCB New Delhi.

H. T. Shah**Lab Manager****Dr. Arun Bajpai****Lab Manager (Q)**

**RESULTS OF NOISE LEVEL MONITORING****Result of Noise level monitoring [Day Time]**

SR. NO.	Name of Location	ADANI PORT – TUG BERTH 600 KL PUPM HOUSE					
		Result [Leq dB(A)]					
	Sampling Date & Time	16/04/2021	24/05/2021	23/06/2021	19/07/2021	18/08/2021	17/09/2021
1	6:00-7:00	62.1	60.2	68.8	58.4	68.3	62.9
2	7:00-8:00	68.7	62.5	62.1	63.4	62.1	66.6
3	8:00-9:00	65.2	66.4	69.8	62.3	63.3	61.6
4	9:00-10:00	63.1	68.8	70.4	68.5	68.2	63.6
5	10:00-11:00	69.1	62.4	69.4	65.4	67.5	59.5
6	11:00-12:00	62.8	69.2	73.1	67.1	64.2	69.5
7	12:00-13:00	68.4	69.0	64.5	63.1	61.4	70.1
8	13:00-14:00	63.8	61.7	60.1	60.1	70.6	62.1
9	14:00-15:00	70.4	65.2	62.5	70.4	64.7	71.6
10	15:00-16:00	69.2	70.6	66.1	69.4	61.6	66.1
11	16:00-17:00	72.4	65.8	60.8	73.1	63.5	63.1
12	17:00-18:00	65.1	64.1	63.1	70.1	68.4	69.3
13	18:00-19:00	69.5	60.4	69.5	68.4	64.8	63.5
14	19:00-20:00	66.1	63.4	61.2	61.5	71.4	61.4
15	20:00-21:00	60.2	66.2	62.8	66.5	65.4	66.5
16	21:00-22:00	62.5	68.4	63.8	64.3	60.5	65.4
Day Time Limit*		75 Leq dB(A)					

Result of Noise level monitoring [Night Time]

SR. NO.	Name of Location	ADANI PORT – TUG BERTH 600 KL PUPM HOUSE					
		Result [Leq dB(A)]					
	Sampling Date & Time	16/04/2021	24/05/2021	23/06/2021	19/07/2021	18/08/2021	17/09/2021
1	22:00-23:00	65.5	68.4	63.1	57.4	63.3	64.4
2	23:00-00:00	62.6	63.2	65.8	56.8	66.2	68.4
3	00:00-01:00	60.1	62.4	64.4	61.2	61.4	62.1
4	01:00-02:00	56.8	60.1	60.2	62.8	65.2	63.1
5	02:00-03:00	62.1	62.5	59.8	58.8	63.4	65.8
6	03:00-04:00	63.1	64.8	55.1	63.1	67.1	60.4
7	04:00-05:00	64.8	63.8	62.5	65.4	62.8	63.2
8	05:00-06:00	61.2	65.4	61.5	65.1	63.8	62.6
Night Time Limit*		70 Leq dB(A)					

H. T. Shah

Lab Manager



Dr. Arun Bajpai

Lab Manager (Q)


**RESULTS OF NOISE LEVEL MONITORING****Result of Noise level monitoring [Day Time]**

SR. NO.	Name of Location	NEAR FIRE STATION					
		Result [Leq dB(A)]					
		28/04/2021	03/05/2021	10/06/2021	16/07/2021	25/08/2021	23/09/2021
	Sampling Date & Time						
1	6:00-7:00	67.1	65.2	64.5	63.5	60.1	64.7
2	7:00-8:00	62.4	69.9	60.1	68.2	69.9	64.6
3	8:00-9:00	69.1	72.1	62.4	60.7	66.3	63.3
4	9:00-10:00	62.5	70.6	62.5	64.5	69.4	66.4
5	10:00-11:00	67.4	65.4	65.3	61.2	63.6	68.3
6	11:00-12:00	62.1	61.2	68.4	61.3	61.2	69.1
7	12:00-13:00	63.5	63.5	67.1	60.6	71.5	62.4
8	13:00-14:00	68.1	68.1	66.1	68.3	64.5	62.3
9	14:00-15:00	65.1	61.4	63.5	72.1	65.5	61.8
10	15:00-16:00	64.1	59.4	62.8	69.9	68.6	64.2
11	16:00-17:00	60.2	66.2	61.5	69.3	61.7	62.2
12	17:00-18:00	68.4	69.4	63.1	65.5	62.6	61.3
13	18:00-19:00	63.4	62.8	65.4	61.4	62.8	68.8
14	19:00-20:00	69.4	60.5	63.2	66.2	63.8	64.0
15	20:00-21:00	61	63.4	62.7	62.8	60.8	64.1
16	21:00-22:00	62.8	61.8	65.5	61.9	62.9	60.3
Day Time Limit*		75 Leq dB(A)					

Result of Noise level monitoring [Night Time]

SR. NO.	Name of Location	NEAR FIRE STATION					
		Result [Leq dB(A)]					
		28/04/2021	03/05/2021	10/06/2021	16/07/2021	25/08/2021	23/09/2021
	Sampling Date & Time						
1	22:00-23:00	62.1	63.5	63.1	54.1	62.2	58.8
2	23:00-00:00	63.4	64.4	60.1	61.3	61.4	62.2
3	00:00-01:00	65.2	60.4	60.2	58.3	58.2	61.5
4	01:00-02:00	62.8	64.1	65.5	59.4	68.4	63.8
5	02:00-03:00	56.2	59.4	57.4	62.5	63.5	62.8
6	03:00-04:00	53.4	65.4	61.5	63.5	59.4	57.5
7	04:00-05:00	68.4	60.2	62.8	53.2	62.4	63.4
8	05:00-06:00	62.4	62.4	59.2	52.4	61.3	61.4
Night Time Limit*		70 Leq dB(A)					

H. T. Shah**Lab Manager****Dr. Arun Bajpai****Lab Manager (Q)**


**RESULTS OF NOISE LEVEL MONITORING****Result of Noise level monitoring [Day Time]**

SR. NO.	Name of Location	ADANI HOUSE					
		Result [Leq dB(A)]					
		07/04/2021	17/05/2021	01/06/2021	05/07/2021	04/08/2021	23/09/2021
1	6:00-7:00	62.4	58.4	65.2	66.4	67.2	64.7
2	7:00-8:00	69.5	62.1	69.9	60.3	64.3	64.6
3	8:00-9:00	66.1	61.8	68.3	69.6	64.4	63.3
4	9:00-10:00	70.1	68.5	65.1	70.5	62.3	66.4
5	10:00-11:00	68.3	65.3	65.4	65.3	69.6	68.3
6	11:00-12:00	66.2	63.2	68.4	68.8	66.4	69.1
7	12:00-13:00	60.4	62.8	69.5	67.5	61.3	62.4
8	13:00-14:00	58.4	64.1	72.1	72.2	69.7	62.3
9	14:00-15:00	63.4	60.1	62.7	65.2	65.1	61.8
10	15:00-16:00	69.4	65.9	60.4	62.6	69.3	64.2
11	16:00-17:00	70.6	69.5	60.1	66.3	65.8	62.2
12	17:00-18:00	68.4	63.3	66.8	59.2	66.5	61.3
13	18:00-19:00	65.1	65.2	63.4	67.4	68	68.8
14	19:00-20:00	62.5	61.4	68.1	68.1	62.8	64.0
15	20:00-21:00	61.5	66.2	62.4	60.5	61.5	64.1
16	21:00-22:00	63.2	68.7	61.7	62.7	68.5	60.3
Day Time Limit*		75 Leq dB(A)					

Result of Noise level monitoring [Night Time]

SR. NO.	Name of Location	ADANI HOUSE					
		Result [Leq dB(A)]					
		07/04/2021	17/05/2021	01/06/2021	05/07/2021	04/08/2021	07/09/2021
1	22:00-23:00	65.4	65.8	65.1	63.6	64.4	62.3
2	23:00-00:00	60.1	60.2	69.5	53.5	65.3	68.5
3	00:00-01:00	58.4	58.8	62.4	60.2	60.9	66.8
4	01:00-02:00	56.1	57.4	64.1	55.4	66.1	60.8
5	02:00-03:00	60.7	62.4	59.3	57.7	59.4	62.4
6	03:00-04:00	63.5	64.1	68.4	61.4	62.4	61.2
7	04:00-05:00	61.2	59.8	64.5	68.4	61.5	65.6
8	05:00-06:00	68.4	60.9	62.8	58.7	63.2	67.4
Night Time Limit*		70 Leq dB(A)					

H. T. Shah
Lab Manager**Dr. Arun Bajpai**
Lab Manager (Q)

**RESULTS OF NOISE LEVEL MONITORING****Result of Noise level monitoring [Day Time]**

SR. NO.	Name of Location	CT-3 RMU - 2					
		Result [LeqdB(A)]					
	Sampling Date & Time	12/04/2021	10/05/2021	04/06/2021	20/07/2021	10/08/2021	27/09/2021
1	6:00-7:00	57.4	56.1	60.4	48.9	58.4	57.4
2	7:00-8:00	62.1	62.4	64.5	55.4	55.1	63.2
3	8:00-9:00	56.1	59.1	68.4	59.7	65.3	60.8
4	9:00-10:00	62.5	65.7	62.1	58.3	70.5	66.0
5	10:00-11:00	65.4	57.4	66.2	53.4	63.1	64.9
6	11:00-12:00	68.4	63.4	67.8	62.5	62.7	66.2
7	12:00-13:00	60.1	66.3	69.4	63.3	62.5	69.4
8	13:00-14:00	63.1	68.5	70.4	56.9	66.2	70.5
9	14:00-15:00	60.2	65.2	69.5	51.8	60.4	69.9
10	15:00-16:00	65.8	62.3	65.2	67.3	63.4	72.8
11	16:00-17:00	61.6	68.4	61.4	69.8	70.7	67.9
12	17:00-18:00	66.2	69.4	60.3	57.8	66.1	63.7
13	18:00-19:00	58.7	64.2	63.5	61.8	62.8	65.1
14	19:00-20:00	64.1	61.5	66.8	63.2	69.8	65.7
15	20:00-21:00	60.8	68.1	62.4	52.7	62.4	68.4
16	21:00-22:00	62.8	60.9	59.4	48.7	61.8	67.4
Day Time Limit*		75LeqdB(A)					

Result of Noise level monitoring [Night Time]

SR. NO.	Name of Location	CT-3 RMU - 2					
		Result [LeqdB(A)]					
	Sampling Date & Time	12/04/2021	10/05/2021	04/06/2021	20/07/2021	10/08/2021	27/09/2021
1	22:00-23:00	68.8	62.4	62.1	58.5	57.5	61.6
2	23:00-00:00	62.1	55.4	69.8	59.5	60.3	65.1
3	00:00-01:00	56.1	52.4	62.4	56.4	62.3	64.3
4	01:00-02:00	52.4	60.8	66.1	60.1	64.1	64.2
5	02:00-03:00	59.8	60.4	69.4	61.5	61.2	58.5
6	03:00-04:00	57.1	58.7	63.1	63.3	60.5	58.2
7	04:00-05:00	62.5	59.8	67.4	63.4	63.2	61.8
8	05:00-06:00	65.1	62.7	64.8	64.8	62.8	68.7
Night Time Limit*		70LeqdB(A)					

H. T. Shah

Lab Manager



Dr. Arun Bajpai

Lab Manager (Q)




Recognised by MoEF, New Delhi Under Sec. 12 of Environmental (Protection) Act-1986

RESULT OF STACK MONITORING

SR. NO.	TEST PARAMETERS	UNIT	STD. LIMIT	THERMIC FLUID HEATER (BITUMEN-01)	THERMIC FLUID HEATER (BITUMEN-02)	HOT WATER SYSTEM-1	HOT WATER SYSTEM-2	TEST METHOD
APRIL 2021								
1	Particulate Matter	mg/Nm ³	150	25.43	--	30.46	--	IS:11255 (Part-I):1985
2	Sulfur dioxide	ppm	100	4.43	--	6.76	--	IS:11255 (Part-II):1985
3	Oxides of Nitrogen	ppm	50	28.54	--	34.65	--	IS:11255 (Part-VII):2005
MAY 2021								
1	Particulate Matter	mg/Nm ³	150	20.61	--	--	32.56	IS:11255 (Part-I):1985
2	Sulfur dioxide	ppm	100	5.72	--	--	7.19	IS:11255 (Part-II):1985
3	Oxides of Nitrogen	ppm	50	32.53	--	--	36.51	IS:11255 (Part-VII):2005
JUNE 2021								
1	Particulate Matter	mg/Nm ³	150	--	--	26.41	--	IS:11255 (Part-I):1985
2	Sulfur dioxide	ppm	100	--	--	5.56	--	IS:11255 (Part-II):1985
3	Oxides of Nitrogen	ppm	50	--	--	30.37	--	IS:11255 (Part-VII):2005
JULY 2021								
1	Particulate Matter	mg/Nm ³	150	25.61	--	33.44	--	IS:11255 (Part-I):1985
2	Sulfur dioxide	ppm	100	6.67	--	7.46	--	IS:11255 (Part-II):1985
3	Oxides of Nitrogen	ppm	50	29.38	--	33.64	--	IS:11255 (Part-VII):2005
AUGUST 2021								
1	Particulate Matter	mg/Nm ³	150	23.42	--	--	--	IS:11255 (Part-I):1985
2	Sulfur dioxide	ppm	100	5.52	--	--	--	IS:11255 (Part-II):1985
3	Oxides of Nitrogen	ppm	50	26.80	--	--	--	IS:11255 (Part-VII):2005
SEPTEMBER 2021								
1	Particulate Matter	mg/Nm ³	150	--	--	35.42	--	IS:11255 (Part-I):1985
2	Sulfur dioxide	ppm	100	--	--	6.12	--	IS:11255 (Part-II):1985
3	Oxides of Nitrogen	ppm	50	--	--	38.50	--	IS:11255 (Part-VII):2005

*Below detection limit

Results on 11 % O₂ Correction when Oxygen is greater than 11 %. And 12% CO₂ correction when CO₂ is less than 12%**H. T. Shah****Lab Manager****Dr. Arun Bajpai****Lab Manager (Q)**

**RESULTS OF D.G. STACK MONITORING**

24/09/2021

SR. NO.	TEST PARAMETERS	Unit	South Basin CT-3			GPCB Limit	Test Method
			D.G. Set-1 (1500 KVA)	D.G. Set-2 (1500 KVA)	D.G. Set-3 (1500 KVA)		
1	Particulate Matter	mg/Nm ³	22.61	26.75	30.41	150	IS:11255 (Part-I):1985
2	Sulphur Dioxide	ppm	4.48	3.73	6.60	100	IS:11255 (Part-II):1985
3	Oxide of Nitrogen	ppm	30.76	34.54	36.78	50	IS:11255 (Part-VII):2005

*DG sets are used as standby, so stack monitoring is done on quarterly basis. Results on 15 % O₂ Correction when Oxygen is greater than 15 %

14/07/2021

SR. NO.	TEST PARAMETERS	Unit	South Basin CT-4			GPCB Limit	Test Method
			D.G. Set-1 (1500 KVA)	D.G. Set-2 (1500 KVA)	D.G. Set-3 (1500 KVA)		
1	Particulate Matter	mg/Nm ³	24.38	28.41	20.84	150	IS:11255 (Part-I):1985
2	Sulphur Dioxide	ppm	5.57	6.51	4.32	100	IS:11255 (Part-II):1985
3	Oxide of Nitrogen	ppm	31.52	34.54	32.59	50	IS:11255 (Part-VII):2005

*DG sets are used as standby, so stack monitoring is done on quarterly basis. Results on 15 % O₂ Correction when Oxygen is greater than 15 %

H. T. Shah

Lab Manager



Dr. Arun Bajpai

Lab Manager (Q)



28/08/2021

SR. NO.	TEST PARAMETERS	Unit	Adani Port			GPCB Limit	Test Method
			D.G. Set-1 (500 KVA)	D.G. Set-2 (500 KVA)	D.G. Set-3 (500 KVA)		
1	Particulate Matter	mg/Nm ³	21.61	24.86	19.41	150	IS:11255 (Part-I):1985
2	Sulphur Dioxide	ppm	4.68	6.80	5.78	100	IS:11255 (Part-II):1985
3	Oxide of Nitrogen	ppm	31.84	35.44	33.82	50	IS:11255 (Part-VII):2005

28/08/2021

SR. NO.	TEST PARAMETERS	Unit	Adani Port		GPCB Limit	Test Method
			D.G. Set-4 (500 KVA)	D.G. Set-5 (500 KVA)		
1	Particulate Matter	mg/Nm ³	22.46	25.42	150	IS:11255 (Part-I):1985
2	Sulphur Dioxide	ppm	7.71	5.44	100	IS:11255 (Part-II):1985
3	Oxide of Nitrogen	ppm	32.86	31.28	50	IS:11255 (Part-VII):2005

H. T. Shah

Lab Manager



Dr. Arun Bajpai

Lab Manager (Q)



Recognised by MoEF, New Delhi Under Sec. 12 of Environmental (Protection) Act-1986

Minimum Detection Limit [MDL]


Ambient Air Parameters		
Sr. No.	Test Parameter	MDL
1	Particulate Matter (PM10) ($\mu\text{g}/\text{m}^3$)	10
2	Particulate Matter (PM 2.5) ($\mu\text{g}/\text{m}^3$)	10
3	Sulphur Dioxide (SO_2) ($\mu\text{g}/\text{m}^3$)	5
4	Oxides of Nitrogen ($\mu\text{g}/\text{m}^3$)	5
5	Hydrogen Sulphide as H_2S ($\mu\text{g}/\text{m}^3$)	6

Stack Parameters		
Sr.No.	Test Parameter	MDL
1	Particulate Matter (mg/Nm^3)	10
2	Sulphur Dioxide (ppm)	1.52
3	Oxides of Nitrogen (ppm)	2.65
4	Carbon Monoxide (mg/Nm^3)	0.1
5	Hydro Carbon NMHC (ppm)	1.0

Sea Water Parameters			
SR. NO.	TEST PARAMETERS	UNIT	MDL
1	pH	--	2
2	Temperature	$^{\circ}\text{C}$	2
3	Total Suspended Solids	mg/L	2
4	BOD (3 Days @ 27°C)	mg/L	1
5	Dissolved Oxygen	mg/L	0.1
6	Salinity	ppt	1
7	Oil & Grease	mg/L	2
8	Nitrate as NO_3	$\mu\text{mol}/\text{L}$	0.5
9	Nitrite as NO_2	$\mu\text{mol}/\text{L}$	0.01
10	Ammonical Nitrogen as NH_3	$\mu\text{mol}/\text{L}$	0.2
11	Phosphates as PO_4	$\mu\text{mol}/\text{L}$	0.5
12	Petroleum Hydrocarbon	$\mu\text{g}/\text{L}$	1
13	Total Dissolved Solids	mg/L	10
14	COD	mg/L	3
15	Primary productivity	$\text{mgC}/\text{L}/\text{day}$	0.1
16	Chlorophyll	mg/m^3	0.1
17	Phaeophytin	mg/m^3	0.1
18	Cell Count	$\text{No.} \times 10^3/\text{L}$	1

Sea Sediment Parameters			
SR. NO.	TEST PARAMETERS	UNIT	MDL
1	Organic Matter	%	0.1
2	Phosphorus as P	$\mu\text{g}/\text{g}$	1
3	Petroleum Hydrocarbon	$\mu\text{g}/\text{g}$	1
4	Aluminum as Al	%	0.1
5	Manganese as Mn	$\mu\text{g}/\text{g}$	1
6	Mercury as Hg	$\mu\text{g}/\text{g}$	0.1

H. T. Shah**Lab Manager****Dr. Arun Bajpai****Lab Manager (Q)**



Recognised by MoEF New Delhi Under Sec. 12 of Environmental (Protection) Act-1986

STP Water parameter(mg/L)		
Sr. No.	Test parameter	MDL
1	pH	2
2	Total Suspended Solids (mg/L)	2
3	BOD (3 days @ 270 C) (mg/L)	1
4	Residual Chlorine (mg/L)	0.2
5	Fecal Coliform (MPN INDEX/100 mL)	1.8

ETP Water Parameters			
SR. NO.	TEST PARAMETERS	UNIT	MDL
1	Colour	Co-pt	2
2	pH	--	2
3	Temperature	°C	2
4	Total Suspended Solids	mg/L	2
5	Total Dissolved Solids	mg/L	10
6	COD	mg/L	3
7	BOD (3 Days @ 27 °C)	mg/L	1
8	Chloride as Cl	mg/L	1
9	Oil & Grease	mg/L	2
10	Sulphate as SO ₄	mg/L	1
11	Ammonical Nitrogen as NH ₃	mg/L	0.2
12	Phenolic Compound	mg/L	0.005
13	Copper as Cu	mg/L	0.01
14	Lead as Pb	mg/L	0.01
15	Sulphide as S	mg/L	0.1
16	Cadmium as Cd	mg/L	0.002
17	Fluoride as F	mg/L	0.05

H. T. Shah**Lab Manager****Dr. Arun Bajpai****Lab Manager (Q)**



POLLUCON LABORATORIES PVT. LTD.

Environmental Auditors, Consultants & Analysts.
Cleaner Production / Waste Minimization Facilitator

Recognised by MoEF, New Delhi Under Sec. 12 of Environmental (Protection) Act-1986

"HALF YEARLY ENVIRONMENTAL MONITORING REPORT"

FOR

adaniTM

BORE HOLE WATER
ADANI PORTS AND SPECIAL ECONOMIC ZONE LIMITED
TAL: MUNDRA, KUTCH, MUNDRA – 370 421

MONITORING PERIOD:
APRIL 2021 TO SEPTEMBER 2021

PREPARED BY:

Pollucon

POLLUCON LABORATORIES PVT.LTD.

**PLOT NO.5/6 "POLLUCON HOUSE", OPP. BALAJI INDUSTRIAL SOCIETY,
OLD SHANTINATH SILK MILL LANE, NEAR GAYTRI FARSAN MART,
NAVJIVAN CIRCLE, UDHANA MAGDALLA ROAD, SURAT-395007.
PHONE/FAX – (+91 261) 2455 751, 2601 106, 2601 224.
E-mail: pollucon@gmail.com Web: www.polluconlab.com**

TC - 5945

ISO 9001:2015

ISO 14001:2015

ISO45001:2018

RESULTS OF BORE HOLE WATER

SR. NO	TEST PARAMETERS	UNIT	RESULTS			TEST METHOD
			PUMP HOUSE-1	PUMP HOUSE-2	PUMP HOUSE-3	
	Sampling Date		22/06/2021	22/06/2021	22/06/2021	
1	pH	--	7.89	8.35	8.01	IS 3025 (Part 5) 2017 Electrometric Method
2	Salinity	ppt	4.69	0.97	0.91	APHA 2520 B
3	Oil & Grease	mg/L	Not Detected	Not Detected	Not Detected	APHA(23rd Edition) 5520 B 2017
4	Hydrocarbon	mg/L	Not Detected	Not Detected	Not Detected	GC/GC-MS
5	Lead as Pb	mg/L	0.037	0.032	0.042	APHA (23rd Edition) 3111 B 2017
6	Arsenic as As	mg/L	Not Detected	Not Detected	Not Detected	APHA (23rd Edition) 3114 B 2017
7	Nickel as Ni	mg/L	Not Detected	Not Detected	Not Detected	APHA (23rd Edition) 3111 B 2017
8	Total Chromium as Cr	mg/L	Not Detected	0.021	0.037	APHA (23rd Edition) 3111 B 2017
9	Cadmium as Cd	mg/L	Not Detected	Not Detected	Not Detected	APHA (23rd Edition) 3111 B 2017
10	Mercury as Hg	mg/L	Not Detected	Not Detected	Not Detected	APHA (23rd Edition) 3112 B 2017
11	Zinc as Zn	mg/L	Not Detected	0.35	0.14	APHA (23rd Edition) 3111 B 2017
12	Copper as Cu	mg/L	Not Detected	Not Detected	Not Detected	APHA (23rd Edition) 3111 B 2017
13	Iron as Fe	mg/L	0.28	2.62	2.76	APHA (23rd Edition) 3500 Fe B 2017
14	Insecticides/Pesticides	mg/L	Absent	Absent	Absent	GC/GC-MS
15	Depth of Water Level from Ground Level	meter	1.90	2.10	1.95	--



H. T. Shah
Lab Manager


Dr. Arun Bajpai
Lab Manager (Q)

SR. NO	TEST PARAMETERS	UNIT	RESULTS		TEST METHOD
			UNLOADING BAYS	NEAR ETP	
	Sampling Date		22/06/2021	22/06/2021	
1	pH	--	7.93	7.94	IS 3025 (Part 5) 2017 Electrometric Method
2	Salinity	ppt	7.44	0.95	APHA 2520 B
3	Oil & Grease	mg/L	Not Detected	Not Detected	APHA(23rd Edition) 5520 B 2017
4	Hydrocarbon	mg/L	Not Detected	Not Detected	GC/GC-MS
5	Lead as Pb	mg/L	0.22	0.016	APHA (23rd Edition) 3111 B 2017
6	Arsenic as As	mg/L	Not Detected	Not Detected	APHA (23rd Edition) 3114 B 2017
7	Nickel as Ni	mg/L	Not Detected	Not Detected	APHA (23rd Edition) 3111 B 2017
8	Total Chromium as Cr	mg/L	Not Detected	0.024	APHA (23rd Edition) 3111 B 2017
9	Cadmium as Cd	mg/L	Not Detected	Not Detected	APHA (23rd Edition) 3111 B 2017
10	Mercury as Hg	mg/L	Not Detected	Not Detected	APHA (23rd Edition) 3112 B 2017
11	Zinc as Zn	mg/L	0.64	0.19	APHA (23rd Edition) 3111 B 2017
12	Copper as Cu	mg/L	Not Detected	Not Detected	APHA (23rd Edition) 3111 B 2017
13	Iron as Fe	mg/L	3.86	2.12	APHA (23rd Edition) 3500 Fe B 2017
14	Insecticides/Pesticides	mg/L	Absent	Absent	GC/GC-MS
15	Depth of Water Level from Ground Level	meter	2.15	2.0	--


H. T. Shah
Lab Manager


Dr. ArunBajpai
Lab Manager (Q)



Borehole Water Parameters			
SR. NO.	TEST PARAMETERS	UNIT	MDL
1	pH	--	2
2	Salinity	mg/L	0.5
3	Oil & Grease	mg/L	2
4	Hydrocarbon	mg/L	0.01
5	Lead as Pb	mg/L	0.005
6	Arsenic as As	mg/L	0.001
7	Nickel as Ni	mg/L	0.01
8	Total Chromium as Cr	mg/L	0.05
9	Cadmium as Cd	mg/L	0.002
10	Mercury as Hg	mg/L	0.0006
11	Zinc as Zn	mg/L	0.05
12	Copper as Cu	mg/L	0.02
13	Iron as Fe	mg/L	0.05
14	Insecticides/Pesticides	mg/L	0.1

H. T. Shah

Lab Manager



Dr. Arun Bajpai

Lab Manager (Q)

Annexure – 5

Details of Greenbelt Development at APSEZ, Mundra

Total Green Zone Detail Till Up to Sep – 2021					
LOCATION	Area (In Ha.)	Trees (Nos.)	Palm (Nos.)	Shrubs (SQM)	Lawn (SQM)
SV COLONY	71.66	34920	7962	69696.00	100646.00
PORT & NON SEZ	81.61	149359	19220	75061.78	62966.38
SEZ	116.60	227120	20489	220583.60	28162.03
MITAP	2.52	8168	33	3340.00	4036.00
WEST PORT	109.37	256552	70831	24612.00	22854.15
AGRI PARK	8.94	17244	1332	5400.00	2121.44
SOUTH PORT	14.45	27530	3470	3882.00	3327.26
Samudra Township	57.27	63722	11834	23908.89	47520.07
Productive Farming (Vadala Farm)	23.79	27976	--	--	--
TOTAL (APSEZL)	486.19	8,12,591	1,35,171	426484.27	271633.33
		<i>Total Saplings: 9,47,762 Nos.</i>			

Details of Mangrove Afforestation done by APSEZ

Sl. no.	Location	District	Area (Ha)	Duration	Species	Implementation agency
1	Mundra Port	Kutch	24	-	Avicennia marina	Dr. Maity, Mangrove consultant of India
2	Mundra Port	Kutch	25	-	Avicennia marina	Dr. Maity, Mangrove consultant of India
3	Luni/Hamirmora (Mundra,)	Kutch	160.8	2007 - 2015	Avicennia marina, Rhizophora mucronata, Ceriops tagal	GUIDE, Bhuj
4	Kukadsar (Mundra)	Kutch	66.5	2012 - 2014	Avicennia marina	GUIDE, Bhuj
5	Forest Area (Mundra)	Kutch	298	2011 - 2013	Avicennia marina	Forest Dept, Bhuj
6	Jangi Village (Bhachau)	Kutch	50	2012 - 2014	Avicennia marina	GUIDE, Bhuj
7	Jakhau Village (Abdasa)	Kutch	310.6	2007-08 & 2011-13	Avicennia marina, Rhizophora mucronata, Ceriops tagal	GUIDE, Bhuj
8	Sat Saida Bet	Kutch	255	2014-15 & 2016-17	Avicennia marina & Bio diversity	GUIDE, Bhuj
9	Dandi Village	Navsari	800	2006 - 2011	Avicennia marina, Rhizophora mucronata, Ceriops tagal	GEC, Gandhinagar
10	Talaja Village	Bhavnagar	50	2011-12	Avicennia marina	Forest Dept, Talaja
11	Narmada Village	Bhavnagar	250	2014 - 2015	Avicennia marina	GEC, Gandhinagar
12	Malpur Village	Bharuch	200	2012-14	Avicennia marina	SAVE, Ahmedabad
13	Kantiyajal Village	Bharuch	50	2014-15	Avicennia marina	SAVE, Ahmedabad
14	Devla Village	Bharuch	150	210-16	Avicennia marina	SAVE, Ahmedabad
15	Village Tala Talav (Khambhat)	Anand	100	2015 - 2016	Avicennia marina	SAVE, Ahmedabad
16	Village Tala Talav (Khambhat)	Anand	38	2015 - 2016	Avicennia marina	GEC, Gandhinagar
17	Aliya Bet, Village Katpor (Hansot)	Bharuch	62	2017-18	Avicennia marina & Rhizophora spp.	GEC, Gandhinagar
Total			2889.9			

Annexure – 6



ANALYSIS REPORT FOR
WATER / WASTE WATER SAMPLE

Gujarat Pollution Control Board, Kutch West
Katira Commercial Complex-1, First Floor
Near Income Tax office, Manglam Char rasta, Sanskar
nagar,
BHUJ - 370 001

Sample ID:313294 - Analysis Completion:08/10/2021

Ports and harbour, jetties and dredging operations / LAB Inward :
7026

TEST REPORT

Test Report No. : 7026

Date: 11/10/2021

1. Name of the Customer : Adani Ports & Special Economic Zone Ltd. - 17739
2. Address : 169/P,AT-NAVINAL ISLAND,MUNDRA, KUTCH
Mundra-370421, Taluka : Mundra, District : Kutch East, GIDC : MPSEZ
3. Nature of Sample : REP-Representative/Grab, (Insp Type : APP-On Application)
4. Sample Collected By : MR. HARSH BAHECHARBHAI PATEL
5. Quantity of Sample Received : 5 lits
6. Code No. of the Sample : 313294
7. Date & Time of Collection & Inwarding : 23/09/2021 , (1315 to 1316) & 27/09/2021
8. Date of Start & Completion of Analysis : 27/09/2021 & 08/10/2021
9. Sampling Point : ## Final Outlet of the ETP ~ sample collected from final outlet of ETP
10. Flow Details (Remarks) :
11. Mode of Disposal : on land for gardening and plantation
12. Ultimate Receiving Body : onland for irrigation.
13. Temperature on Collection : 30 & pH Range on pH Strip :7 to 8 on pH strip
14. Carboys Nos for : barcode & Color & Appearance :COLOURLESS
15. Water Consumption & W.W.G (KLPD) : Ind :1304.110 , Dom :370.000 & Ind :90.310 , Dom :263.000

Sr	Parameter	Unit	Test Method	Range of Testing	Result
1	Temperature	Centigrade	IS: 3025 (Part – 9) – 1984(Reaffirmed 2006)	Ambient oC - 60 oC	30
2	pH	pH Units	4500 H+ B APHA Standard Methods 23rd edi.2012	1 – 14 pH value As or	7.76
3	Colour	Pt.Co.Sc.	2120 B APHA Standard Methods 22nd edi. 2012	2 - to 99 Hazen & 1-50	30
4	Total Dissolved Solids	mg/l	Gravimetric method. (2540 C APHA Standard Method	10 – 200000 mg/L	1624
5	Suspended Solids	mg/l	Gravimetric method. (2540 D APHA Standard Method	2 – 10000 mg/L	32
6	Ammonical Nitrogen	mg/l	1).Titrimetric method (4500 NH3 B & C APHA Standai	1 - 2000 mg/l.	1.12
7	Percent Sodium	%Na	IS11624-1986(Reaffirmed 2009)	0.01 – 100%.	55
8	Chloride	mg/l	Argentometric method. (4500 Cl ² B APHA Standard N	1 - 50000 mg/l	490
9	Sulphate	mg/l	APHA(23rd edi) 4500 SO4 E	2-40mg/l	270
10	Chemical Oxygen Demand	mg/l	APHA (23rd Edition)- 5220 B Open Reflux Method-2C	5.0- 50000 mg/l	74
11	Oil & Grease	mg/l	Liquid – Liquid Partition Gravimetric method. (5520 B	01 – 1000 mg/l	1.2
12	Phenolic Compounds	mg/l	4 Amino Antipyrene method without Chloroform Extra	0.1 – 50 mg/l	0.0
13	B.O.D (3 Days 27oC)	mg/l	3 – Day BOD test. (IS 3025 (Part 44) 1993 Reaffirme	05–50000 mg/l	24

Laboratory Remarks : Freeze By:251-r.o_251 Dt.: 11/10/2021

T. C. Barmeda

T.C Barmeda, ROH

Field Observation : colourless sample

Note :

1. * - These parameters are NOT covered under the scope of NABL.
2. The results refer only to the tested samples and applicable parameters. Endorsement of products is neither inferred nor implied.
3. Samples will be destroyed after 10 days from the date of issue of test report unless otherwise specified.
4. This report is not to be reproduced wholly or in part or used in any advertising media without the permission of the Board in writing.
5. The Board is not responsible for the authenticity for the samples not collected by the Board's officials.
6. Total liability of our laboratory is limited to the invoiced amount. Any dispute arising out of this report is subject to Gujarat Jurisdiction only.
7. Permissible Limits: as per Schedule VI of EPA Rules, 1986 as ammended by Second and Third ammendment 1993 for Effluents
8. Physicochemical and microbiological parameters, Std.Methods for Water and Waste Water- 23rd Edition by APHA.
9. Bioassay test (for toxicity) -IS:6582:Part-2:2001; Reaffirmed 2007.

Annexure – 7

Certificate

Standard: **Zero Waste to Landfill Management System
(ZWTL MS 2020)**

Certificate Holder: **Adani Ports and Special Economic Zone Limited**
Mundra Port, Kutch - 370421,
Gujarat, India

Scope: **Providing Port Facilities for Import and Export of
Bulk, Break Bulk, Liquid and Containerized Cargo,
its Storage and RORO Operation for Export of
Vehicles**

Validity: **TÜVRheinland®**
Proof has been furnished by means of an audit that the
Requirements of ZWTL MS 2020 are met, with the
achievement of waste diversion rate of above 99%

CERTIFIED

This certificate is valid from 01-06-2021 until 31-05-2024
Subject to satisfactory annual surveillance audits.

Certificate No. TUV/ZWLMS/2021/Adani Ports/0501



New Delhi, 01-06-2021

TÜV Rheinland India Pvt. Ltd.
Office 610, 6rd Floor, iThum
Tower, A-40, Sector-62,
Noida- 201301, India



CII-ITC Centre of Excellence
for Sustainable Development



Confederation of Indian Industry

Certificate

Single-use Plastic Free

Adani Ports and Special Economic Zone Limited

Adani Mundra Port, Adani House, PO Box No. 1, Mundra, Kutch 370 421, Gujarat, India

This is to certify that Adani Ports and Special Economic Zone Limited, at the location mentioned above, is Single-use Plastic Free as verified by the Confederation of Indian Industry, under the provisions of the **Plastics-use Protocol: Verification and Certification (1.0)**.

This Certificate is valid from 26 May 2021 to 25 May 2022.



Ms Seema Arora
Deputy Director General
Confederation of Indian Industry (CII)
Centre of Excellence for Sustainable Development (CESD)

Certificate Date: 07 June 2021

Certificate No.: CII/PuP/2021/012

This certificate has been awarded after the company fulfilled the requirements for phasing-out single-use plastics and providing evidence for it. Responsibility for the data provided to CII rests solely with the company. The conditions of certification and items are detailed in the Annex.



CII-ITC Centre of Excellence
for Sustainable Development



Confederation of Indian Industry

Annex

The certification applies to the following single-use plastic items:

- Cutlery (knives, forks, spoons, chopsticks)
- Crockery (plates, glasses, cups, lids, bowls)
- Food containers
- Straws
- Stirrers
- Carry bags
- Items of decoration (polystyrene)
- Garbage bags

Organizational Boundary: Adani Ports and Special Economic Zone Limited

Operational Boundary: Administration, canteen, kitchen and operational areas

Material Boundary: Single-use Plastics

Reference

Verification Date: 26 May 2021

Verification Report No.: PuP/Verification/2021/AdaniPorts/004

Mode: On account of the COVID-19 pandemic, the verification process was virtual and followed provisions outlined in the Verification Procedure 1.0 of the Protocol

Annexure – 8

ADANI PORTS & SPECIAL ECONOMIC ZONE LIMITED


MOCK DRILL REPORT

Date	22.09.2021
Time	12:17 Hrs.
Location	STS-02, AICTPL
Type/Text of the Scenario	Scenario was one grinder fall from STS-02 while maintenance work. Supervisor immediate informed to engineering shift in charge (Incident Controller) via VHF, Incident controller informed Fire services, OHC, Safety, Security, ERT, Terminal head, Engineering head, admin department regarding emergency

INTRODUCTION:

Mock drill was decided and advance information given Operation team, Engineering team, Fire team, OHC, Safety, Security, ERT, Terminal head, POC, admin team regarding emergency. Scenario and execution plan was decided as per scenario.

LOCATION (WITH PHOTOGRAPH): STS-02, AICTPL



Person falling while maintenance at STS-02

ADANI PORTS & SPECIAL ECONOMIC ZONE LIMITED

MOCK DRILL REPORT

SEQUENCE OF EVENTS WITH PHOTOGRAPHS:



ERT Preplanning and make arrangement for rescue



ADANI PORTS & SPECIAL ECONOMIC ZONE LIMITED

MOCK DRILL REPORT



Rescue operation of falling person by trained rescuer



ADANI PORTS & SPECIAL ECONOMIC ZONE LIMITED

MOCK DRILL REPORT

RESPONSE TIME

#	Description	Exact Time
1	First Responder (Supervisor) informed to incident controller	12:17 Hrs
2	Incident controller informed Fire services, OHC, Safety, Security, ERT, Terminal head, Engineering head, admin department regarding emergency and declare emergency	12:17 Hrs
3	Site incident controller reached at location	12:18 Hrs
4	Safety team reached at location	12:19 Hrs
5	Security team reached at location	12:20 Hrs
6	OHC team reached with ambulance at location	12:19 Hrs
7	Fire/ERT team reached at location	12:21 Hrs
8	ERT team start arrangement of rescue	12:22 Hrs
9	ERT team start rescue	12:23 Hrs
10	ERT team completed rescue	12:24 Hrs
11	OHC team check fallen person	12:24 Hrs.
12	OHC team declare person's normal condition	12:24 Hrs
13	Incident controller informed about emergency clear	12:25 Hrs



ADANI PORTS & SPECIAL ECONOMIC ZONE LIMITED

MOCK DRILL REPORT

Communication & Actions:

Action By	Information To / Action By	Remarks
First Responder	First Responder informed to incident controller regarding emergency/Scenario	Yes
Site incident Controller	Incident controller informed Fire services, OHC, Safety, Security, ERT, Terminal head, Engineering head, admin department regarding emergency and declare emergency	Yes
Safety	Discuss with incident controller and ask for any add or services required like PPE's, Ambulance etc.	Yes
OHC / Ambulance	Reached at location and assess the situation and make equipment ready to provide medical assistance	Yes
Fire service	Reached at location with ERT with trained rescuer with necessary equipment's and based on situation they started rescue from height and rescued with as soon as possible	Yes
Security Service	Reached at location and barricade the area	Yes
HR / Admin	NA	NA
Corporate Affaires	NA	NA

COMMUNICATION TO MUTUAL AID GROUP (IF REQUIRED, AS AND WHEN MUTUAL AID IS CALLED)

To	By Whom/ Media	Standard	Performance
IOCL	NA	2 min. after receiving information to Emergency Control Room	
HPCL	NA		
JINDAL SAW	NA		
ADANI POWER	NA		
CGPL	NA		
HMEL	NA		

RESPONSE TIME PERFORMANCE OF ACTION

Agency	Standard Time	Performance	Rating (Max. 9/ Block)	
			+VE Marks	-VE Marks
Ambulance	1-2 Min	2 minutes	9	0



ADANI PORTS & SPECIAL ECONOMIC ZONE LIMITED

MOCK DRILL REPORT

Safety	4-5 Min	2 minutes	9	0
Fire Services	4-5 Min	4 minutes	9	0

A. PERFORMANCE OF OHS & F SERVICES & RESCUE SERVICES

Performance	Performance	Rating (Max. 3 per Block)	
		+VE Marks	-VE Marks
Turn out time of Fire Team	Good-Fire team/ERT reached at site within benchmark of response time	3	0
Turn out time of OHC Team	OHC team reached at site within benchmark of response time.	3	0
Turn out/ response time of Safety Team and in coordination with incident controller mobilisation of personnel and resources.	Response time of Safety team is within benchmark and will coordinate with incident controller for mobilisation of personnel, resources, PPE's etc.	3	0
Firefighting at the site	NA		
Medical attention at the site	Reported to incident Controller and prepare necessary medical assistance till rescued also AED (Automated external defibrillator) available with paramedic officer in ambulance at incident spot.	3	0
Rescue of person	ERT Team rescued by trained rescuer with the help of immediate descender equipment	3	0



ADANI PORTS & SPECIAL ECONOMIC ZONE LIMITED

MOCK DRILL REPORT

B. PERFORMANCE OF ENGINEERING DEPARTMENT

Performance	Performance Rating	Rating (Max. 3 per Block)	
		+VE Marks	-VE Marks
Power shut down/ cut off	NA		
Immediate arrangements at the site	Incident controller immediate informed to concern stakeholders	3	0
Mobilizing of personnel and resources	NA		
Maintenance activities being carried out at the site	NA		
Clearing debris	NA		
Other arrangement at required to meet emergency	NA		

C. PERFORMANCE OF SECURITY SERVICES

Performance	Performance	Rating (Max. 3 per Block)	
		+VE Marks	-VE Marks
Turnout of Security	Security team reached within time and barricade the area reported to incident controller for further update.	3	0
Performance of security guards	Good	3	0



ADANI PORTS & SPECIAL ECONOMIC ZONE LIMITED

MOCK DRILL REPORT

Security officer's command & control	Good	3	0
Area cordoned off	Immediate barricade the area for restrict to entry at scene by security team as guided by incident controller.	3	0
Prevent unwanted/ unauthorized entry and traffic controlled at incident spot / location	Security officers restrict the entry of unauthorized persons / also ensure that traffic controlled and access / road free for Emergency Vehicle	3	0
Closer of gates	NA		
Providing security coverage at main gate and directing concern person to the site	Provide exact location to emergency vehicles	3	0

D. PERFORMANCE OF OPERATION DEPARTMENT

Performance	Performance	Rating (Max. 3 per Block)	
		+VE Marks	-VE Marks
Immediately pass the communication message through VHF / other available media to subordinates & emergency response team.	NA		
Stopping of operation / like critical operations first & on priority basis	Superintended diverted ITV rout with the help of security team	3	0
Emergency response of particular department at site	NA		
Support for evacuation of people at site and head count along with HR/ Admin	NA		
Availability and response of emergency kit / equipment / Other.	NA		
Audibility of the scenario on PA System by Persons	NA		



ADANI PORTS & SPECIAL ECONOMIC ZONE LIMITED

MOCK DRILL REPORT

Good Observations:

1. ERT team came trained rescuer with all necessary equipment with inspection certificates of equipment
2. Area proper barricaded to stop other movement
3. Communication and coordination between team found good
4. Paramedic officer bring AED machine for CPR at Incident spot

Observer – I (Mr Hariprasad Desani)

- Fallen person not anchoring with descender rope

Observer – II (Mr. Manan Bhatt)

- Exact location not mentioned to OHC team by incident controller
- Many persons observed near emergency location instead of assembly point

Overall rating

Marks from 95 to 100 - Excellent

Marks from 90 to 95 - Very Good

Marks below 90 - Needs Improvement

VOTE OF THANKS:

Vote of thanks by Mr. Manan Bhatt (Safety) and Mr. Hariprasad desani (ES) and given to the special thanks to all team members of mock drill participants.



ADANI PORTS & SPECIAL ECONOMIC ZONE LIMITED

MOCK DRILL REPORT

SUPPORTING STAFF:

Drill Organized By	:	Mr. Mukesh Pushkarna
Drill guided By	:	Mr. Dharmesh Chovatiya & Mr. Vinod Rajput
Exercise Performance Assessor	:	Mr. Manan Bhatt, Mr. Hariprasad Desani
Site incident controller	:	Mr. Keyur Patel (Shift In charge-Engineering Services)
Report prepared By	:	Mr Dharmesh Chovatiya

COMPLIANCE REPORT FOR MOCK DRILL

Plant/ Facilities: AICTPL

Date of Mock Drill: 22.09.2021

#	Recommendations	Action Taken / Date	Date of Completion
1	Training provide to team members regarding proper anchoring with descender while working at height and emergency response	Mukesh pushkarna	15-10-2021




Action Plan – Mock Drill

AICTPL (22.09.2021)

Sr. No.	Points	Responsibility	Target Date	Action Taken	Target Completion Date	Remarks
1	Training provide to team members regarding proper anchoring with descender while working at height and emergency response	Mukesh Pushkarna	30-09-2021	Training provided to team members regarding emergency response plan and job specific work at height	23-09-2021	Complied

Annexure – 9

Organogram of Environment Management Cell, APSEZ, Mundra



Annexure – 10

Cost of Environmental Protection Measures

Sr. No.	Activity	Cost incurred (INR in Lacs)			Budgeted Cost (INR in Lacs)
		2019 – 20	2020 – 21	2021 – 22 (Till Sep'21)	2021 – 22
1.	Environmental Study / Audit and Consultancy	0.33	6.2	6.82	7.0
2.	Legal & Statutory Expenses	0.84	10.58	10.04	12.0
3.	Environmental Monitoring Services	21.74	19.17	9.56	20.0
4.	Hazardous / Non-Hazardous Waste Management & Disposal	108.43	83.55	57.64	114.10
5.	Environment Days Celebration and Advertisement / Business development	1.5	5.3	1.81	7.0
6.	Treatment and Disposal of Bio-Medical Waste	1.62	2.09	0.89	2.04
7.	Mangrove Plantation, Monitoring & Conservation	Nil	32.59	Nil	Nil
8.	Other Horticulture Expenses	734.18	689	605.58	865.11
9.	O&M of Sewage Treatment Plant and Effluent Treatment Plant (including STP, ETP of Port & SEZ & Common Effluent Treatment Plant)	110.18	148.49	95.53	219.24
10.	Expenditure of Environment Dept. (Apart from above head)	105.13	89.11	88.28	85.35
Total		1083.95	1086.08	876.15	1331.84

Annexure – 11

APSEZL/EnvCell/2021-22/066

To
The Regional Officer,
Regional Office GPCB (Kutch-East)
Gandhidham, 370201

Date: 28/09/2021

Sub : Submission of compliance to observation/suggestion/instruction made by GPCB officials during inspection.

Reference : GPCB Inspection letter dated 23.09.2021, PCB ID: 17739 (Annexure - A)

Respected Sir,

With reference to the above mentioned subject, M/s. Adani Ports and Special Economic Zone Limited (APSEZL) hereby submitting the compliance details w.r.t. your observations as below:

Compliance against Point No. 1: Last three months details of production (material handling), water consumption, wastewater generation & disposal, and hazardous generation and disposal mentioned are as below table.

Sr. No.	Particular	June 2021	July 2021	August 2021
1.	Production (material handling)			
	General Cargo + Dry Cargo (MT)	1129417	1162874	703021
	Liquid Cargo (Chemical & POC Products) (MT)	216972	325053	292754
	Veg oil (MT)	52573	45676	77255
	Bitumen (MT)	5088	8067	2666
	Containers Handling (TEUs)	381342	410342	404175
2.	Total water consumption (KL)	48533	39027	42291
3.	Waste water Generation (Industrial + Domestic) (KL)	2547	2984	2815
4.	Treated wastewater (Industrial + Domestic) (KL)	2370	2897	2738
5.	Hazardous waste generation/disposal (MT)			
	• Pig Waste (co-processing)	1.70	1.20	2.03
	• oily rags (co-processing)	8.17	6.08	12.21
	• Used Oil (recycling)	37.431	-	-
	Total	47.301	7.28	14.24

Gujarat Pollution Control Board

Head Office
Sector No. 10-A,
Jambhinagar-382010

Adani Ports and Special Economic Zone Ltd
Adani House,
PO Box No. 1
Mundra, Kutch 370 421
Gujarat, India
CIN: L63090GJ1998PLC034182

Tel +91 2838 25 5000
Fax +91 2838 25 51110
info@adani.com
www.adani.com

Registered Office: Adani Corporate House, Shantigram, Nr. Vaishno Devi Circle, S.G. Highway, Khodiyar, Ahmedabad - 382421, Gujarat, India

adani

Ports and
Logistics

Compliance against Point No. 2: Since, last three months there was no any tank washing activity was being carried out. Hence, nil wastewater generated from tank washing activity.

Sir, kindly consider our compliance against the given written instructions and acknowledge the same.

Thank you
Yours Faithfully,

For. M/s. Adani Ports and Special Economic Zone Limited (APSEZL)



Bhagwat Swaroop Sharma
Head - Environment

Encl As above

Copy to: Unit Head GPCB - Head Office, Paryavaran Bhavan Sector 10 A Gandhi Nagar 382010

Adani Ports and Special Economic Zone Ltd
Adani House,
PO Box No. 1
Mundra, Kutch 370 421
Gujarat, India
CIN: L63090GJ1998PLC034182

Tel +91 2838 25 5000
Fax +91 2838 25 51110
info@adani.com
www.adani.com

Registered Office: Adani Corporate House, Shantigram, Nr. Vaishno Devi Circle, S.G. Highway, Khodiyar, Ahmedabad – 382421,
Gujarat, India

ANNEXURE - A



ગુજરાત પ્રદુષણ નિયંત્રણ બોર્ડ


પ્રાદેશિક કચેરી : કચ્છ (પૂર્વ)


દિનદવાલ પોર્ટ ટ્રસ્ટનું વહીવટ મકાન રૂમ નં. ૨૧૫, ૨૧૬, ૨૧૭, બીજો માળ,
સેક્ટર નં. ૮, ગાંધીધામ-૩૭૦૨૦૧, કચ્છ. ફોન : ૦૨૮૩૬-૨૩૦૮૨૮

પ્રતિ,

Adani Ports and Special Economic Zone તારીખ : 23/09/2021
આ નવમીલ ડાકખાતે, મુન્દ્રા જીપીસીઝી આઈડી : 17739
ગુજરાત પ્રદુષણ નિયંત્રણ બોર્ડના અધિકારીઓ દ્વારા આપના એકમની આજરોજ બુધ બુધ પર્યાવરણીય નિયમોને આધિન સ્થળ મુલાકાત લેવામાં આવેલ. આપના એકમના સ્થળ મુલાકાત દરમ્યાન કરેલ અવલોકનો, આપે આપેલ માહિતી / દસ્તાવેજો અને પર્યાવરણીય નિયમોની જોગવાઈ આધીન, આપને નીચે મુજબ સુચનાઓ આપવામાં આવે છે જેની પૂર્તતા / સ્પષ્ટતા અંગેનો અહેવાલ (કોમ્પલાયન્સ રીપોર્ટ) આ આદેશ મળ્યાની તારીખથી કામકાજના દિવસ-૩ માં લેખીત/એક્સલ/ઇલેક્ટ્રોનિક માધ્યમ મારફતે બોર્ડની વડી કચેરી ગુજરાત પ્રદુષણ નિયંત્રણ બોર્ડ, પર્યાવરણ ભવન, સેક્ટર ૧૦-એ, ગાંધીનગર-૩૮૨૦૧૦ ને આ કચેરીની જાણ હેઠળ અચૂક મોકલી આપશો.

- ① ક્ષેત્રના નવન પ્રવેશના તરવાળા સ્ત્રોતો Production (Material Handling), water consumption, wastewater generation, disposal detail, Hazardous waste generation and disposal detail વગેરે તરી.
- ② આપના ક્ષેત્રમાં provide રેલ સ્ટોવગે તોલક અને તેના pipeline ની washing activity ની રિપોર્ટ રજૂ કરવા તે last three months માં તેલ washing activity, waste water generation ની રજૂ કરવાની રિપોર્ટ આપવામાં આવે તે.


G. R. Nakur
AEE


H. B. Patel
AEE

એકમના પ્રતિનિધિનું નામ અને હેતુ
Mr. Bhagut Sharma