



Ref: AMPTPL/2023/1040

Date: 28.11.2023

To

Additional Chief Conservator of Forests (C),
Ministry of Environment, Forest and Climate Change,
Regional Office (SZ), Kendriya Sadan,
4th Floor, E&F Wings, 17th Main Road,
Koramangala II Block, Bangalore-560034 (Karnataka)
rosz.bng-mefcc@gov.in

Dear Sir,

Sub : Half yearly Compliance report of Environment and CRZ clearance for modernization and operation of Berth – 07 in M/s Mormugao Port for the period of April 2023 to September 2023 – Reg.

Ref : Environment and CRZ clearance for modernization of Berth No. – 07 for coal handling granted to M/s Mormugao Port Trust vide letter dated 30th December 2013 bearing F. No. 10-39/2009-IA.III.

Adani Mormugao Port Terminal Private Limited is concessionaire of M/s Mormugao Port Trust for Berth No-7. Please find enclosed herewith the compliance report to the conditions stipulated in the cited reference for the Half Yearly period **April 2023 to September 2023** in soft copy for your kind reference.

Thanking You

Yours Faithfully,

For **M/s Adani Mormugao Port Terminal Private Limited**

Authorized Signatory

Copy to:

1. **The Director (Monitoring-IA-III Division),** Ministry of Environment, Forest & Climate Change, Indira Paryavaran Bhawan, Jor Bagh, New Delhi – 110003.
2. **The Zonal Officer,** Central Pollution Control Board, 1st & 2nd Floor, Nisaraga Bhawan, A Block, Thimmaiah Main Road, 7th D Cross, Shivanagar, opposite Pushpanjali theatre, Bengaluru – 560010
3. **The Member Secretary,** Goa State Pollution Control Board, Nr. Pilerne Industrial Estate, Opp. Saligao Seminary, Saligao – Bardez, Goa – 403511
4. **The Member Secretary,** Goa Coastal Zone Management Authority (GCZMA) 1st Floor, Pt. Deendayal Upadhyay Bhavan, Behind Pundalik Devasthan, Parvorim.
5. **The Chairman,** Mormugao Port Trust, Administrative Office, Headland Sada, Mormugao, Goa – 403804.

Adani Mormugao Port Terminal Pvt Ltd.
Sub Station Building,
Near Gate No. 2 of Mormugao Port Trust,
Mormugao, 403 803,
Goa, India

Tel: - +91 832 2579200
Fax: - +91 832 2579299
info@adani.com
www.adani.com

Registered Office: Adani Corporate House, Shantigram, Near Vaishno Devi Circle, S. G.Highway, Khodiyar, Ahmedabad-382421, Gujarat

**EC & CRZ
Clearance
Compliance
Report**

Environmental Clearance Compliance Report



**Adani Mormugao Port Terminal Private
Limited, Goa**

of

**Adani Ports and Special Economic
Zone Limited**

For the Period of:

April to September-2023

Index

S.No.	Particulars	Page No.
1	EC & CRZ Clearance Compliance Report	1
2	Annexures	
	Annexure 1: Environmental Monitoring reports for the period Apr'23 to Sep'23	19
	Annexure 2: EMP Compliance report.	55
	Annexure 3: Environment statement in Form V for FY 22-23	65




Adani Marmugao Port Terminal Pvt. Ltd.



From : April 2023
To : September 2023

Compliance to the conditions stipulated in Environment and CRZ clearance.

Half yearly Compliance report for Environment and CRZ Clearance for the modernization of Berth No. 7 for coal handling at Marmugao Port, Goa vide F No. 10-39/2009-IA.III dt. 30.12.2013

Sr. No.	Conditions	Compliance						
6	Specific Conditions							
i	"Consent for Establishment" shall be obtained from Goa Pollution Control Board under Air and Water Act and a copy shall be submitted to the Ministry before start of any construction work at the site.	<p>Complied, Copy of Consent for Establishment (CFE) submitted in six monthly compliance report dated 25th November, 2014 (CTE copy attached below). All construction works completed and terminal is in operation with valid Consent from GSPCB (No.12/2019-PCB/347405/R0002737 dated 24/03/2020 valid up to 31/01/2025).</p> <div data-bbox="857 823 1446 1444" style="border: 1px solid black; padding: 5px;"> <p style="text-align: center;">GOA STATE POLLUTION CONTROL BOARD गोंय राज्य प्रदुशण नियंत्रण मंडळ</p> <p>Phone Nos. : 91-832-2438507, 2438528 2438553, 2438550. Dempo Towers, 1st Floor, Ter / Fax No. : 0932-2438528 EDC Plazzo Plaza, Email : goajpcb@rediffmail.com Panaji, Goa 403 001.</p> <p style="text-align: center;"></p> <p>No. 5/356/10-PCB/Vol. IV 8/3 63 Date: 22/03/12</p> <p style="text-align: center;">Consent to Establish under Section 26 of the Water (Prevention & Control of Pollution) Act, 1974 & under Section 21 of the Air (Prevention & Control of Pollution) Act, 1981 and Authorisation under Rule 5 of the Hazardous Wastes (Management, Handling and Transboundary Movement) Rules 2008 [To be referred as Water Act, Air Act and HW (M.H & T) Rules respectively]</p> <p style="text-align: center;">Consent to Establish is hereby granted to: MORMUGAO PORT TRUST (Red Category)</p> <p style="text-align: center;">Development of Mechanised Coal handling terminal at berth no. 7, Headland Sada, Vasco-da-Gama, Goa</p> <p>Located in the area declared under the provisions of the Water Act, Air Act and Authorisation under the provisions of HW (M.H & T) Rules, subject to the provisions of the Act and the Rules and the Orders that may be made further and subject to the following terms and conditions:</p> <ol style="list-style-type: none"> The Consent to Establish is valid upto Commissioning of the unit or 3 years which ever is earlier. This Consent to Establish is valid for the manufacture/ production/ extraction/ installation/ servicing/ trade/ activity as mentioned below: <table border="1" data-bbox="906 1266 1295 1310"> <thead> <tr> <th>Sr. No</th> <th>Description</th> <th>Quantity</th> </tr> </thead> <tbody> <tr> <td>1.</td> <td>Development of Mechanised Coal handling terminal at berth no. 7</td> <td>5.2 million tons</td> </tr> </tbody> </table> <ol style="list-style-type: none"> CONDITIONS UNDER WATER ACT: <ol style="list-style-type: none"> The daily quantity of industrial effluent from the factory shall not exceed NIL. The daily quantity of domestic effluent generated during the construction stage shall not exceed 40 KLD. Domestic Effluent treatment and Disposal: Soak pit shall not be constructed for the disposal of sewage. It should be connected into the existing STP of the Port. </div>	Sr. No	Description	Quantity	1.	Development of Mechanised Coal handling terminal at berth no. 7	5.2 million tons
Sr. No	Description	Quantity						
1.	Development of Mechanised Coal handling terminal at berth no. 7	5.2 million tons						

Half yearly Compliance report for Environment and CRZ Clearance for the modernization of Berth No. 7 for coal handling at Murmugao Port, Goa vide F No. 10-39/2009-IA.III dt. 30.12.2013

Sr. No.	Conditions	Compliance
ii	The project proponent shall provide lining for collection of run off from coal stockyard and the leachate shall be treated before disposal.	<p>Complied, Runoff from Coal Stock Yard is being collected in RCC dump pond provided with proper lining. Settled water from dump pond is being reused for dust suppression and settled coal solid particles are sent back to coal stock piles. Dump pond water quality is also monitored. Report of the same is attached as part of Six monthly monitoring report (Annexure 1)</p>  





iii The project proponent shall provide dry fog and sprinkling systems for effective dust suppression.

Complied
For effective dust suppression following measures are provided:



- 224 Nos. of dry fog dust suppression system have been provided in conveyor system and at all transfer points.
- 43 Nos. Automatic Water Sprinklers have been provided at coal stock yard for dust suppression.
- 02 Nos. Mist Canon provided (one is mobile canon and other one tyre mounted)



Half yearly Compliance report for Environment and CRZ Clearance for the modernization of Berth No. 7 for coal handling at Marmugao Port, Goa vide F No. 10-39/2009-IA.III dt. 30.12.2013

Sr. No.	Conditions	Compliance
		 <p>Layout of DFDS system installed at all transfer and other locations.</p>   <p>DSS system installed at yards</p> 

Half yearly Compliance report for Environment and CRZ Clearance for the modernization of Berth No. 7 for coal handling at Murmugao Port, Goa vide F No. 10-39/2009-IA.III dt. 30.12.2013

Sr. No.	Conditions	Compliance
iv	Entire transportation of coal shall be in closed conveyor.	<p>Complied. The coal is being transported through covered conveyor from jetty to silo/ stock yard. AMPTPL has provided 2700 meters long covered conveyor system from jetty to silo including 11 closed Transfer Points provided with Dry Fog Dust Suppression (DFDS) nozzles.</p>  
v	There shall be no washing of conveyor belt	<p>Being Complied No washing of Conveyor belt is done.</p>

vi The project proponent shall provide wind screen min 15 m height fabric HDPE all along the periphery. The height shall be designed taking into account the wind velocity modelling etc. Also explore creepers in consultation with forest department.

Being Complied



Wind screen of MS structure along with HDPE fabric/ perforated sheet of 15 metres height has been provided along the coal stacking yard facility taking into control the wind velocity. Wind screen has been covered with agronet.



Plantation has also been done all along the wind screens to ensure to control the better wind breaking.



Half yearly Compliance report for Environment and CRZ Clearance for the modernization of Berth No. 7 for coal handling at Murmugao Port, Goa vide F No. 10-39/2009-IA.III dt. 30.12.2013

Sr. No.	Conditions	Compliance
vii	Coal shall be kept under moist conditions using water sprinklers. Transportation shall be in closed conveyors with water spray.	<p>Being Complied</p> <p>The coal is being stored under the moist condition. Jet Sprinklers are provided for the same. Coal is being transported through covered conveyors with inbuilt dry fog dust suppression system.</p>  




Adani Marmugao Port Terminal Pvt. Ltd.

From : April 2023
To : September 2023

Compliance to the conditions stipulated in Environment and CRZ clearance.

Half yearly Compliance report for Environment and CRZ Clearance for the modernization of Berth No. 7 for coal handling at Marmugao Port, Goa vide F No. 10-39/2009-IA.III dt. 30.12.2013

Sr. No.	Conditions	Compliance
viii	All the conditions stipulated by Goa Coastal Zone Management Authority (GCZMA) vide letter No. GCZMA/S/13-14/09/360 dated 07.06.2013, shall be complied with.	<p>Noted and Being Complied. No specific conditions stipulated by GCZMA. NOC letter is attached below:</p> <div data-bbox="846 583 1458 1520" style="border: 1px solid black; padding: 5px;"> <p align="center">GOA COASTAL ZONE MANAGEMENT AUTHORITY C/o Department of Science, Technology & Environment, (Govt. of Goa) Opp. Saligao Seminary, P.O. Saligao, Bardez, Goa - 403 511 Phone: (0832) 2407580, 2407187, 2407189 Fax: (0832) 2407176 <small>com@gcozma.goa.nic.in</small></p> <hr/> <p>Ref. No. GCZMA/S/13-14/09/360 Dated: 7/06/2013</p> <p>To, The Chairman, Mormugao Port Trust, Administrative Office, Headland Sada, Goa. 403803</p> <p>Sub : Development of Coal Handling Terminal at Berth No. 7 of Mormugao Port, Goa on DBFOT basis- CRZ Clearance/recommendation Reg.</p> <p>Ref : 1) The Minutes of the 78th Meeting of the Expert Appraisal Committee for Coastal Regulation Zone, Infrastructure Development and Miscellaneous Projects held on 20th to 22nd July 2009 at Van Vigyan Bhavan, Sector - V, R. K. Puram, New Delhi</p> <p>2) Your application no. CE/PC-3/3355 dated 17.08.2009 and subsequent submissions of "Consent to Establish" no. S/356/10-PCB/Vol. IV/8363 dated 02/03/2012 issued by GSPCB, Comprehensive EIA Report prepared by WAPCOS and Comprehensive Hydrodynamic Study Report prepared by CWPRS vide CE/PC-3/7972 dated 06.03.2012 for the grant of CRZ clearance/recommendations for the subject project.</p> <p>Sir,</p> <p>With reference to the above mentioned subject, it is hereby conveyed that Goa Coastal Zone Management Authority (GCZMA) has examined your application during its 84th Board Meeting held on 06th June 2013 at Goa in line with the Minutes of the 78th Meeting of the Expert Appraisal Committee (EAC) for Coastal Regulation Zone, Infrastructure Development and Miscellaneous Projects held on 20th to 22nd July 2009 at New Delhi and subsequently accorded clearance for the subject project.</p> <p>It is further clarified that this development and modernization project is located within the existing port area of Vasco-da-Gama City and Water front as well as Foreshore facilities are situated within the jurisdiction of Mormugao Port Trust, which is zoned as CRZ-II.</p> <p>In accordance with the provisions of the clause 4 (i) (f) of the Coastal Regulation Zone Notification of 2011, the Goa Coastal Zone Management Authority, Government of Goa has no objection to the said project provided prior Environmental Clearance is obtained from the Ministry of Environment and Forests, Government of India.</p> <p>Grant of CRZ clearance for the subject project is conveyed herewith and accordingly recommended for Environmental Clearance.</p> <p align="right"><i>Yours faithfully,</i>  (Levison J. Martins) Member Secretary (GCZMA) & Director/Ex-Officio, Joint Secretary (STE)</p> </div>
ix	Periodical study on shore line changes shall be conducted and mitigation carried out if necessary. The details shall be submitted along with the six-monthly monitoring reports.	<p>Complied.</p> <p>M/s MPT did shore line study in 2016.</p> <p>AMPTPL is only one of the terminal operators within the MPT. This is an old berth within the existing premises of MPT and only modernization activity has been done.</p>



Adani Marmugao Port Terminal Pvt. Ltd.

From : April 2023
To : September 2023

Compliance to the conditions stipulated in Environment and CRZ clearance.

Half yearly Compliance report for Environment and CRZ Clearance for the modernization of Berth No. 7 for coal handling at Marmugao Port, Goa vide F No. 10-39/2009-IA.III dt. 30.12.2013

Sr. No.	Conditions	Compliance																																																																																												
x	Oil spills if any shall be properly collected and disposed as per the Rules. Proper Oil Contingency Management Plan shall be put in place.	<p>Being Complied., AMPTPL is abiding by the Oil Spill Contingency Management Plan of M/s MPT (Attached below). No such incident occurred during the compliance period.</p> <table border="1" data-bbox="857 695 1446 1289"> <thead> <tr> <th colspan="4" data-bbox="867 701 1437 743">MORMUGAO PORT TRUST DISASTER MANAGEMENT PLAN</th> </tr> <tr> <th data-bbox="867 749 938 764"></th> <th data-bbox="938 749 1240 764">CONTENTS</th> <th data-bbox="1240 749 1312 764">PAGE NO</th> <th data-bbox="1312 749 1437 764">REV REF/DATE</th> </tr> </thead> <tbody> <tr> <td data-bbox="867 764 938 785">PART-1</td> <td data-bbox="938 764 1240 785">Framework</td> <td data-bbox="1240 764 1312 785"></td> <td data-bbox="1312 764 1437 785"></td> </tr> <tr> <td data-bbox="867 785 938 806">SECTION</td> <td data-bbox="938 785 1240 806"></td> <td data-bbox="1240 785 1312 806"></td> <td data-bbox="1312 785 1437 806"></td> </tr> <tr> <td data-bbox="867 806 938 827"></td> <td data-bbox="938 806 1240 827" style="text-align: center;">SECTION - 5 Preparedness</td> <td data-bbox="1240 806 1312 827"></td> <td data-bbox="1312 806 1437 827"></td> </tr> <tr> <td data-bbox="867 827 938 848">5.11</td> <td data-bbox="938 827 1240 848">Communication Systems</td> <td data-bbox="1240 827 1312 848">21</td> <td data-bbox="1312 827 1437 848"></td> </tr> <tr> <td data-bbox="867 848 938 869">5.12</td> <td data-bbox="938 848 1240 869">Communication-Command And Response Structure</td> <td data-bbox="1240 848 1312 869">22</td> <td data-bbox="1312 848 1437 869"></td> </tr> <tr> <td data-bbox="867 869 938 890">5.13</td> <td data-bbox="938 869 1240 890">Drills And Exercises</td> <td data-bbox="1240 869 1312 890"></td> <td data-bbox="1312 869 1437 890"></td> </tr> <tr> <td data-bbox="867 890 938 911"></td> <td data-bbox="938 890 1240 911" style="text-align: center;">SECTION - 6 Response</td> <td data-bbox="1240 890 1312 911"></td> <td data-bbox="1312 890 1437 911"></td> </tr> <tr> <td data-bbox="867 911 938 932">6.1</td> <td data-bbox="938 911 1240 932">Mormugao Port Disaster Management Conceptual Plan Framework</td> <td data-bbox="1240 911 1312 932">23</td> <td data-bbox="1312 911 1437 932"></td> </tr> <tr> <td data-bbox="867 932 938 953">6.2</td> <td data-bbox="938 932 1240 953">On Site MPT Disaster Management</td> <td data-bbox="1240 932 1312 953">24</td> <td data-bbox="1312 932 1437 953"></td> </tr> <tr> <td data-bbox="867 953 938 974">6.3</td> <td data-bbox="938 953 1240 974">Central Disaster Management Group- Basic Functions</td> <td data-bbox="1240 953 1312 974">25</td> <td data-bbox="1312 953 1437 974"></td> </tr> <tr> <td data-bbox="867 974 938 995">6.4</td> <td data-bbox="938 974 1240 995">On Site Action Group - Basic Responsibilities</td> <td data-bbox="1240 974 1312 995"></td> <td data-bbox="1312 974 1437 995"></td> </tr> <tr> <td data-bbox="867 995 938 1016">6.5</td> <td data-bbox="938 995 1240 1016">Emergency Classification</td> <td data-bbox="1240 995 1312 1016">26</td> <td data-bbox="1312 995 1437 1016"></td> </tr> <tr> <td data-bbox="867 1016 938 1037">6.6</td> <td data-bbox="938 1016 1240 1037">Central Disaster Management Group – Responsibilities</td> <td data-bbox="1240 1016 1312 1037">27</td> <td data-bbox="1312 1016 1437 1037"></td> </tr> <tr> <td data-bbox="867 1037 938 1058">6.7</td> <td data-bbox="938 1037 1240 1058">Disaster Management On Site Action Group- Organization Responsibilities</td> <td data-bbox="1240 1037 1312 1058">32</td> <td data-bbox="1312 1037 1437 1058"></td> </tr> <tr> <td data-bbox="867 1058 938 1079">6.8</td> <td data-bbox="938 1058 1240 1079">Disaster Management On Site Action Group - Responsibilities</td> <td data-bbox="1240 1058 1312 1079">33</td> <td data-bbox="1312 1058 1437 1079"></td> </tr> <tr> <td data-bbox="867 1079 938 1100"></td> <td data-bbox="938 1079 1240 1100" style="text-align: center;">SECTION-7 Emergency Facilities</td> <td data-bbox="1240 1079 1312 1100"></td> <td data-bbox="1312 1079 1437 1100"></td> </tr> <tr> <td data-bbox="867 1100 938 1121">7.1</td> <td data-bbox="938 1100 1240 1121">Emergency Control Centre At Port Control Station</td> <td data-bbox="1240 1100 1312 1121">36</td> <td data-bbox="1312 1100 1437 1121"></td> </tr> <tr> <td data-bbox="867 1121 938 1142">7.2</td> <td data-bbox="938 1121 1240 1142">Port Fire Fighting Resources</td> <td data-bbox="1240 1121 1312 1142">37</td> <td data-bbox="1312 1121 1437 1142"></td> </tr> <tr> <td data-bbox="867 1142 938 1163">7.3</td> <td data-bbox="938 1142 1240 1163">Port Oil Spill Response Equipment</td> <td data-bbox="1240 1142 1312 1163">38</td> <td data-bbox="1312 1142 1437 1163"></td> </tr> <tr> <td data-bbox="867 1163 938 1184">7.4</td> <td data-bbox="938 1163 1240 1184">Mutual Aid</td> <td data-bbox="1240 1163 1312 1184">39</td> <td data-bbox="1312 1163 1437 1184"></td> </tr> <tr> <td data-bbox="867 1184 938 1205"></td> <td data-bbox="938 1184 1240 1205" style="text-align: center;">SECTION-8 Response</td> <td data-bbox="1240 1184 1312 1205"></td> <td data-bbox="1312 1184 1437 1205"></td> </tr> </tbody> </table>	MORMUGAO PORT TRUST DISASTER MANAGEMENT PLAN					CONTENTS	PAGE NO	REV REF/DATE	PART-1	Framework			SECTION					SECTION - 5 Preparedness			5.11	Communication Systems	21		5.12	Communication-Command And Response Structure	22		5.13	Drills And Exercises				SECTION - 6 Response			6.1	Mormugao Port Disaster Management Conceptual Plan Framework	23		6.2	On Site MPT Disaster Management	24		6.3	Central Disaster Management Group- Basic Functions	25		6.4	On Site Action Group - Basic Responsibilities			6.5	Emergency Classification	26		6.6	Central Disaster Management Group – Responsibilities	27		6.7	Disaster Management On Site Action Group- Organization Responsibilities	32		6.8	Disaster Management On Site Action Group - Responsibilities	33			SECTION-7 Emergency Facilities			7.1	Emergency Control Centre At Port Control Station	36		7.2	Port Fire Fighting Resources	37		7.3	Port Oil Spill Response Equipment	38		7.4	Mutual Aid	39			SECTION-8 Response		
MORMUGAO PORT TRUST DISASTER MANAGEMENT PLAN																																																																																														
	CONTENTS	PAGE NO	REV REF/DATE																																																																																											
PART-1	Framework																																																																																													
SECTION																																																																																														
	SECTION - 5 Preparedness																																																																																													
5.11	Communication Systems	21																																																																																												
5.12	Communication-Command And Response Structure	22																																																																																												
5.13	Drills And Exercises																																																																																													
	SECTION - 6 Response																																																																																													
6.1	Mormugao Port Disaster Management Conceptual Plan Framework	23																																																																																												
6.2	On Site MPT Disaster Management	24																																																																																												
6.3	Central Disaster Management Group- Basic Functions	25																																																																																												
6.4	On Site Action Group - Basic Responsibilities																																																																																													
6.5	Emergency Classification	26																																																																																												
6.6	Central Disaster Management Group – Responsibilities	27																																																																																												
6.7	Disaster Management On Site Action Group- Organization Responsibilities	32																																																																																												
6.8	Disaster Management On Site Action Group - Responsibilities	33																																																																																												
	SECTION-7 Emergency Facilities																																																																																													
7.1	Emergency Control Centre At Port Control Station	36																																																																																												
7.2	Port Fire Fighting Resources	37																																																																																												
7.3	Port Oil Spill Response Equipment	38																																																																																												
7.4	Mutual Aid	39																																																																																												
	SECTION-8 Response																																																																																													
xi	All the conditions stipulated in the earlier Clearances including the recommendations of Environment Management Plan, Disaster Management Plan shall be strictly complied with	<p>Noted and being complied. Compliance of earlier clearance is being submitted by M/s MPT.</p> <p>All recommendations made in the Environment Management Plan as contained in the Environment Impact Assessment of the project are effectively implemented and being followed. EMP Compliance status is attached as Annexure 2.</p>																																																																																												

Half yearly Compliance report for Environment and CRZ Clearance for the modernization of Berth No. 7 for coal handling at Murmugao Port, Goa vide F No. 10-39/2009-IA.III dt. 30.12.2013

Sr. No.	Conditions	Compliance																					
xii	<p>Cargo shall be unloaded directly into hopper from the ship and transported to the stack yards through closed conveyor system only. Inbuilt dust suppression systems shall be provided at hoppers and all the transfer points / storage yards. Cargo shall not be unloaded directly onto the Berth. Water meters shall be provided at different locations to record the consumption of water used for dust suppression and daily log shall be maintained.</p>	<p>Complied, Coal is being unloaded directly into hopper from the ship and transported to the stack yards through closed conveyor system. Inbuilt dust suppression system has been provided in hoppers, transfer towers and storage yards to avoid fugitive emissions. Coal cargo is not being unloaded directly onto the berth.</p> <p>AMPTPL has installed water flow meters and log sheet is being maintained to record water consumption in dust suppression system.</p> <table border="1" data-bbox="846 863 1446 1167"> <thead> <tr> <th>S.No.</th> <th>Month</th> <th>Water Consumption (KL)</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>Apr - 23</td> <td>2449</td> </tr> <tr> <td>2</td> <td>May - 23</td> <td>2137</td> </tr> <tr> <td>3</td> <td>Jun - 23</td> <td>530</td> </tr> <tr> <td>4</td> <td>Jul - 23</td> <td>0</td> </tr> <tr> <td>5</td> <td>Aug - 23</td> <td>843</td> </tr> <tr> <td>6</td> <td>Sep - 23</td> <td>1250</td> </tr> </tbody> </table> <div data-bbox="846 1203 1458 1598"> </div> <div data-bbox="846 1604 1458 1837"> </div>	S.No.	Month	Water Consumption (KL)	1	Apr - 23	2449	2	May - 23	2137	3	Jun - 23	530	4	Jul - 23	0	5	Aug - 23	843	6	Sep - 23	1250
S.No.	Month	Water Consumption (KL)																					
1	Apr - 23	2449																					
2	May - 23	2137																					
3	Jun - 23	530																					
4	Jul - 23	0																					
5	Aug - 23	843																					
6	Sep - 23	1250																					


xiii At least 15 m width of green belt along the periphery and 15 m width along the stockyard shall be undertaken including plantation of mangroves in consultation with Forest Department.

Being Complied

Green belt with suitable native species has been developed, along the periphery and coal stockyard. About 29,595 nos. plants have been planted in port premises and survival rate is well maintained. Additionally, AMPTPL has also developed vertical gardens. The plant species includes Conocarpus, Coconut, Palm, etc. There are no mangroves in the vicinity of Berth No. 7.



Half yearly Compliance report for Environment and CRZ Clearance for the modernization of Berth No. 7 for coal handling at Murmugao Port, Goa vide F No. 10-39/2009-IA.III dt. 30.12.2013

Sr. No.	Conditions	Compliance
		
iv	<p>The dredge material shall be reused for low level rising wherever possible and excess shall be dumped into sea at the designated dumping areas identified based on mathematical model studies.</p>	<p>Being Complied, Construction of the project already completed and currently terminal is in operation. There was no dredging activity during the compliance period.</p>

Compliance to the conditions stipulated in Environment and CRZ clearance.

xv To prevent discharge of sewage and other liquid wastes including ballast into marine environment, adequate system for collection, treatment and disposal of liquid wastes must be provided.

Complied

There is no discharge of sewage and other liquid waste into marine environment. The domestic sewage is being collected in septic tanks provided within the premises of AMPTPL and sent to Sewage Treatment Plant of PWD at Baina for further treatment.



MPT is complying with MARPOL conditions.

DC/S-(21)/2016/23

Date: 24/05/2016

HARBOUR NOTICE NO. 23 (TEMP) 2016

Sub: Removal of sludge, bilge water, waste oil, etc. from ships/barges/crafts etc. at Marmugao Port


The following three companies at present are doing the work of reception of sludge, bilge water, waste oil etc. in Marmugao Port Trust.

Sr. No.	Name of the company and address	Contact persons	Contact No. (Mobile)	Email address
1	M/s Shiva Petro-Synth Specialities Limited, Sastech Associates, Karna Plaza, 1 st floor, Shop No. 11, Vasco-Da-Gama, 403 802	Mr. Umesh Bhagat	9662546733	sludge@goa.shiva@yahoo.com
		Mr. Krishna Kamulkar	9662599044	
2	M/s Canaona Hydrocarbons, Flat No. 5B, 3 rd floor, Lotus Apartment, F.L.Gomes Road, Vasco da gama, Goa	Mr. Vikram P. Nayak	9823108823	canaonahydrocarbon@yahoo.com
		Mr. Peter Arputha Jothy	9445708888	
		Mr. Dominic Savio	8390457969	
3	M/s Shree Pooshphans Chemicals, 403/404, Dev Krupa Premises Co-op. Society Ltd., 4 th Floor, 28, Raichur Street, Dana Bunder, Mumbai 400 009.	Mr. Suleman A. Makandar	9370180355	info@siopsreception.com
		Mr. Alishbalkash M. Fakir Jayant M. Jadhav	9370180355 9890767983	operations@siopsreception.com

Sd/-
DY. CONSERVATOR (i/c)

- To,
1) All Shipping Agents
2) The President, Marmugao Fishing Trainers Association
3) The President, Marmugao Barge Owners Association
4) The President, Marmugao Passenger Launches Owners Association
5) Fisheries Survey of India, Alto Jetty, Near Police Station, Bogda, Marmugao
- c.c. to: Communication Officer : Please advise Signal/cum-RTD to inform the above message to all the Ships calling at the Port and proper entries should be made in the Shipping Log Book.
- c.c. to: Dy. Chairman/Chairman's table
c.c. to: DC/Director (P&MS)/F&AO/Commander CSF/CSCME/TM/Secretary/CMO
All Pilots/MCO/BS/Port Signal Station/Pilot Room/MSCO/ROSE/M/SOM)

Half yearly Compliance report for Environment and CRZ Clearance for the modernization of Berth No. 7 for coal handling at Murmugao Port, Goa vide F No. 10-39/2009-IA.III dt. 30.12.2013

Sr. No.	Conditions	Compliance
xvi	Necessary arrangements for the treatment of the effluents and solid wastes must be made and it must be ensured that the untreated effluents and solid wastes are not discharged into the water or on the beach; and no effluent or solid wastes shall be discharged on the beach.	<p>Complied</p> <p>The domestic sewage is being collected in septic tanks provided within the premises of AMPTPL and sent to Sewage Treatment Plant of PWD at Baina for further treatment. STP inlet characteristic of water is regularly analyzed by NABL accredited laboratory. The monitoring results for the period Apr 23 – Sep 23 is enclosed as Annexure 1. Solid waste generated is properly segregated, stored and disposed to Goa Waste Management Corporation (GWMC) in line to Solid Waste Management Rules 2016 as amended. Food waste is recycled in an OWC and used as manure. No effluent or solid waste is being discharged into the water or on the beach.</p> 

Half yearly Compliance report for Environment and CRZ Clearance for the modernization of Berth No. 7 for coal handling at Murmugao Port, Goa vide F No. 10-39/2009-IA.III dt. 30.12.2013

Sr. No.	Conditions	Compliance
xvii	The quality of treated effluents, solid wastes, emissions and noise levels and the like, from project area must conform to the standards laid down by the competent authorities including the Central or State Pollution Control Board under the Environment (Protection) Act 1986	<p>Complied</p> <p>Regular Environmental Monitoring is carried out, to assess the quality of treated effluents from STP, Ambient Air Quality, Ambient Noise level, DG set emissions through NABL accredited and MoEF&CC recognized laboratory. In addition, AMPTPL has also installed one CAAQMS at Sada village and the realtime data is connected with GSPCB server. Results for all the monitoring parameters are within the prescribed limit. Summary of the monitoring report for the period Apr 23-Sep 23 is enclosed as Annexure-1.</p>  
xviii	All the mitigation measures submitted in the EIA report shall be prepared in a matrix format and the compliance for each mitigation plan shall be submitted to MoEF along with half yearly compliance report to MoEF-RO.	<p>Complied</p> <p>All the mitigation measures/EMP submitted in EIA are being followed. EMP Compliance in matrix format is enclosed as Annexure - 2. The same is being submitted as part of Six monthly compliance report to all the concerned authorities</p>

Compliance to the conditions stipulated in Environment and CRZ clearance.

Half yearly Compliance report for Environment and CRZ Clearance for the modernization of Berth No. 7 for coal handling at Murmugao Port, Goa vide F No. 10-39/2009-IA.III dt. 30.12.2013

Sr. No.	Conditions	Compliance																					
xix	The funds earmarked for environment management plan shall be included in the budget and this shall not be diverted for any other purpose.	<p>Complied, Separate budget for the implementation of Environment Management Plan is in place and it is not diverted for any other purpose. A brief summary of environmental expenditure during the compliance period is given below.</p> <table border="1" data-bbox="841 709 1456 1539"> <thead> <tr> <th data-bbox="841 709 967 850">S. No.</th> <th data-bbox="967 709 1304 850">Description of Work</th> <th data-bbox="1304 709 1456 850">Amount lakhs (Rs.) (Approx)</th> </tr> </thead> <tbody> <tr> <td data-bbox="841 850 967 982">1</td> <td data-bbox="967 850 1304 982">Environment Quality Monitoring & Control (Pollucon, CAAQMS, Camera)</td> <td data-bbox="1304 850 1456 982">15.00</td> </tr> <tr> <td data-bbox="841 982 967 1073">2</td> <td data-bbox="967 982 1304 1073">GSPCB Monitoring & Statuary Payments</td> <td data-bbox="1304 982 1456 1073">2.09</td> </tr> <tr> <td data-bbox="841 1073 967 1186">3</td> <td data-bbox="967 1073 1304 1186">Tarpaulin and other waste disposal</td> <td data-bbox="1304 1073 1456 1186">3.00</td> </tr> <tr> <td data-bbox="841 1186 967 1285">4</td> <td data-bbox="967 1186 1304 1285">Green belt Maintenance & Development</td> <td data-bbox="1304 1186 1456 1285">4.02</td> </tr> <tr> <td data-bbox="841 1285 967 1421">5</td> <td data-bbox="967 1285 1304 1421">Environment Monitoring Cell, Training and Awareness</td> <td data-bbox="1304 1285 1456 1421">12.095</td> </tr> <tr> <td colspan="2" data-bbox="841 1421 1304 1539">Total</td> <td data-bbox="1304 1421 1456 1539">36.205</td> </tr> </tbody> </table>	S. No.	Description of Work	Amount lakhs (Rs.) (Approx)	1	Environment Quality Monitoring & Control (Pollucon, CAAQMS, Camera)	15.00	2	GSPCB Monitoring & Statuary Payments	2.09	3	Tarpaulin and other waste disposal	3.00	4	Green belt Maintenance & Development	4.02	5	Environment Monitoring Cell, Training and Awareness	12.095	Total		36.205
S. No.	Description of Work	Amount lakhs (Rs.) (Approx)																					
1	Environment Quality Monitoring & Control (Pollucon, CAAQMS, Camera)	15.00																					
2	GSPCB Monitoring & Statuary Payments	2.09																					
3	Tarpaulin and other waste disposal	3.00																					
4	Green belt Maintenance & Development	4.02																					
5	Environment Monitoring Cell, Training and Awareness	12.095																					
Total		36.205																					
xx	The project proponent shall set up separate environmental management cell for effective implementation of the stipulated environmental safeguards under the supervision of a Senior Executive	<p>Complied AMPTPL is having well structured Environment Management Cell staffed with qualified manpower and well supported by team at regional office (Chennai) as well as Head Office in Ahmedabad for effective implementation of the stipulated environmental safeguards under the supervision Unit/Business Head AMPTPL.</p>																					

7. General Conditions



Adani Mormugao Port Terminal Pvt. Ltd.

From : April 2023
To : September 2023

Compliance to the conditions stipulated in Environment and CRZ clearance.

Half yearly Compliance report for Environment and CRZ Clearance for the modernization of Berth No. 7 for coal handling at Mormugao Port, Goa vide F No. 10-39/2009-IA.III dt. 30.12.2013

Sr. No.	Conditions	Compliance
i	Appropriate measures must be taken while undertaking digging activities to avoid any likely degradation of water quality.	Complied, There was no digging activity during the compliance period. Construction activity is completed and project is in operational phase.
ii	Full support shall be extended to the officers of this Ministry/Regional Office at Bangalore by the project proponent during inspection of the project for monitoring purposes by furnishing full details and action plan including action taken reports in respect of mitigation measures and other environmental protection activities.	Complied. Full support is being extended to the officers of Ministry/Regional Office, as well as officers of Central and State Pollution Control Board during their visit.
iii	A six-monthly monitoring report shall need to be submitted by the project proponents to the Regional Office of this Ministry at Bangalore regarding the implementation of the stipulated conditions.	Complied Six monthly EC & CRZ clearance Compliance reports of the stipulated conditions are regularly submitted to Regional Office of Ministry at Bengaluru, and other authorities (CPCB, GSPCB, MoEF&CC, GCZMA, MPT etc.). Last Compliance report for the period Oct 2022 – Mar 2023 was submitted vide letter no. AMPTPL/2023/989A dated 29.05.2023.
iv	Ministry of Environment & Forests or any other competent authority may stipulate any additional conditions or modify the existing ones, if necessary in the interest of environment and the same shall be complied with.	Noted for Compliance.
v	The Ministry reserves the right to revoke this clearance if any of the conditions stipulated are not complied with the satisfaction of the Ministry.	Noted.
vi	In the event of a change in project profile or change in the implementation agency, a fresh reference shall be made to the Ministry of Environment and Forests.	Noted. There is no change in project profile or implementation agency.
vii	The project proponents shall inform the Regional Office as well as the Ministry, the date of financial closure and final approval of the project by the concerned authorities and the date of start of land development work.	Complied Financial Closure Date: 14 th May, 2010 Concession agreement date with MPT: 22 nd September, 2009
viii	A copy of the clearance letter shall be marked to concern Panchayat/local NGO, if any, from whom any suggestion/representation have been made, received while processing the proposal.	Complied Complied by Mormugao Port Trust (MPT).



Adani Murmugao Port Terminal Pvt. Ltd.

From : April 2023
To : September 2023

Compliance to the conditions stipulated in Environment and CRZ clearance.

Half yearly Compliance report for Environment and CRZ Clearance for the modernization of Berth No. 7 for coal handling at Murmugao Port, Goa vide F No. 10-39/2009-IA.III dt. 30.12.2013

Sr. No.	Conditions	Compliance
ix	Goa State Pollution Control Board shall display a copy of the clearance letter at the Regional Office, District Industries Center and Collector's Office/Tehsildar's office for 30 days.	Noted. This condition does not pertain to project proponent. However, it is learnt that Goa State Pollution Control Board has complied with the same.
8.	These stipulations would be enforced among others under the provisions of Water (Prevention and Control of Pollution) Act 1974, the Air (Prevention and Control of Pollution) Act 1981, the Environment (Protection) Act, 1986, the Public Liability (Insurance) Act, 1991 and EIA Notification 1994, including the amendments and rules made thereafter.	Noted for Compliance.



Adani Murmugao Port Terminal Pvt. Ltd.

From : April 2023
To : September 2023

Compliance to the conditions stipulated in Environment and CRZ clearance.

Half yearly Compliance report for Environment and CRZ Clearance for the modernization of Berth No. 7 for coal handling at Murmugao Port, Goa vide F No. 10-39/2009-IA.III dt. 30.12.2013

Sr. No.	Conditions	Compliance									
9.	All other statutory clearances such as the approvals for storage of diesel from Chief Controller of Explosives, Fire Department, Civil Aviation Department, Forest Conservation Act, 1980 and Wildlife (Protection) Act, 1972 etc. shall be obtained, as applicable by project proponents from the respective competent authorities.	<p>Complied All applicable clearances from the concerned statutory authorities have been obtained. (This is for kattupalli, to be updated for Goa)</p> <table border="1" data-bbox="846 615 1463 1770"> <thead> <tr> <th data-bbox="846 615 967 678">Permis sion</th> <th data-bbox="967 615 1265 678">Ref.No.</th> <th data-bbox="1265 615 1463 678">Date</th> </tr> </thead> <tbody> <tr> <td data-bbox="846 678 967 1682">GSPCB CTO</td> <td data-bbox="967 678 1265 1682"> 1. No.12/2019-PCB/347405/R00 02737 dt. 24.03.2020, 2. Amendment 1 - 12/2019-PCB/347405/HF/T ech/14377 dt. 16.11.2020, 3. Amendment 2- 12/2019-PCB/347405/HF/T ech/22761 dt. 31.03.2022. 4. Amendment 3 - 12/2019-PCB/34705/HF/Te ch-3815 07.06.2022 5. Amendment 4 - 12/2019-PCB/34705/HF/Te ch/5776 - dt. 04.07.2022 6. Amendment 5 - 12/2019-PCB/34705/HF/Te ch/15763 - dt. 23.11.2022 7. Amendment 12/2019-PCB/34705/HF/15 32/Tech/18361 - dt 21.11.2023 </td> <td data-bbox="1265 678 1463 1682"> 1. 24.03.2020 2. 16.11.2020 3. 31.03.2022 4. 07.06.2022 5. 04.07.2022 6. 23.11.2022 7. 21.11.2023 </td> </tr> <tr> <td data-bbox="846 1682 967 1770">NOC Fire & Safety</td> <td data-bbox="967 1682 1265 1770">DFES/FPNA/2022/113</td> <td data-bbox="1265 1682 1463 1770">1. 22.11.2022</td> </tr> </tbody> </table>	Permis sion	Ref.No.	Date	GSPCB CTO	1. No.12/2019-PCB/347405/R00 02737 dt. 24.03.2020, 2. Amendment 1 - 12/2019-PCB/347405/HF/T ech/14377 dt. 16.11.2020, 3. Amendment 2- 12/2019-PCB/347405/HF/T ech/22761 dt. 31.03.2022. 4. Amendment 3 - 12/2019-PCB/34705/HF/Te ch-3815 07.06.2022 5. Amendment 4 - 12/2019-PCB/34705/HF/Te ch/5776 - dt. 04.07.2022 6. Amendment 5 - 12/2019-PCB/34705/HF/Te ch/15763 - dt. 23.11.2022 7. Amendment 12/2019-PCB/34705/HF/15 32/Tech/18361 - dt 21.11.2023	1. 24.03.2020 2. 16.11.2020 3. 31.03.2022 4. 07.06.2022 5. 04.07.2022 6. 23.11.2022 7. 21.11.2023	NOC Fire & Safety	DFES/FPNA/2022/113	1. 22.11.2022
Permis sion	Ref.No.	Date									
GSPCB CTO	1. No.12/2019-PCB/347405/R00 02737 dt. 24.03.2020, 2. Amendment 1 - 12/2019-PCB/347405/HF/T ech/14377 dt. 16.11.2020, 3. Amendment 2- 12/2019-PCB/347405/HF/T ech/22761 dt. 31.03.2022. 4. Amendment 3 - 12/2019-PCB/34705/HF/Te ch-3815 07.06.2022 5. Amendment 4 - 12/2019-PCB/34705/HF/Te ch/5776 - dt. 04.07.2022 6. Amendment 5 - 12/2019-PCB/34705/HF/Te ch/15763 - dt. 23.11.2022 7. Amendment 12/2019-PCB/34705/HF/15 32/Tech/18361 - dt 21.11.2023	1. 24.03.2020 2. 16.11.2020 3. 31.03.2022 4. 07.06.2022 5. 04.07.2022 6. 23.11.2022 7. 21.11.2023									
NOC Fire & Safety	DFES/FPNA/2022/113	1. 22.11.2022									



Adani Murmugao Port Terminal Pvt. Ltd.

From : April 2023
To : September 2023

Compliance to the conditions stipulated in Environment and CRZ clearance.

Half yearly Compliance report for Environment and CRZ Clearance for the modernization of Berth No. 7 for coal handling at Murmugao Port, Goa vide F No. 10-39/2009-IA.III dt. 30.12.2013

Sr. No.	Conditions	Compliance																								
10.	The project proponent shall advertise in at least two local Newspapers widely circulated in the region, one of which shall be in the vernacular language informing that the project has been accorded Environmental and CRZ Clearance and copies of clearance letters are available with the Goa State Pollution Control Board and may also be seen on the website of the Ministry of Environment and Forests at http://www.envfor.nic.in . The advertisement should be made within 10 days from the date of receipt of the Clearance letter and a copy of the same should be forwarded to the Regional office of this Ministry at Bangalore.	<p>Complied MPT has given advertisement on 11th January, 2014 in the newspapers mentioned below.</p> <ol style="list-style-type: none"> 1) Sunaparant 2) Times of India, Goa. <p>Copy of the same has already been submitted to RO-MoEF&CC (Bangalore).</p> <ul style="list-style-type: none"> • The details of the past six Half yearly compliance reports are as tabulated below for reference. <table border="1"> <thead> <tr> <th>S.No.</th> <th>Compliance period</th> <th>Date of submission</th> </tr> </thead> <tbody> <tr> <td>2.</td> <td>Oct'19 to Mar'20</td> <td>20.05.2020</td> </tr> <tr> <td>3.</td> <td>Apr'20 to Sep'20</td> <td>28.11.2020</td> </tr> <tr> <td>4.</td> <td>Oct'20 to Mar'21</td> <td>27.05.2021</td> </tr> <tr> <td>5.</td> <td>Apr'21 to Sep'21</td> <td>26.11.2021</td> </tr> <tr> <td>6.</td> <td>Oct'21 to Mar'22</td> <td>24.05.2022</td> </tr> <tr> <td>7.</td> <td>Apr'22 to Sep'22</td> <td>30.11.2022</td> </tr> <tr> <td>8.</td> <td>Oct' 22 to Mar' 23</td> <td>29.05.2023</td> </tr> </tbody> </table>	S.No.	Compliance period	Date of submission	2.	Oct'19 to Mar'20	20.05.2020	3.	Apr'20 to Sep'20	28.11.2020	4.	Oct'20 to Mar'21	27.05.2021	5.	Apr'21 to Sep'21	26.11.2021	6.	Oct'21 to Mar'22	24.05.2022	7.	Apr'22 to Sep'22	30.11.2022	8.	Oct' 22 to Mar' 23	29.05.2023
S.No.	Compliance period	Date of submission																								
2.	Oct'19 to Mar'20	20.05.2020																								
3.	Apr'20 to Sep'20	28.11.2020																								
4.	Oct'20 to Mar'21	27.05.2021																								
5.	Apr'21 to Sep'21	26.11.2021																								
6.	Oct'21 to Mar'22	24.05.2022																								
7.	Apr'22 to Sep'22	30.11.2022																								
8.	Oct' 22 to Mar' 23	29.05.2023																								
11.	This Clearance is subject to final order of the Hon'ble Supreme Court of India in the matter of Goa Foundation Vs. Union of India in Writ Petition (Civil) No. 460 of 2004 as may be applicable to this project.	Noted.																								
12.	Status of compliance to the various stipulated environmental conditions and environmental safeguards will be uploaded by the project proponent in its website.	<p>Complied Copy of six monthly EC&CRZ compliance report is being regularly uploaded by AMPTPL on company website at https://www.adaniports.com/ports-downloads?port=Murmugao-Terminal</p>																								
13.	Any appeal against this clearance shall lie with the National Green Tribunal, if preferred, within a period of 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010.	Noted.																								
14.	A copy of the clearance letter shall be sent by the proponent to concerned Panchayat, Zilla Parisaad/Municipal Corporation, Urban Local Body and the Local NGO, if any, from whom suggestions/representations, if any were received while processing the proposal. The clearance letter shall also be put on the website of the company by proponent.	<p>Complied The same has been Complied by Mormugao Port Trust.</p>																								



Adani Murmugao Port Terminal Pvt. Ltd.

From : April 2023
To : September 2023

Compliance to the conditions stipulated in Environment and CRZ clearance.

Half yearly Compliance report for Environment and CRZ Clearance for the modernization of Berth No. 7 for coal handling at Murmugao Port, Goa vide F No. 10-39/2009-IA.III dt. 30.12.2013

Sr. No.	Conditions	Compliance
15.	The proponent shall upload the status of compliance of the stipulated Clearance conditions, including results of monitored data on their website and shall update the same periodically. It shall simultaneously be sent to the Regional Office of MoEF, the respective Zonal Office of CPCB and the SPCB.	Complied AMPTPL is regularly uploading the status of compliance of the stipulated clearance condition including results of monitored data in the company website. The same can be viewed at https://www.adaniports.com/ports-downloads?port=Murmugao-Terminal Six monthly compliance report is regularly submitted to Regional office of MoEF&CC at Bangalore, CPCB Zonal office, SPCB and other authorities. Last compliance report for the period Oct 2022- Mar 2023 was submitted vide letter no. AMPTPL/2023/980A dated 29.05.2023.
16.	The environmental statement for each financial year ending 31 st March in Form-V as is mandated to be submitted by the project proponent to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently, shall also be put on the website of the company along with the status of compliance of Clearance conditions and shall also be sent to the respective Regional Offices of MoEF by e-mail.	Complied Environment Statement in Form V is submitted to Goa State Pollution Control Board as well as MoEF Regional office Bangalore for each financial year. Environment Statement for the year FY 2022-23 has been submitted online on 28.09.2023 vide Application No. 1922689 and has also been uploaded on company website. Copy of the same is enclosed as Annexure-3 . Copy of the same is available on company website at https://www.adaniports.com/ports-downloads?port=Murmugao-Terminal

Enclosures:

Annexure Number	Details of Annexure
Annexure 1:	Environmental Monitoring reports for the period October '22 to March'23
Annexure 2:	EMP Compliance report.
Annexure 3:	Environment statement in Form V for FY 22-23



Adani Murmugao Port Terminal Pvt. Ltd.

From : April 2023
To : September 2023

Compliance to the conditions stipulated in Environment and CRZ clearance.

Annexure 1

"ENVIRONMENTAL MONITORING REPORT" FOR



**ADANI MURMUGAO PORT TERMINAL PVT. LTD. (AMPTPL),
GROUND FLOOR, PORT USERS COMPLEX, NEAR STATE BANK OF INDIA,
MORMUGAO HARBOUR, GOA 403802 INDIA – TEL 0832 2594253**

APRIL - 2023 TO SEPTEMBER - 2023

PREPARED BY:



M/s POLLUCON LABORATORIES PVT.LTD.

PLOT NO.5/6 "POLLUCON HOUSE",

OPP. BALAJI INDUSTRIAL SOCIETY,

OLD SHANTINATH MILL LANE,

NEAR GAYTRI FARSAN, NAVJIVAN CIRCLE,

UDHANA MAGDALLA ROAD, SURAT-395007

PHONE/FAX – (+91 261) 263 5750, 263 5751.

E-mail: pollucon@gmail.com

Web: www.polluconlab.com



"ENVIRONMENT MONITORING REPORT"

FOR



**ADANI MURMUGAO PORT TERMINAL PVT. LTD. (AMPTPL),
GROUND FLOOR, PORT USERS COMPLEX, NEAR STATE BANK OF INDIA,
MORMUGAO HARBOUR, GOA 403802 INDIA – TEL 0832 2594253**

For and on behalf of Pollucon Laboratories Pvt. Ltd., Surat

Approved by : Dr. Arun Kumar Bajpai

Signed : 

Designation : Lab Manager (Q)



This report has been prepared by Pollucon laboratories Pvt. Ltd. with all reasonable skills, care and diligence, incorporating our General Terms and Conditions of Business and taking account of the resources devoted, flow chart, diagram etc. is provided by the client itself.

CONTENTS

Sr. No.	Title	Page No.
1	AMBIENT AIR QUALITY MONITORING	4
2	SEA WATER & SENDIMENTS MONITORING	7
3	STP WATER MONITORING	13
4	DUMP POND WATER MONITORING	15
5	DRINKING WATER MONITORING	17
6	SOIL QUALITY MONITORING	20
7	NOISE LEVEL MONITORING	22
8	D.G. STACK MONITORING	29
9	WEATHER DATA MONITORING	32

CHAPTER – 1

AMBIENT AIR QUALITY MONITORING

MONITORING PERIOD: APRIL - 2023 TO SEPTEMBER - 2023

Results of AAQM for Sada Village [April - 2023 to September - 2023]

Sr. No.	Date of sampling	Particulate Matter (PM ₁₀)	Particulate Matter (PM _{2.5})	Lead as Pb	Benzo (a) Pyrene (BaP)-particulate phase only	Arsenic as As	Nickel as Ni	Carbon Monoxide as CO	Benzenes as C ₆ H ₆	Ammonia (NH ₃)	Sulphur Dioxide (SO ₂)	Oxides of Nitrogen (NO ₂)	Ozone (O ₃)
		µg/m ³	µg/m ³	µg/m ³	ng/m ³	ng/m ³	ng/m ³	mg/m ³	µg/m ³	µg/m ³	µg/m ³	µg/m ³	µg/m ³
1	03/04/23	50.72	21.76	ND*	ND*	ND*	ND*	0.45	ND*	11.43	12.15	26.41	16.46
2	06/04/23	66.54	34.25	ND*	ND*	ND*	ND*	0.13	ND*	20.33	15.40	24.52	12.74
3	10/04/23	49.22	15.66	ND*	ND*	ND*	ND*	0.29	ND*	16.95	7.62	14.91	10.27
4	13/04/23	53.17	28.57	ND*	ND*	ND*	ND*	0.23	ND*	12.44	14.25	20.44	13.42
5	17/04/23	60.67	16.67	ND*	ND*	ND*	ND*	0.32	ND*	21.26	16.43	23.64	19.57
6	20/04/23	65.66	25.86	ND*	ND*	ND*	ND*	0.34	ND*	10.55	8.66	19.43	11.26
7	24/04/23	74.28	39.26	ND*	ND*	ND*	ND*	0.39	ND*	13.46	11.22	22.49	18.67
8	27/04/23	46.87	20.34	ND*	ND*	ND*	ND*	0.21	ND*	18.38	6.34	13.45	14.65
9	01/05/23	65.47	34.67	ND*	ND*	ND*	ND*	0.64	ND*	21.74	13.63	15.65	19.83
10	04/05/23	59.38	25.36	ND*	ND*	ND*	ND*	0.41	ND*	13.42	10.22	26.33	13.53
11	08/05/23	63.47	32.62	ND*	ND*	ND*	ND*	0.32	ND*	20.62	15.34	18.53	11.56
12	11/05/23	52.47	27.23	ND*	ND*	ND*	ND*	0.42	ND*	23.53	6.34	16.84	25.04
13	15/05/23	46.34	19.63	ND*	ND*	ND*	ND*	0.15	ND*	12.58	11.67	20.74	17.13
14	18/05/23	50.93	26.73	ND*	ND*	ND*	ND*	0.44	ND*	19.66	14.61	24.51	14.57
15	22/05/23	67.52	33.63	ND*	ND*	ND*	ND*	0.18	ND*	11.47	9.16	17.57	12.63
16	25/05/23	49.46	24.52	ND*	ND*	ND*	ND*	0.45	ND*	15.38	7.57	14.45	21.67
17	29/05/23	56.37	29.45	ND*	ND*	ND*	ND*	0.27	ND*	17.52	16.42	28.46	16.64
18	01/06/23	41.17	16.54	ND*	ND*	ND*	ND*	0.18	ND*	18.53	15.18	19.29	17.61
19	05/06/23	65.34	38.43	ND*	ND*	ND*	ND*	0.37	ND*	15.64	9.60	21.19	11.29
20	08/06/23	58.62	33.42	ND*	ND*	ND*	ND*	0.15	ND*	11.55	13.43	23.40	13.59
21	12/06/23	48.96	30.41	ND*	ND*	ND*	ND*	0.53	ND*	24.85	8.21	14.20	16.31
22	15/06/23	51.44	26.23	ND*	ND*	ND*	ND*	0.27	ND*	20.22	12.57	18.20	14.31
23	19/06/23	63.44	29.87	ND*	ND*	ND*	ND*	0.23	ND*	12.32	7.56	15.60	12.40
24	22/06/23	56.88	23.48	ND*	ND*	ND*	ND*	0.46	ND*	16.28	16.20	26.21	19.51
25	26/06/23	50.42	19.55	ND*	ND*	ND*	ND*	0.36	ND*	17.64	11.23	22.10	10.20
26	29/06/23	42.62	17.50	ND*	ND*	ND*	ND*	0.21	ND*	22.18	6.37	17.50	18.21
27	03/07/23	54.26	28.15	ND*	ND*	ND*	ND*	0.40	ND*	15.66	14.27	22.45	11.64
28	06/07/23	62.43	35.46	ND*	ND*	ND*	ND*	0.23	ND*	19.58	16.50	25.43	12.47
29	10/07/23	44.54	23.64	ND*	ND*	ND*	ND*	0.29	ND*	10.23	9.44	17.76	10.34
30	13/07/23	68.42	38.72	ND*	ND*	ND*	ND*	0.15	ND*	16.28	15.29	23.46	13.13
31	17/07/23	63.42	36.55	ND*	ND*	ND*	ND*	0.31	ND*	11.28	7.71	15.65	15.48
32	20/07/23	45.32	22.31	ND*	ND*	ND*	ND*	0.34	ND*	13.52	10.72	21.23	18.63

33	24/07/23	35.62	15.58	ND*	ND*	ND*	ND*	0.21	ND*	17.54	6.32	14.37	16.37
34	27/07/23	56.68	26.65	ND*	ND*	ND*	ND*	0.19	ND*	14.38	12.56	24.21	14.24
35	31/07/23	41.34	20.43	ND*	ND*	ND*	ND*	0.16	ND*	12.64	8.77	16.22	19.22
36	03/08/23	43.94	18.25	ND*	ND*	ND*	ND*	0.21	ND*	25.96	11.77	16.77	10.99
37	07/08/23	48.13	20.26	ND*	ND*	ND*	ND*	0.17	ND*	17.56	15.43	19.24	14.45
38	10/08/23	53.38	27.49	ND*	ND*	ND*	ND*	0.45	ND*	13.28	9.66	25.24	16.88
39	14/08/23	59.62	32.67	ND*	ND*	ND*	ND*	0.39	ND*	15.65	7.56	15.36	12.37
40	17/08/23	66.67	35.67	ND*	ND*	ND*	ND*	0.49	ND*	11.36	10.24	23.46	15.68
41	21/08/23	47.66	21.26	ND*	ND*	ND*	ND*	0.38	ND*	16.73	13.58	22.33	11.24
42	24/08/23	55.22	29.45	ND*	ND*	ND*	ND*	0.30	ND*	20.04	6.50	18.62	18.67
43	28/08/23	64.36	25.31	ND*	ND*	ND*	ND*	0.15	ND*	12.62	8.66	21.25	13.27
44	31/08/23	46.24	22.51	ND*	ND*	ND*	ND*	0.11	ND*	10.28	14.31	17.62	19.23
45	04/09/23	56.33	24.31	ND*	ND*	ND*	ND*	0.16	ND*	14.68	6.61	17.63	14.11
46	07/09/23	65.68	27.86	ND*	ND*	ND*	ND*	0.33	ND*	16.54	12.64	24.87	17.74
47	11/09/23	52.62	18.30	ND*	ND*	ND*	ND*	0.55	ND*	24.47	17.86	21.22	15.26
48	14/09/23	69.38	35.67	ND*	ND*	ND*	ND*	0.45	ND*	11.68	7.88	14.65	22.44
49	18/09/23	55.33	25.69	ND*	ND*	ND*	ND*	0.56	ND*	22.63	15.98	19.76	12.63
50	21/09/23	49.97	23.48	ND*	ND*	ND*	ND*	0.53	ND*	15.62	9.59	15.63	10.85
51	25/09/23	54.32	26.36	ND*	ND*	ND*	ND*	0.14	ND*	19.25	11.84	26.33	13.67
52	28/09/23	45.72	16.67	ND*	ND*	ND*	ND*	0.32	ND*	13.48	16.47	23.53	16.38
Limit[#]		100	60	1	1	6	20	4	5	400	80	80	180

Limit[#]: Industrial, Residential, Rural and other Area Notification Dated 16th Nov.2009 as per National Ambient Air Quality Standards, CPCB New Delhi.

ND*: - Not Detected; Detection Limit: Ozone as O₃ (µg/m³): 10

ND*: - Not Detected; Detection Limit - Lead as Pb (µg/m³): 0.5

ND*: - Not Detected; Detection Limit - Carbon Monoxide as CO (mg/m³): 0.01

ND*: - Not Detected; Detection Limit - Ammonia NH₃ (µg/m³): 10

ND*: - Not Detected; Detection Limit - Benzene as C₆H₆ (µg/m³): 2

ND*: - Not Detected; Detection Limit - Benzo (a) Pyrene (BaP) - Particulate Phase only (ng/m³): 0.5

ND*: - Not Detected; Detection Limit - Arsenic as As (ng/m³): 2

ND*: - Not Detected; Detection Limit - Nickel as Ni (ng/m³): 10

CHAPTER – 2

SEA WATER AND SEA SEDIMENTS MONITORING

MONITORING PERIOD: APRIL - 2023 TO SEPTEMBER - 2023

Results of Sea water Monitoring

Sr. No.	PARAMETERS	UNIT	RESULTS					
Sampling Location			Near Jetty					
GPS Location			15° 24.748'N, 73° 47.938'E					
Date of sampling			10/04/2023		11/05/2023		12/06/2023	
			Surface	Bottom	Surface	Bottom	Surface	Bottom
1	pH	--	8.19	8.13	8.29	8.25	8.37	8.27
2	Temperature	°C	30.8	30.2	31.3	30.8	31.5	31.1
3	Total Suspended Solids	mg/L	49	41	37	29	59	42
4	BOD (3 Days @ 27 °C)	mg/L	6.20	5.40	5.80	4.80	3.80	3.10
5	Dissolved Oxygen	mg/L	6.05	5.85	5.95	5.75	6.00	5.85
6	Salinity	ppt	36.82	36.51	37.24	37.68	36.93	37.30
7	Oil & Grease	mg/L	Not Detected	Not Detected	Not Detected	Not Detected	Not Detected	Not Detected
8	Nitrate as NO ₃	µmol/L	7.95	7.23	6.04	5.37	5.16	4.92
9	Nitrite as NO ₂	µmol/L	0.61	0.52	0.49	0.28	0.79	0.68
10	Ammonical Nitrogen as NH ₃	µmol/L	2.97	2.83	3.15	2.96	2.81	2.64
11	Phosphates as PO ₄	µmol/L	2.16	2.09	2.74	2.41	3.17	2.95
12	Total Nitrogen	µmol/L	11.72	10.84	9.68	8.69	8.94	8.56
13	Petroleum Hydrocarbon	µg/L	Not Detected	Not Detected	Not Detected	Not Detected	Not Detected	Not Detected
14	Total Dissolved Solids	mg/L	37804	37510	38146	38572	37852	38194
15	COD	mg/L	27	21	24	18	16.4	12.6
17								
17.1	Primary Productivity	mgC/L/day	50.85		47.70		52.20	
18								
18.1	Chlorophyll	mg/m ³	2.61	2.37	2.98	2.72	2.91	2.83
18.2	Phaeophytin	mg/m ³	0.47	0.78	0.15	0.44	0.27	0.25
18.3	Cell Count	No _x × 10 ³ /L	375	356	412	396	438	406
18.4	Name of Group Number and name of group species of each group	--	Coscinodiscus sp. Thalassiosira sp. Pleurosigma sp. Rhizosolenia sp. Leptocyllindrus sp Melosira sp.	Navicula sp. Nitzschia sp. Synedra sp. Skeletone ma sp. Cymbella sp. Ceratzim sp.	Coscinodiscus sp. Skeletone ma sp. Melosira sp. Thalassiosira ma sp. Biddulphia sp.	Nitzschia sp. Navicula sp. Rhizosolenia sp. Cymbella sp. Pleurosigma sp. Ulothrix sp.	Coscinodiscus sp. Skeletone ma sp. Thalassiosira ma sp. Rhizosolenia sp. Leptocyllindrus sp Ceratum sp	Nitzschia sp. Ulothrix sp. Cyclotella sp. Synedra sp. Biddulphia sp.
19								
19.1	Abundance (Population)	Nox10 ³ /100m ³	25		42		34	
19.2	Name of Group Number and name of group	--	Hydrozoa Polychaetes		Polychaetes Gastropods		Polychaetes Crustaceans	

	species of each group		Ostracodes Bivalves	Bivalves Mysids	Copepods Gastropods
19.3	Total Biomass	mL/100 m ³	2.45	3.95	3.20
20	Microbiological Parameters				
20.1	Total Bacterial Count	CFU/mL	2460	2710	2170
20.2	Total Coliform	/mL	Present	Present	Present
20.3	E.coli	/mL	Absent	Absent	Absent
20.4	Enterococcus species	/mL	Present	Present	Present
20.5	Salmonella species	/mL	Absent	Absent	Absent
20.6	Shigella species	/mL	Absent	Absent	Absent
20.7	Vibrio species	/mL	Absent	Absent	Absent

Results of Sea water Monitoring

Sr. No.	PARAMETERS	UNIT	RESULTS					
Sampling Location			Near Jetty					
GPS Location			15° 24.748' N, 73° 47.938' E					
Date of sampling			10/07/2023		10/08/2023		14/09/2023	
			Surface	Bottom	Surface	Bottom	Surface	Bottom
1	pH	--	8.21	8.15	8.39	8.31	8.24	8.19
2	Temperature	°C	31.6	31.3	31.5	31.3	31.7	31.6
3	Total Suspended Solids	mg/L	47	38	55	49	39	31
4	BOD (3 Days @ 27 °C)	mg/L	3.60	2.90	4.90	4.20	4.26	3.86
5	Dissolved Oxygen	mg/L	6.00	5.80	6.00	5.80	6.00	5.80
6	Salinity	ppt	35.80	36.49	36.50	37.60	36.82	37.40
7	Oil & Grease	mg/L	Not Detected	Not Detected	Not Detected	Not Detected	Not Detected	Not Detected
8	Nitrate as NO ₃	µmol/L	6.24	5.73	4.20	3.80	5.91	5.32
9	Nitrite as NO ₂	µmol/L	0.41	0.36	0.35	0.24	0.43	0.37
10	Ammonical Nitrogen as NH ₃	µmol/L	3.58	3.29	2.15	2.08	3.16	3.04
11	Phosphates as PO ₄	µmol/L	4.15	4.06	3.95	3.60	2.58	2.16
12	Total Nitrogen	µmol/L	10.56	9.43	9.60	7.20	9.78	8.72
13	Petroleum Hydrocarbon	µg/L	Not Detected	Not Detected	Not Detected	Not Detected	Not Detected	Not Detected
14	Total Dissolved Solids	mg/L	36298	37468	37206	37742	37292	38294
15	COD	mg/L	14.8	11.6	16	14	17.2	15.92
17								
17.1	Primary Productivity	mgC/L/day	53.01		47.60		45.90	
18								
18.1	Chlorophyll	mg/m ³	2.96	2.85	2.90	2.80	3.12	2.67
18.2	Phaeophytin	mg/m ³	0.18	0.21	0.32	0.28	0.33	0.48
18.3	Cell Count	No.x 10 ³ /L	456	428	394	368	498	462
18.4	Name of Group Number and name of group species of each group	--	Coscinodiscus sp. Skeletone ma sp. Thalassione ma sp. Cymbella sp. Cyclotella sp.	Navicula sp. Ulothrix sp. Biddulphia sp. Pleurosigma sp.	Coscinodiscus sp. Cymbella sp. Spirulina sp. Biddulphia sp. Melosira sp. Odentella sp.	Nitzschia sp. Navicula sp. Rhizosolenia sp. Cymbella sp. Pleurosigma sp. Ulothrix sp.	Coscinodiscus sp. Spirulina sp. Biddulphia sp. Melosira sp. Skeletone ma sp. Ceratum sp.	Nitzschia sp. Navicula sp. Pleurosigma sp. Ulothrix sp. Cymbella sp. Rhizosolenia sp.
19								
19.1	Abundance (Population)	Nox10 ³ /100m ³	28		28		36	
19.2	Name of Group Number and name of group	--	Polychaetes Copepods		Polychaetes Mysids		Bivalves Polychaetes	

	species of each group		Bivalves Mysids	Amphipods	Mysids Amphipods
19.3	Total Biomass	mL/100 m ³	2.70	2.90	3.40
20	Microbiological Parameters				
20.1	Total Bacterial Count	CFU/mL	2540	2530	2380
20.2	Total Coliform	/mL	Present	Present	Present
20.3	E.coli	/mL	Absent	Absent	Absent
20.4	Enterococcus species	/mL	Present	Present	Present
20.5	Salmonella species	/mL	Absent	Absent	Absent
20.6	Shigella species	/mL	Absent	Absent	Absent
20.7	Vibrio species	/mL	Absent	Absent	Absent

Results of Sea Sediment Monitoring

SR. NO.	PARAMETERS	UNIT	RESULTS					
Sampling Location			Near Jetty					
GPS Location			N 15° 24.748', E 73° 47.938'					
Date of sampling			10/04/23	11/05/23	12/06/23	10/07/23	10/08/23	14/09/23
1	Organic Matter	%	0.396	0.364	0.476	0.398	0.45	0.384
2	Phosphorus as P	µg/g	804	693	813	713	720	820
3	Texture	--	Sandy	Sandy	Sandy	Sandy	Sandy	Sandy
4	Petroleum Hydrocarbon	µg/g	Not Detected	Not Detected	Not Detected	Not Detected	Not Detected	Not Detected
5	Heavy Metals							
5.1	Aluminum as Al	%	4.96	5.02	4.98	5.32	5.10	4.38
5.2	Total Chromium as Cr+3	µg/g	163	118	137	113	126	140
5.3	Manganese as Mn	µg/g	704	675	728	698	710	731
5.4	Iron as Fe	%	5.32	5.21	5.08	5.14	5.05	5.2
5.5	Nickel as Ni	µg/g	59.17	47.58	59.24	41.98	30.8	41.32
5.6	Copper as Cu	µg/g	54.23	31.29	48.76	52.36	46.4	39.85
5.7	Zinc as Zn	µg/g	97.84	81.79	95.23	89.43	98.00	103
5.8	Lead as Pb	µg/g	1.69	1.36	1.75	1.64	1.46	1.83
5.9	Mercury as Hg	µg/g	Not Detected	Not Detected	Not Detected	Not Detected	Not Detected	Not Detected
6	Benthic Organisms							
6.1	Macrobenthos (No and name of groups present, No and name of species of each group present)	--	Crustacean s Bivalves Gastropods Polychaetes	Crustacean s Amphipods Bivalves Polychaetes	Crustacean s Bivalves Polychaetes	Crustacean s Bivalves Amphipods Gastropods	Amphipods Bivalves Gastropods Polychaetes	Crustacean s Gastropods Polychaetes
6.2	MeioBenthos (No and name of groups present, No and name of species of each group present)	--	Nematodes	Foraminifer ans	Nematodes Foraminifer ans	Nematodes	Nematodes Decapods	---
6.3	Population	no/m ²	557	616	762	733	748	528

CHAPTER – 3

STP WATER MONITORING

MONITORING PERIOD: APRIL - 2023 TO SEPTEMBER - 2023

Results of STP water quality monitoring

SR. NO.	PARAMETERS	UNIT	RESULTS					
			Baina Sewerage Plant STP Inlet					
Sampling Location								
Date of sampling			06/04/23	15/05/23	12/06/23	13/07/23	14/08/23	15/09/23
1	pH	--	7.49	7.31	7.46	7.59	7.70	7.61
2	Total Suspended Solids	mg/L	144	126	162	138	156	142
3	BOD (3 Days @ 27 °C)	mg/L	97	78	93	72	68	54
4	COD	mg/L	394	291	258	264	224	216
5	Oil & Grease	mg/L	10.6	8.2	9.4	6.2	7.2	5.6
6	Residual Free Chlorine	mg/L	Not Detected	Not Detected	Not Detected	Not Detected	Not Detected	Not Detected

CHAPTER – 4

DUMP POND WATER QUALITY MONITORING

MONITORING PERIOD: APRIL - 2023 TO SEPTEMBER - 2023

Results of Dump Pond Water quality monitoring

SR. NO.	PARAMETERS	UNIT	RESULT					
			Dump Pond-1 Near CT 08		Dump Pond-2 Near Pump House		Dump Pond-3 - Nr. Jetty	
Date of sampling			15/06/23	14/09/23	15/06/23	14/09/23	15/06/23	14/09/23
1	pH	--	7.56	7.74	7.71	7.56	7.56	7.75
2	Total Dissolved Solids	mg/L	332	364	358	392	418	426
3	Total Suspended Solids	mg/L	27	31	29	23	29	35
4	Turbidity	NTU	4.63	4.12	5.02	4.83	7.03	7.16
5	BOD (3 Days @ 27 °C)	mg/L	19	24.6	28.4	25.6	24	22.6
6	Dissolved Oxygen	mg/L	5.95	6	5.9	5.85	5.8	5.9
7	COD	mg/L	87	92.4	132	120	94	103
8	Salinity	ppt	0.195	0.216	0.22	0.209	0.186	0.224
9	Oil & Grease	mg/L	Not Detected	Not Detected	Not Detected	Not Detected	Not Detected	Not Detected
10	Total Hardness as CaCO ₃	mg/L	128	138	156	168	98	114
11	Fluoride as F	mg/L	0.37	0.29	0.53	0.43	0.37	0.32
12	Chloride as Cl	mg/L	108	120	123	116	103	124
13	Zinc as Zn	mg/L	0.093	0.083	0.087	0.063	0.081	0.079
14	Cadmium as Cd	mg/L	Not Detected	Not Detected	Not Detected	Not Detected	Not Detected	Not Detected
15	Lead as Pb	mg/L	Not Detected	Not Detected	Not Detected	Not Detected	Not Detected	Not Detected
16	Mercury as Hg	mg/L	Not Detected	Not Detected	Not Detected	Not Detected	Not Detected	Not Detected

CHAPTER – 5

DRINKING WATER QUALITY MONITORING

MONITORING PERIOD: APRIL - 2023 TO SEPTEMBER - 2023

Results of Drinking Water Quality Monitoring

SR. NO.	PARAMETERS	UNIT	RESULT			
			Sub Station Building Canteen		Near AMPTPL Exit Gate	
Sampling Location						
Date of sampling			15/06/23	14/09/23	15/06/23	14/09/23
1	Colour	Hazen	4	3	2	2
2	Turbidity	NTU	0.07	0.06	0.08	0.07
3	Conductivity	µmho/cm	115	108	52	84
4	pH	--	7.28	7.19	7.46	7.32
5	Chloride as Cl	mg/L	9.49	10.49	2.49	7.49
6	Total Dissolved Solids	mg/L	78	71	34	58
7	Total Hardness as CaCO ₃	mg/L	21	19	9	15
8	Iron as Fe	mg/L	Not Detected	Not Detected	Not Detected	Not Detected
9	Sulphate as SO ₄	mg/L	2.35	3.12	1.98	2.38
10	Calcium as Ca	mg/L	5.2	4.8	2.4	4.0
11	Magnesium as Mg	mg/L	1.92	1.68	0.72	1.20
12	Fluoride as F	mg/L	Not Detected	Not Detected	Not Detected	Not Detected
13	Nitrate as NO ₃	mg/L	Not Detected	Not Detected	Not Detected	Not Detected
14	Manganese as Mn	mg/L	Not Detected	Not Detected	Not Detected	Not Detected
15	Copper as Cu	mg/L	Not Detected	Not Detected	Not Detected	Not Detected
16	Cadmium as Cd	mg/L	Not Detected	Not Detected	Not Detected	Not Detected
17	Arsenic as As	mg/L	Not Detected	Not Detected	Not Detected	Not Detected
18	Mercury as Hg	mg/L	Not Detected	Not Detected	Not Detected	Not Detected
19	Lead as Pb	mg/L	Not Detected	Not Detected	Not Detected	Not Detected
20	Zinc as Zn	mg/L	Not Detected	Not Detected	Not Detected	Not Detected
21	Coliform	/100 mL	Absent	Absent	Absent	Absent
22	E-Coli	/100 mL	Absent	Absent	Absent	Absent
23	Residual Free Chlorine	mg/L	Not Detected	Not Detected	Not Detected	Not Detected

Results of Drinking Water Quality Monitoring

SR. NO.	PARAMETERS	UNIT	RESULT			
			Near Workshop Area		Near Amenity Building	
Sampling Location						
Date of sampling			15/06/23	14/09/23	15/06/23	14/09/23
1	Colour	Hazen	4	3	4	3
2	Turbidity	NTU	0.09	0.08	0.25	0.14
3	Conductivity	µmho/cm	381	270	387	280
4	pH	--	7.13	7.29	6.98	7.13
5	Chloride as Cl	mg/L	27.99	30.99	32.00	28.99
6	Total Dissolved Solids	mg/L	256	184	264	186
7	Total Hardness as CaCO ₃	mg/L	73	63	75	64
8	Iron as Fe	mg/L	0.080	0.070	0.091	0.075
9	Sulphate as SO ₄	mg/L	14.67	16.24	16.73	14.28
10	Calcium as Ca	mg/L	18.8	18.4	20.8	18.4
11	Magnesium as Mg	mg/L	6.24	4.08	5.52	4.32
12	Fluoride as F	mg/L	0.13	0.09	0.08	0.08
13	Nitrate as NO ₃	mg/L	0.85	0.74	0.76	0.82
14	Manganese as Mn	mg/L	Not Detected	Not Detected	Not Detected	Not Detected
15	Copper as Cu	mg/L	Not Detected	Not Detected	Not Detected	Not Detected
16	Cadmium as Cd	mg/L	Not Detected	Not Detected	Not Detected	Not Detected
17	Arsenic as As	mg/L	Not Detected	Not Detected	Not Detected	Not Detected
18	Mercury as Hg	mg/L	Not Detected	Not Detected	Not Detected	Not Detected
19	Lead as Pb	mg/L	Not Detected	Not Detected	Not Detected	Not Detected
20	Zinc as Zn	mg/L	Not Detected	Not Detected	Not Detected	Not Detected
21	Coliform	/100 mL	Absent	Absent	Absent	Absent
22	E-Coli	/100 mL	Absent	Absent	Absent	Absent
23	Residual Free Chlorine	mg/L	Not Detected	Not Detected	Not Detected	Not Detected

CHAPTER – 6

SOIL QUALITY MONITORING

MONITORING PERIOD: APRIL - 2023 TO SEPTEMBER - 2023

Results of Soil quality monitoring

SR. NO.	PARAMETERS	UNIT	RESULTS			
			NEAR CT-1		NEAR ADANI SITE	
Sampling Location						
Date of sampling			15/06/23	14/09/23	15/06/23	14/09/23
1	Type	--	Sandy Loam	Sandy Loam	Sandy Loam	Sandy Loam
2	Gravel	%	0.3	0.5	0.5	0.2
3	Coarse Sand	%	2.4	2.5	3.4	2.8
4	Medium Sand	%	16	14	46	44
5	Fine Sand	%	42	46	15	18
6	Total Sand	%	64	63	62	65
7	Silt & Clay	%	36	37	38	35
8	pH (1:5)	--	8.38	8.30	8.79	8.52
9	Electricity Conductivity	µmho/cm	846	878	738	774
10	Alkali matter	mg/kg	352	402	402	382
11	Cation Exchange Capacity	meq/100 g	9.78	11.76	8.96	10.64
12	Sodium Absorption Ratio	--	7.64	10.07	8.67	10.84
13	Organic Matter	mg/kg	0.35	0.39	0.62	0.68
14	Available Nitrogen	meq/100 g	0.63	0.71	0.76	0.81
15	Available Potassium	mg/kg	6.80	7.02	5.52	3.92
16	Available Phosphorus	mg/kg	7.60	4.96	3.85	5.06
17	Available Sodium	%	4.34	3.90	4.26	5.40
18	Permeability	%	0.63 X 10 ⁻⁶	0.58 X 10 ⁻⁴	0.56 X 10 ⁻⁶	0.58 X 10 ⁻⁶

CHAPTER – 7

NOISE LEVEL MONITORING

MONITORING PERIOD: APRIL - 2023 TO SEPTEMBER - 2023

Results of Day Time Noise level monitoring

April-2023					
Day Time dB(A)					
SR. NO.	Sampling Time	Near fire station	Near security tower	Adani Site Office Near Gate No.02	Sada village
		18/04/2023	11/04/2023	21/04/2023	05/04/2023
1	6:00-7:00	53.1	58.9	56.9	49.1
2	7:00-8:00	54.3	55.6	61.6	54.1
3	8:00-9:00	57.3	60.2	62.7	53.6
4	9:00-10:00	61.3	62.6	59.2	54.4
5	10:00-11:00	62.1	58.4	60.3	50.2
6	11:00-12:00	60.8	64.8	58.6	53.2
7	12:00-13:00	63.7	63.8	64.2	52.9
8	13:00-14:00	59.5	58.5	57.2	46.2
9	14:00-15:00	62.3	65.8	59.8	50.9
10	15:00-16:00	65.2	61.4	61.5	53.7
11	16:00-17:00	62.5	63.3	58.7	51.7
12	17:00-18:00	64.1	65.6	62.2	52.3
13	18:00-19:00	66.3	67.8	65.7	51.4
14	19:00-20:00	59.1	60.5	61.7	52.5
15	20:00-21:00	58.8	63.2	55.7	48.8
16	21:00-22:00	57.6	62.4	58.3	53.9
Day Time Limit		75 dB(A)Leq			55 dB(A) Leq

Results of Night Time Noise level monitoring

April-2023					
Night Time dB(A)					
SR. NO.	Sampling Time	Near fire station	Near security tower	Adani Site Office Near Gate No.02	Sada village
		18/04/2023 & 19/04/2023	11/04/2023 & 12/04/2023	21/04/2023 & 22/04/2023	05/04/2023 & 06/04/2023
1	22:00-23:00	60.2	60.1	62.7	44.1
2	23:00-00:00	57.1	58.7	60.6	40.8
3	00:00-01:00	57.4	53.8	56.1	41.8
4	01:00-02:00	57.5	59.2	56.7	40.9
5	02:00-03:00	56.5	55.2	52.5	42.1
6	03:00-04:00	53.2	57.8	59.1	41.5
7	04:00-05:00	58.2	56.4	55.6	43.7
8	05:00-06:00	57.6	58.9	57.3	43.4
Night Time Limit		70 dB(A)Leq			45 dB(A) Leq

**Limit as per CTO No. is 12/2019-PCB/347405/R0002737 dated 24.03.2020 valid up to 31/01/2025.

Results of Day Time Noise level monitoring

May-2023					
Day Time dB(A)					
SR. NO.	Sampling Time	Near fire station	Near security tower	Adani Site Office Near Gate No.02	Sada village
		02/05/2023	19/05/2023	22/05/2023	05/05/2023
1	6:00-7:00	55.3	57.5	54.7	50.2
2	7:00-8:00	54.8	57.3	60.6	52.3
3	8:00-9:00	57.6	59.5	64.8	52.9
4	9:00-10:00	62.2	61.4	58.9	54.2
5	10:00-11:00	59.6	58.8	61.6	48.7
6	11:00-12:00	62.5	62.4	57.9	50.7
7	12:00-13:00	65.6	65.5	63.8	48.1
8	13:00-14:00	60.4	59.1	58.2	45.4
9	14:00-15:00	63.2	64.3	61.5	52.4
10	15:00-16:00	64.4	62.6	62.8	51.6
11	16:00-17:00	60.8	60.9	59.7	50.3
12	17:00-18:00	63.4	65.4	61.1	53.6
13	18:00-19:00	64.7	68.2	64.6	51.7
14	19:00-20:00	57.2	60.7	63.7	50.4
15	20:00-21:00	56.5	62.1	56.3	47.5
16	21:00-22:00	55.5	61.2	59.4	53.4
Day Time Limit		75 dB(A)Leq			55 dB(A) Leq

Results of Night Time Noise level monitoring

May-2023					
Night Time dB(A)					
SR. NO.	Sampling Time	Near fire station	Near security tower	Adani Site Office Near Gate No.02	Sada village
		02/05/2023 & 03/05/2023	19/05/2023 & 20/05/2023	22/05/2023 & 23/05/2023	05/05/2023 & 06/05/2023
1	22:00-23:00	59.4	58.6	62.1	43.6
2	23:00-00:00	57.3	54.9	59.5	43.3
3	00:00-01:00	55.8	51.3	55.9	41.5
4	01:00-02:00	55.6	56.7	55.7	43.4
5	02:00-03:00	58.2	57.2	54.7	41.9
6	03:00-04:00	54.2	56.4	59.9	41.1
7	04:00-05:00	57.8	58.9	57.5	44.5
8	05:00-06:00	55.3	57.1	59.7	42.4
Night Time Limit		70 dB(A)Leq			45 dB(A) Leq

**Limit as per CTO No. is 12/2019-PCB/347405/R0002737 dated 24.03.2020 valid up to 31/01/2025.

Results of Day Time Noise level monitoring

June-2023					
Day Time dB(A)					
SR. NO.	Sampling Time	Near fire station	Near security tower	Adani Site Office Near Gate No.02	Sada village
		01/06/2023	05/06/2023	12/06/2023	08/06/2023
1	6:00-7:00	54.7	58.2	54.2	50.1
2	7:00-8:00	54.3	59.1	61.4	53.8
3	8:00-9:00	57.1	57.5	64.5	53.7
4	9:00-10:00	63.4	60.7	60.9	53.1
5	10:00-11:00	64.9	60.2	63.2	49.5
6	11:00-12:00	63.8	61.8	56.1	52.8
7	12:00-13:00	66.4	63.7	63.6	47.2
8	13:00-14:00	60.8	62.6	58.4	44.6
9	14:00-15:00	64.3	64.2	60.1	51.9
10	15:00-16:00	61.9	63.9	61.2	53.4
11	16:00-17:00	62.8	59.2	60.5	52.1
12	17:00-18:00	65.8	65.2	61.6	52.9
13	18:00-19:00	62.7	66.3	64.8	53.6
14	19:00-20:00	56.4	58.6	62.3	51.2
15	20:00-21:00	55.5	60.6	54.4	47.3
16	21:00-22:00	56.9	58.7	61.3	52.7
Day Time Limit		75 dB(A)Leq			55 dB(A) Leq

Results of Night Time Noise level monitoring

June-2023					
Night Time dB(A)					
SR. NO.	Sampling Time	Near fire station	Near security tower	Adani Site Office Near Gate No.02	Sada village
		01/06/2023 & 02/06/2023	05/06/2023 & 06/06/2023	12/06/2023 & 13/06/2023	08/06/2023 & 09/06/2023
1	22:00-23:00	60.3	59.5	62.3	41.2
2	23:00-00:00	59.4	52.9	60.8	42.3
3	00:00-01:00	56.4	51.4	54.3	43.2
4	01:00-02:00	56.7	54.2	56.3	40.9
5	02:00-03:00	59.3	59.6	55.2	41.7
6	03:00-04:00	53.9	56.9	60.1	39.6
7	04:00-05:00	55.3	60.9	55.9	42.6
8	05:00-06:00	55.8	58.4	57.9	41.6
Night Time Limit		70 dB(A)Leq			45 dB(A) Leq

**Limit as per CTO No. is 12/2019-PCB/347405/R0002737 dated 24.03.2020 valid up to 31/01/2025.

Results of Day Time Noise level monitoring

July-2023					
Day Time dB(A)					
SR. NO.	Sampling Time	Near fire station	Near security tower	Adani Site Office Near Gate No.02	Sada village
		21/07/2023	07/07/2023	13/07/2023	05/07/2023
1	6:00-7:00	54.6	59.3	56.3	48.9
2	7:00-8:00	52.8	57.9	60.7	54.2
3	8:00-9:00	58.7	55.8	64.8	53.2
4	9:00-10:00	62.2	62.3	61.7	51.6
5	10:00-11:00	67.4	61.4	62.5	47.7
6	11:00-12:00	63.2	59.5	54.7	52.3
7	12:00-13:00	68.2	64.7	63.5	45.2
8	13:00-14:00	59.6	60.1	55.9	44.7
9	14:00-15:00	62.1	62.4	60.4	51.4
10	15:00-16:00	63.1	63.4	62.7	54.3
11	16:00-17:00	63.8	61.3	58.9	51.7
12	17:00-18:00	66.2	66.3	61.8	52.1
13	18:00-19:00	61.9	64.5	63.9	53.5
14	19:00-20:00	57.7	57.2	60.3	52.9
15	20:00-21:00	57.4	61.6	56.8	48.4
16	21:00-22:00	58.4	58.6	59.9	50.3
Day Time Limit		75 dB(A)Leq			55 dB(A) Leq

Results of Night Time Noise level monitoring

July-2023					
Night Time dB(A)					
SR. NO.	Sampling Time	Near fire station	Near security tower	Adani Site Office Near Gate No.02	Sada village
		21/07/2023 & 22/07/2023	07/07/2023 & 08/07/2023	13/07/2023 & 14/07/2023	05/07/2023 & 06/07/2023
1	22:00-23:00	59.9	61.1	64.6	41.3
2	23:00-00:00	61.2	52.7	60.3	44.2
3	00:00-01:00	55.3	50.2	54.5	43.5
4	01:00-02:00	57.3	53.6	57.5	42.1
5	02:00-03:00	60.4	57.1	56.1	40.2
6	03:00-04:00	54.6	57.9	58.3	41.6
7	04:00-05:00	52.8	59.6	55.8	40.3
8	05:00-06:00	54.7	56.3	59.8	41.9
Night Time Limit		70 dB(A)Leq			45 dB(A) Leq

**Limit as per CTO No. is 12/2019-PCB/347405/R0002737 dated 24.03.2020 valid up to 31/01/2025.

Results of Day Time Noise level monitoring

August-2023					
Day Time dB(A)					
SR. NO.	Sampling Time	Near fire station	Near security tower	Adani Site Office Near Gate No.02	Sada village
		18/08/2023	08/08/2023	25/08/2023	04/08/2023
1	6:00-7:00	57.5	56.7	54.7	47.1
2	7:00-8:00	53.2	57.4	59.1	54.4
3	8:00-9:00	58.9	58.3	64.3	53.3
4	9:00-10:00	59.6	60.1	61.2	50.2
5	10:00-11:00	64.5	63.3	64.6	45.6
6	11:00-12:00	65.5	59.4	55.5	50.5
7	12:00-13:00	69.7	62.3	64.2	47.6
8	13:00-14:00	67.5	57.9	57.8	51.6
9	14:00-15:00	63.1	62.7	60.8	53.6
10	15:00-16:00	61.3	64.7	63.7	52.6
11	16:00-17:00	63.6	60.4	57.7	54.3
12	17:00-18:00	67.4	67.1	60.2	51.9
13	18:00-19:00	63.9	65.1	62.2	53.1
14	19:00-20:00	55.3	55.8	58.4	54.1
15	20:00-21:00	59.9	60.6	56.4	50.7
16	21:00-22:00	56.3	57.6	59.3	48.2
Day Time Limit		75 dB(A)Leq			55 dB(A) Leq

Results of Night Time Noise level monitoring

August-2023					
Night Time dB(A)					
SR. NO.	Sampling Time	Near fire station	Near security tower	Adani Site Office Near Gate No.02	Sada village
		18/08/2023 & 19/08/2023	08/08/2023 & 09/08/2023	25/08/2023 & 26/08/2023	04/08/2023 & 05/08/2023
1	22:00-23:00	57.3	59.6	66.3	43.1
2	23:00-00:00	58.5	51.5	59.5	43.8
3	00:00-01:00	52.3	48.8	55.2	41.6
4	01:00-02:00	58.4	56.5	58.3	42.9
5	02:00-03:00	59.2	59.9	58.7	40.9
6	03:00-04:00	56.1	60.3	56.2	41.5
7	04:00-05:00	54.4	60.6	57.8	40.4
8	05:00-06:00	51.7	55.6	61.7	42.3
Night Time Limit		70 dB(A)Leq			45 dB(A) Leq

**Limit as per CTO No. is 12/2019-PCB/347405/R0002737 dated 24.03.2020 valid up to 31/01/2025.

Results of Day Time Noise level monitoring

September-2023					
Day Time dB(A)					
SR. NO.	Sampling Time	Near fire station	Near security tower	Adani Site Office Near Gate No.02	Sada village
		05/09/2023	08/09/2023	11/09/2023	27/09/2023
1	6:00-7:00	57.5	56.7	54.7	47.1
2	7:00-8:00	53.2	57.4	59.1	54.4
3	8:00-9:00	58.9	58.3	64.3	53.3
4	9:00-10:00	59.6	60.1	61.2	50.2
5	10:00-11:00	64.5	63.3	64.6	45.6
6	11:00-12:00	65.5	59.4	55.5	50.5
7	12:00-13:00	69.7	62.3	64.2	47.6
8	13:00-14:00	67.5	57.9	57.8	51.6
9	14:00-15:00	63.1	62.7	60.8	53.6
10	15:00-16:00	61.3	64.7	63.7	52.6
11	16:00-17:00	63.6	60.4	57.7	54.3
12	17:00-18:00	67.4	67.1	60.2	51.9
13	18:00-19:00	63.9	65.1	62.2	53.1
14	19:00-20:00	55.3	55.8	58.4	54.1
15	20:00-21:00	59.9	60.6	56.4	50.7
16	21:00-22:00	56.3	57.6	59.3	48.2
Day Time Limit		75 dB(A)Leq			55 dB(A) Leq

Results of Night Time Noise level monitoring

March-2023					
Night Time dB(A)					
SR. NO.	Sampling Time	Near fire station	Near security tower	Adani Site Office Near Gate No.02	Sada village
		05/09/2023 & 06/09/2023	08/09/2023 & 09/09/2023	11/09/2023 & 12/09/2023	27/09/2023 & 28/09/2023
1	22:00-23:00	57.3	59.6	66.3	43.1
2	23:00-00:00	58.5	51.5	59.5	43.8
3	00:00-01:00	52.3	48.8	55.2	41.6
4	01:00-02:00	58.4	56.5	58.3	42.9
5	02:00-03:00	59.2	59.9	58.7	40.9
6	03:00-04:00	56.1	60.3	56.2	41.5
7	04:00-05:00	54.4	60.6	57.8	40.4
8	05:00-06:00	51.7	55.6	61.7	42.3
Night Time Limit		70 dB(A)Leq			45 dB(A) Leq

**Limit as per CTO No. is 12/2019-PCB/347405/R0002737 dated 24.03.2020 valid up to 31/01/2025.

CHAPTER – 8

D.G. STACK & D.G. STACK NOISE MONITORING

MONITORING PERIOD: APRIL - 2023 TO SEPTEMBER - 2023

D.G. Stack Monitoring Results

SR. NO.	TEST PARAMETER	UNIT	DG Stack - 1 (2000 KVA) Make Cummins Sr. No.:25388675		LIMIT#
			16/06/2023	16/09/2023	
			RESULTS	RESULTS	
1	Particulate Matter	mg/Nm ³	34.24	28.63	75
2	Sulfur Dioxide as SO ₂	Kg/hr	0.010	5.89	--
3	Oxides of Nitrogen as NOX	ppm	33.59	31.73	710
4	Non Methyl Hydro Carbon (NMHC)	mg/Nm ³	Not Detected	Not Detected	100
5	Carbon Monoxide (CO)	mg/Nm ³	28.43	25.77	150
6	Sulfur Content in fuel	%	0.022	0.024	< 2.0

#: Emission Standards for Diesel Engines (Engine Rating more than 0.8 MW (800 KW) were notified by the Environment (Protection) Third Amendment Rules 2002, vide G.S.R. 489 (E), dated 9th July, 2002 at serial no. 96, under the Environment (Protection) Act, 1986.)

Results on 15 % O₂ Correction when Oxygen is greater than 15 %

SR. NO.	TEST PARAMETER	UNIT	DG Stack - 2 (2000 KVA) Make Cummins Sr. No.: 25390869		LIMIT#
			16/06/2023	16/09/2023	
			RESULTS	RESULTS	
1	Particulate Matter	mg/Nm ³	24.58	26.33	75
2	Sulfur Dioxide as SO ₂	Kg/hr	0.011	6.19	--
3	Oxides of Nitrogen as NOX	ppm	35.56	36.35	710
4	Non Methyl Hydro Carbon (NMHC)	mg/Nm ³	Not Detected	Not Detected	100
5	Carbon Monoxide (CO)	mg/Nm ³	26.52	28.43	150
6	Sulfur Content in fuel	%	0.024	0.027	< 2.0

#: Emission Standards for Diesel Engines (Engine Rating more than 0.8 MW (800 KW) were notified by the Environment (Protection) Third Amendment Rules 2002, vide G.S.R. 489 (E), dated 9th July, 2002 at serial no. 96, under the Environment (Protection) Act, 1986.)

Results on 15 % O₂ Correction when Oxygen is greater than 15 %

SR. NO.	TEST PARAMETER	UNIT	DG Stack – 3 (380 KVA) Make Cummins Sr. No.: 25386499		LIMIT#
			16/06/2023	16/09/2023	
			RESULTS	RESULTS	
1	Particulate Matter	mg/Nm ³	22.41	24.67	75
2	Sulfur Dioxide (SO ₂)	Kg/hr	0.0005	0.0007	--
3	Oxides of Nitrogen as NOX	ppm	30.44	34.29	710
4	Hydro Carbon (HC)	mg/Nm ³	Not Detected	Not Detected	--
5	Carbon Monoxide (CO)	mg/Nm ³	22.49	25.31	150

#: Emission Standards for Diesel Engines (Engine Rating more than 0.8 MW (800 KW) were notified by the Environment (Protection) Third Amendment Rules 2002, vide G.S.R. 489 (E), dated 9th July, 2002 at serial no. 96, under the Environment (Protection) Act, 1986.)

Results on 15 % O₂ Correction when Oxygen is greater than 15 %

D.G. Stack Noise Level Monitoring Results

SR. NO.	SAMPLING LOCATION	Outside DG Room 1 m distance	
		16/06/2023	16/09/2023
		RESULTS	RESULTS
1	DG Stack - 1 (2000 KVA) Cummins Sr. No.:25388675	72.1	72.5
2	DG Stack - 2 (2000 KVA) Cummins Sr. No.: 25390869	73.1	71.9
3	DG Stack - 3 (380 KVA)Cummins Sr. No.: 25386499	72.8	70.7
LIMIT**		75 dB(A)	

**as per Noise limit for diesel generator sets (up to 1000 KVA) manufactured on or after the 1st January, 2005

CHAPTER – 9
WEATHER DATA MONITORING
MONITORING PERIOD: APRIL - 2023 TO SEPTEMBER - 2023

Date	Avg Wind Speed (Km/hr)	Temperature (°C)	RH (%)	Precipitation (mm)
01/04/2023	7.34	26.2	67.02	0.00
02/04/2023	7.30	25.9	60.24	0.00
03/04/2023	6.26	25.7	60.83	0.00
04/04/2023	4.65	24.5	66.98	0.00
05/04/2023	---	---	---	0.00
06/04/2023	4.23	27.4	69.91	0.00
07/04/2023	3.90	26.9	73.68	0.00
08/04/2023	3.32	28.9	68.22	0.00
09/04/2023	4.92	28.1	68.76	0.00
10/04/2023	4.43	28.3	71.98	0.00
11/04/2023	4.69	28.5	69.37	0.00
12/04/2023	2.95	27.5	71.41	0.00
13/04/2023	4.19	27.8	68.00	0.00
14/04/2023	3.88	28.2	72.84	0.00
15/04/2023	4.10	29.0	64.54	0.00
16/04/2023	5.71	27.9	66.06	0.00
17/04/2023	4.41	28.2	66.47	0.00
18/04/2023	3.42	27.9	71.05	0.00
19/04/2023	4.02	27.3	73.88	0.00
20/04/2023	4.31	27.2	71.72	0.00
21/04/2023	3.46	27.5	68.99	0.00
22/04/2023	7.06	27.2	61.58	0.00
23/04/2023	8.15	26.5	63.03	0.00
24/04/2023	5.25	26.6	67.10	0.00
25/04/2023	3.45	26.5	72.00	0.00
26/04/2023	3.39	28.5	67.85	0.00
27/04/2023	3.55	27.5	65.54	0.00
28/04/2023	3.59	28.0	65.28	0.00
29/04/2023	4.12	27.7	64.44	0.00
30/04/2023	4.67	28.3	64.39	0.00
01/05/2023	4.32	28.0	63.66	0.00
02/05/2023	3.26	26.8	62.82	0.00
03/05/2023	3.86	27.3	66.41	0.00
04/05/2023	3.59	27.6	63.53	0.00
05/05/2023	3.72	27.7	67.62	0.00
06/05/2023	4.83	27.1	63.45	0.00
07/05/2023	4.66	28.5	64.16	0.00
08/05/2023	6.91	28.8	67.07	0.00
09/05/2023	3.78	27.8	75.48	3.56
10/05/2023	4.22	28.9	73.76	0.00
11/05/2023	2.80	28.7	74.23	0.00
12/05/2023	4.06	29.1	69.83	0.00

13/05/2023	5.02	28.2	71.28	0.00
14/05/2023	2.67	28.7	68.60	0.00
15/05/2023	2.61	28.9	66.26	0.00
16/05/2023	5.94	29.1	68.59	0.00
17/05/2023	9.82	28.4	68.46	0.00
18/05/2023	10.98	28.8	74.26	0.00
19/05/2023	5.66	28.9	75.61	0.00
20/05/2023	7.58	29.4	69.88	0.00
21/05/2023	6.72	28.6	69.19	0.00
22/05/2023	5.63	28.5	72.16	0.00
23/05/2023	4.57	29.7	69.16	0.00
24/05/2023	3.09	28.7	71.55	0.00
25/05/2023	2.67	29.1	66.11	0.00
26/05/2023	3.34	29.3	67.98	0.00
27/05/2023	6.01	29.1	66.60	0.00
28/05/2023	9.14	28.3	68.75	0.00
29/05/2023	10.80	29.1	70.26	0.00
30/05/2023	6.34	29.1	72.61	0.00
31/05/2023	3.60	28.6	70.23	0.00
01/06/2023	3.45	27.9	80.78	0.76
02/06/2023	4.75	29.5	74.58	0.00
03/06/2023	4.50	30.1	71.91	0.00
04/06/2023	3.60	30.2	74.46	2.79
05/06/2023	3.31	30.4	73.37	0.00
06/06/2023	3.73	30.6	71.00	0.00
07/06/2023	4.60	30.4	72.90	0.00
08/06/2023	5.62	30.3	73.51	0.00
09/06/2023	7.36	30.0	74.64	0.76
10/06/2023	6.53	29.3	76.58	17.28
11/06/2023	5.93	28.7	80.35	16.01
12/06/2023	6.79	29.0	80.53	8.89
13/06/2023	6.75	29.6	76.62	1.53
14/06/2023	4.56	29.2	77.68	11.18
15/06/2023	3.45	30.8	71.18	1.27
16/06/2023	5.54	29.3	76.36	3.56
17/06/2023	3.42	--	--	9.65
18/06/2023	2.74	--	--	1.53
19/06/2023	4.01	--	--	1.02
20/06/2023	2.81	--	--	0.00
21/06/2023	3.64	--	--	0.00
22/06/2023	2.63	--	--	0.00
23/06/2023	4.46	--	--	39.63
24/06/2023	2.87	--	--	6.11
25/06/2023	2.58	--	--	27.70

26/06/2023	2.79	--	--	4.57
27/06/2023	5.51	--	--	18.80
28/06/2023	2.46	--	--	109.73
29/06/2023	2.16	--	--	53.60
30/06/2023	2.60	--	--	60.46
01/07/2023	2.63	26.1	90.08	4.32
02/07/2023	3.40	27.3	84.00	0.51
03/07/2023	3.32	27.0	83.42	0.00
04/07/2023	2.70	26.0	86.88	46.22
05/07/2023	4.06	26.0	89.65	38.61
06/07/2023	3.96	27.0	84.79	5.84
07/07/2023	3.19	25.6	90.00	16.76
08/07/2023	2.63	25.6	91.21	61.21
09/07/2023	2.94	26.6	85.96	0.51
10/07/2023	2.83	26.5	84.88	0.00
11/07/2023	3.32	26.0	86.67	8.89
12/07/2023	3.11	25.8	87.63	11.44
13/07/2023	3.62	25.9	85.08	4.83
14/07/2023	3.84	26.2	85.63	11.94
15/07/2023	4.51	27.2	83.79	5.33
16/07/2023	3.11	26.6	88.21	26.17
17/07/2023	2.59	26.6	86.58	3.56
18/07/2023	2.42	26.5	86.00	3.31
19/07/2023	2.08	26.8	83.71	2.03
20/07/2023	2.27	26.7	85.21	1.02
21/07/2023	2.26	27.1	81.96	0.00
22/07/2023	2.39	27.0	81.46	0.00
23/07/2023	2.51	27.0	79.96	0.00
24/07/2023	2.53	26.4	84.63	0.00
25/07/2023	2.12	26.6	83.08	1.53
26/07/2023	2.20	26.6	82.79	0.00
27/07/2023	2.92	26.7	84.71	0.00
28/07/2023	4.12	27.0	86.58	0.00
29/07/2023	2.25	27.7	86.21	0.00
30/07/2023	2.91	27.6	86.42	0.00
31/07/2023	2.29	27.5	83.71	0.00
01/08/2023	5.12	27.3	83.25	0.00
02/08/2023	4.31	26.9	85.08	0.00
03/08/2023	6.16	26.2	88.42	0.00
04/08/2023	2.57	26.4	86.88	0.00
05/08/2023	3.91	25.7	87.67	0.00
06/08/2023	2.88	26.2	88.38	0.00
07/08/2023	2.79	25.9	89.83	0.00
08/08/2023	3.68	25.5	90.38	0.00



09/08/2023	4.43	26.0	87.63	0.00
10/08/2023	4.88	26.4	86.79	0.00
11/08/2023	4.92	26.8	84.42	0.00
12/08/2023	4.12	26.9	83.54	0.00
13/08/2023	2.65	26.4	85.75	0.00
14/08/2023	1.93	26.2	85.71	0.00
15/08/2023	3.16	26.5	84.42	0.00
16/08/2023	4.66	26.7	84.46	0.00
17/08/2023	4.10	26.5	83.58	0.00
18/08/2023	2.30	26.7	81.29	0.00
19/08/2023	2.51	26.8	80.29	0.00
20/08/2023	2.46	26.7	83.88	0.00
21/08/2023	2.76	26.7	81.58	0.00
22/08/2023	2.46	26.4	84.21	0.00
23/08/2023	2.84	26.2	85.58	0.00
24/08/2023	2.46	26.1	85.63	0.00
25/08/2023	2.54	26.1	86.50	0.00
26/08/2023	4.04	26.7	83.75	0.00
27/08/2023	3.24	26.6	83.96	0.00
28/08/2023	2.37	26.6	83.33	0.00
29/08/2023	3.73	26.7	84.25	0.00
30/08/2023	4.46	26.4	86.29	0.00
31/08/2023	2.55	26.9	86.92	0.00
01/09/2023	3.74	26.0	83.03	0.00
02/09/2023	2.93	25.9	86.55	0.00
03/09/2023	3.23	26.1	81.47	0.00
04/09/2023	2.63	25.4	82.88	0.00
05/09/2023	3.94	26.7	82.08	0.00
06/09/2023	3.52	26.1	84.43	0.00
07/09/2023	3.61	25.7	83.05	0.00
08/09/2023	3.06	25.1	81.46	0.00
09/09/2023	3.08	25.4	86.33	0.00
10/09/2023	3.52	25.9	86.57	0.00
11/09/2023	4.13	26.2	87.37	0.00
12/09/2023	3.60	25.9	80.26	0.00
13/09/2023	2.49	25.2	88.08	0.00
14/09/2023	3.84	26.3	83.03	0.00
15/09/2023	4.67	26.1	83.54	0.00
16/09/2023	2.81	25.8	83.85	0.00
17/09/2023	4.13	26.0	83.87	0.00
18/09/2023	3.04	25.6	83.71	0.00
19/09/2023	3.08	26.0	85.27	0.00
20/09/2023	3.94	26.2	86.51	0.00
21/09/2023	3.50	26.3	85.58	0.00

22/09/2023	3.08	26.2	83.29	0.00
23/09/2023	4.02	26.5	85.17	0.00
24/09/2023	3.51	26.1	84.14	0.00
25/09/2023	3.46	25.6	84.05	0.00
26/09/2023	3.67	26.2	86.53	0.00
27/09/2023	4.01	26.1	83.58	0.00
28/09/2023	3.49	25.8	85.03	0.00
29/09/2023	4.21	26.2	83.39	0.00
30/09/2023	3.75	26.0	85.99	0.00

Note: Instrument was not in operation during 4th April, 2023 at 17:01 to 6th April, 2023 at 08:59 due to power failure. Instrument temperature and humidity sensor was not in operation during 14th June, 2023 at 20:01 to 15th June, 2023 at 14:59 and 16th June, 2023 at 14:01 to 30th June, 2023 at 23:59.

ANNEXURE 2

EMP – COMPLIANCE STATUS

SI. NO	MEASURES	STATUS
1	Proposed roads in coal terminal shall be black topped to avoid entertainment of fugitive dust	<p>Complied.</p> <p>Both internal and external roads are paved with Cement Concrete and black top.</p>  <p>In addition, following is practised to control/minimise fugitive dust.</p> <ul style="list-style-type: none"> Facility is using road sweeping machines for house-keeping apart from manual labours. 

Compliance to the conditions stipulated in Environment and CRZ clearance.



- Advanced Suction Type Road Sweeping machine is also deployed
- Regular house-keeping is carried out
- It is ensured that trucks remain covered with tarpaulin and properly fastened during transportation of cargo.



- There's speed restriction for vehicles entering the premises.
- Truck wheel washing arrangement is made inside the port to minimize dust emission.

Compliance to the conditions stipulated in Environment and CRZ clearance.



- PUC Certification for vehicles is ensure.



- Cargo is kept covered with tarpaulin all the time (Except during loading & unloading)





2

The Municipal waste generated at the terminal is to be disposed along with the solid waste being disposed at present by the MPT.


Being complied.

Municipal waste generated is properly segregated, stored and disposed along with Solid Waste to local authorities in line to Solid Waste Management Rules 2016 as amended Dispatch register is maintained. Food waste is being fed to OWC for composting.



Compliance to the conditions stipulated in Environment and CRZ clearance.

		
3	<p>Adequate numbers Toilets shall be constructed in terminal office and office area. The sewage shall be treated in septic tank. The treated sewage from septic tank shall be disposed into existing sewage network of MPT.</p>	<p>Complied.</p> <p>Toilet has been constructed at berth, office and workshop area. Sewage from the septic tank is transported by sewage tankers to STP located at PWD Baina. STP inlet & outlet characteristic of water is regularly analyzed by NABL accredited laboratory. The monitoring results for the period Apr 23 - Sep 23 is enclosed as Annexure 1</p>
4	<p>Drinking water facilities and waste disposal facilities shall be located away from each other.</p>	<p>Complied.</p>
5	<p>The water Effluent from coal stock yard to be settled in a settling tank</p>	<p>Complied.</p> <p>Port has constructed three water dump ponds. Water effluent from coal stock yard is collected & settled in these dump ponds. Baffle walls have been constructed in all 3 dup ponds to enhance sedimentation of Cargo.</p> 
6	<p>Efficient pollution control technique for dust control to be utilized at open stock piles, conveyor transfer points, dump hopper loading points and other such dust generation locations.</p>	<p>Complied.</p> <p>A. Dry fog dust suppression system has been provided in conveyor and 224 no's of transfer points.</p>


Compliance to the conditions stipulated in Environment and CRZ clearance.

		<p>B. 43 Nos water sprinklers have been provided at coal stock yard for dust suppression.</p> <p>C. 2 Nos of Mist Canon systems are provided. (one is mobile canon and other one tire mounted)</p> <p>D. Covered conveyor belts are being used for transportation.</p> 
7	The stacker can operate from distance with boom to keep the stack pile surface to a minimum.	Complied.
8	All the regularly used roadways at site must be swept daily with a tank mounted road sweeper and washed by a truck mounted cart.	<p>Being Complied.</p> <p>Water tanker equipped with mist cannon arrangement is used to spray water on road to ensure the entrapment of fugitive emission. Also, vacuum sweeping machine and Bob cat have been deployed to remove dust from roads.</p>
, 9	All the transport shall be properly covered at the bottom and top with perfect sealing of plastic/tarpaulin sheets.	<p>Complied.</p> <p>It is ensured that trucks/ rakes remain covered with tarpaulin and properly fastened during transportation of cargo.</p>



Compliance to the conditions stipulated in Environment and CRZ clearance.

		
<p>10</p>	<p>The stock yard should be covered with screens/ wall of height of at least 7 to 8 mtr.</p>	<p>Complied.</p> <p>Wind screen of MS structure along with HDPE fabric/ perforated sheet of 15 metres height has been provided along the coal stacking yard.</p> 
<p>11</p>	<p>The will be properly covered with tarpaulin and overloading will not allowed to avoid spillage of loose material on the roads. Regular maintenance and washing of wheel to be done.</p>	<p>Being complied.</p> <p>All the loaded trucks are covered with tarpaulin. Truck wheel washing arrangement is made inside the port to minimize dust emission.</p>
<p>12</p>	<p>Ambient noise level due to vehicular traffic to be controlled by developing green belt.</p>	<p>Complied.</p> <p>Green belt developed along the periphery and coal stock yard. Currently about 13043 plants</p>


Compliance to the conditions stipulated in Environment and CRZ clearance.

		<p>are planted in port premises and are maintained well.</p> <p>Besides Ambient Noise levels are being monitored on a regular basis and reports of the same is being submitted to MoEF&CC as part of Six monthly compliance report and to GSPCB on regular basis. Ambient Noise levels for the period April-September 2023 is attached as Annexure 1</p>
<p>13</p>	<p>Noise level from air compressor to be reduced by fitting exhaust muffler and intake mufflers</p>	<p>Complied.</p> <p>Air compressor is kept in an acoustic enclosure to minimize noise from these machines. Exposures of workers to high noise level are minimized by job rotation and use of ear muff.</p> 
<p>14</p>	<p>Green belt development.</p>	<p>Complied.</p> <p>Green belt developed along the periphery and coal stock yard. Currently about 13045 plants are planted in port premises and are maintained well.</p> 

Compliance to the conditions stipulated in Environment and CRZ clearance.

		
<p>15</p>	<p>For controlling fire from coal stock following measures to be adopted.</p> <ol style="list-style-type: none"> 1. 3 No. of mobile fire tender to be placed at coal stack pile area. 2. Autogenous combustion of coal stock to be prevented by limiting stock height not more than 6 M. 3. Lump size of coal to be restricted to 20mm which will not lead to formation of air voids, eliminating the possibility of combustion 	<p>Complied.</p> <ol style="list-style-type: none"> 1. Installed fixed fire fighting system (49 fire hydrants & 28 hose reels) at coal stack pile & all CT's 

Compliance to the conditions stipulated in Environment and CRZ clearance.

		 <p>2. Stack height is being maintained at 11 meters as per the current CTO. Regular sprinkling of water is carried out to control autogenous combustion.</p> <p>3. Being complied.</p> <p>Also there are 14 No. of water monitors (used for high water volume during fire) are provided around coal stock area.</p>
<p>16</p>	<p>Implementation of Environmental Monitoring Programme.</p>	<p>Being complied.</p> <p>Regular Environmental Monitoring is carried out to assess the quality of treated effluents from STP, Ambient Air quality, Noise level are being monitored through NABL accredited laboratory M/s Pollucon Laboratories Pvt Ltd. regularly and confirming the standards. Also CAAQMS is installed & running successfully. Monitoring reports are being submitted to MoEF&CC as part of Six-monthly compliance report and to GSPCB on regular basis. Environment Monitoring Report for the period April-September 2023 is attached as Annexure 1.</p>



Adani Murmugao Port Terminal Pvt. Ltd.

From : April 2023
To : September 2023

Compliance to the conditions stipulated in Environment and CRZ clearance.



Ports and
Logistics

Ref No: AMPTPL/2023/1023

Date: 27.09.2023

To
Additional Chief Conservator of Forests (C),
Ministry of Environment, Forest and Climate Change,
Regional Office (SZ), Kendriya Sadan,
4th Floor, E8-F Wings, 17th Main Road,
Koramangala II Block, Bangalore-560034 (Karnataka)
rosz.bng-mefcc@gov.in

Sub: Submission of Environmental Statement (Form-V) for FY 2022-23.
Ref: Consent Order No. 12/2019-PCB/347405/R0002737 dated
24.03.2020

Respected Sir,

With reference to the captioned subject and cited references above, we submit herewith the Environmental Statement of **M/s Adani Marmugao Port Terminal Private Limited, Goa** in Form-V prescribed under Rule 14 of the Environment (Protection) Rules 1986 for the financial year ending 31st March 2023.

Submitted for your kind information and records.

Thanking You

For Adani Marmugao Port Terminal Private Limited,



Authorized Signatory



Adani Marmugao Port Terminal Pvt. Ltd.
Sub Station Building
Near Gate No.2 of MPT
Mormugao, Goa-403803, India
CIN No. U61100GJ2009PTC057727


Tel +91 832 2579200
Fax +91 832 2579299
info@adani.com
www.adani.com

Registered Office: Adani Corporate House", Shantigram, Near Vaishno Devi Circle. S. G. Highway. Khodiyar. Ahmedabad 382421. Gujarat



Online Consent Management & Monitoring System

Ministry of Environment, Forest and Climate Change
Government of India




- Home
- Consent Management
- Amendment
- BANK GURANTEE
- Environmental Statement
- Monitoring Report
- Logout

- ▶ Add Environment Statement
- ▶ Delete In-Progress Environment Statement

Send us your **feedback** and suggestions

click here for any kind **complaints or query**




Welcome ADANI MURMUGAO PORT TERMINAL PVT. LTD Date : 28-9-2023

Application No : 1921972

You have successfully submitted Environmental Statement for this duration 2022-2023.
[View Environment Statement](#)

Site designed, hosted by National Informatics Center
© Content Owned, Updated and Maintained by Goa State Pollution Control Board.



GOA STATE POLLUTION CONTROL BOARD

FORM V

(See Rule 14)

Environmental Statement for the financial year ending on 31st March on or before 30th of September every year.

PART A

- (i) Name and address of the owner/ occupier of the industry operation or process : ADANI MURMUGAO PORT TERMINAL PVT. LTD
- (ii) Industry category Primary-(STC Code) Secondary-(STC Code) RED, Ports and harbour, jetties and dredging operations
- (iii) Production capacity 5.2 Million Tons

Production Name	Production Capacity	Production Unit
Handling of Coal	5.2	Million Tons/Year

- (iv) Year of establishment 2013
- (v) Date of the last environment statement submitted. 27/09/2023

PART B

1. Water consumption M3/d

Process:
Cooling:
Domestic:

Name of products	Process water consumption per unit of product output	
	During the previous financial year	During the current financial year
Handling of Coal	0.012 m3/MT	0.013 m3/MT

2. Raw material consumption

Name of raw materials	Name of products	Consumption of raw material per unit	
		During the previous financial year	During the current financial year
Nil	Nil	Nil	Nil

*Industry may use codes if disclosing details of raw materials would violate contractual obligations, otherwise all industries have to name the raw material used.

PART C

Pollution discharged to environment/ unit of output.

Pollution	Quantity of pollutants discharged(mass/day)	Concentration of pollutants- in discharges(mass/volume)	Percentage of variation from prescribed standards with reasons
Water			
Water	No pollutant discharged to environment	-	-
Air			
Air	DG sets are provided as standby power source and were used during power failure. The height of DG stacks are as per CPCB/GSPCB standards. All the monitored parameters are within standards.		
Air	DG STACK 1 (2000 KVA) - June 2022	PM - 24.34 mg/Nm ³ , NO _x - 29.41 ppm, CO- 22.13 mg/Nm ³ , NMHC - BDL, Sulfur in fuel - 0.026%	-
Air	DG STACK 1 (2000 KVA) - Sep 2022	PM - 28.62mg/Nm ³ , NO _x - 31.55 ppm, CO- 25.31 mg/Nm ³ , NMHC - BDL, Sulfur in fuel - 0.024%	-
Air	DG STACK 1 (2000 KVA) - Dec 2022	PM - 30.42 mg/Nm ³ , NO _x - 34.50 ppm, CO- 27.48 mg/Nm ³ , NMHC - BDL, Sulfur in fuel - 0.028%	-
Air	DG STACK 1 (2000 KVA) - Mar 2023	PM - 32.58 mg/Nm ³ , NO _x - 31.80 ppm, CO- 25.31 mg/Nm ³ , NMHC - BDL, Sulfur in fuel - 0.028%	-
Air	DG STACK 2 (2000 KVA) - June 2022	PM -21.52mg/Nm ³ , NO _x - 27.63 ppm, CO- 23.31 mg/Nm ³ , NMHC - BDL, Sulfur in fuel-- 0.024%	-
Air	DG STACK 2 (2000 KVA) - Sep 2022	PM - 26.62 mg/Nm ³ , NO _x - 31.55 ppm, CO- 23.31 mg/Nm ³ , NMHC - BDL, Sulfur in fuel - 0.024%	-
Air	DG STACK 2 (2000 KVA) - Dec 2022	PM - 26.35 mg/Nm ³ , NO _x - 32.32 ppm, CO- 25.31 mg/Nm ³ , NMHC - BDL, Sulfur in fuel - 0.026%	-

Air	DG STACK 2 (2000 KVA) - Mar 2023	PM - 21.84 mg/Nm ³ , NO _x - 30.45 ppm, CO- 22.51 mg/Nm ³ , NMHC - BDL, Sulfur in fuel - 0.026%	
Air	DG STACK 3 (380 KVA) - June 2022	PM - 0.0021g/kw-hr, NO _x - 0.0051 g/kw-hr, CO - 0.0023 g/kw-hr, NMHC - BDL, SO ₂ - 0.0007 kg/hr	-
Air	DG STACK 3 (380 KVA) - Sep 2022	PM-0.0022g/kw-hr, NO _x - 0.0053 g/kw-hr, CO - 0.0021 g/kw-hr, NMHC - BDL, SO ₂ - 0.0005 kg/hr	-
Air	DG STACK 3 (380 KVA) - Dec 2022	PM-0.0025g/kw-hr, NO _x - 0.0058 g/kw-hr, CO - 0.0023 g/kw-hr, NMHC - BDL, SO ₂ - 0.0007 kg/hr	-
Air	DG STACK 3 (380 KVA) - Mar 2023	PM-0.0023g/kw-hr, NO _x - 0.0068g/kw-hr, CO- 0.0023g/kw-hr, NMHC- BDL, SO ₂ -0.0005 kg/hr	-

Name of Pollutants :

PART D Hazardous Wastes

(As specified under Hazardous Wastes (Management and Handling) Rules, 1989)

Hazardous Wastes	Total Quantity (Kg)	
	During the previous financial year	During the current financial year
(a) From process	A). Cat. 5.1 Used Oil- 2.94 MT B). Cat. 5.2 Cotton Waste contaminated with Oil- 0.28 MT C). Cat 33.1 Empty Barrels - 0.26 MT	A). Cat. 5.1 Used Oil- 7.44 MT B). Cat. 5.2 Cotton Waste contaminated with Oil- 0.860 MT.
(b) From pollution control facilities	Nil	Nil

PART E Solid Wastes

	Total Quantity	
	During the previous financial year	During the current financial year
(a) From process	Nil	Nil
(b) From pollution control facility	Nil	Nil
(c)(1) Quantity recycled or re-utilized within the unit	Food Waste - 2.35 MT (In OWC)	Food Waste - 2.30 MT (In OWC)
(2) Sold	Nil	Nil
(3) Disposed	Nil	Nil

PART F

Please specify the characterization (in terms of composition and quantum) of hazardous as well as solid wastes and indicate disposal practice adopted for both these categories of wastes

Hazardous waste includes used oil (Cat 5.1), Cotton waste contaminated with oil (Cat 5.2). & Empty Barrels (Cat 33.1). Used oil and the oil-soaked cotton waste generated during various maintenance activities are collected in barrels kept in earmarked covered hazardous waste storage area as per the provisions of Hazardous Waste Management " Rules, 2016 as amended & disposed of through GSPCB authorized/ registered recycler.

- The used batteries and E-waste also stored in workshop storage area and disposed through approved vendor in line to E-waste Management Rules, 2016 as amended.
- Hazardous waste return in Form 4 was submitted in line with the Hazardous and Other Wastes (Management & Trans boundary Movement) Rules, 2016.
- E-waste return in Form 3 was submitted in line with the E-waste Management Rules 2016
- Solid Waste includes mainly domestic waste (office & kitchen waste) which is fed in Organic Waste Composter (In FY 22-23 - 2.30 MT of food waste was fed into OWC).

PART G

Impact of the pollution abatement measures taken on conservation of natural resources and on the cost of production. All the domestic wastewater generated at site is treated at existing sewage treatment plant located at PWD Baina. Unit has developed adequate green belt within port premises.

PART H

Additional measures/ investment proposal for environmental protection abatement of pollution, prevention of pollution. Unit is undertaking Regular Environmental Monitoring at port & surrounding area through MoEF&CC recognized laboratory. All the monitored environmental parameters are found well within the standards prescribed & the details of monitored data are being regularly submitted to GSPCB, CPCB, MoEF&CC and other concerned authorities.

- AMPTPL has also installed Continuous Ambient Air Quality Monitoring System (CAAQMS) for the parameters CO, SO₂, NO_x, PM10 & PM2.5 and the monitored real time data is connected with GSPCB server.
- Coal Stacks are always kept covered with tarpaulin, except during loading & unloading operations and adequate water Sprinkling is carried out on regular intervals during loading and unloading operations.
- AMPTPL has also provided dump ponds (settlement ponds) and conveyance channel for collection of runoffs generated from the coal yard.
- AMPTPL has provided Sprinklers at coal yard & conveyor system and carrying out water sprinkling at regular intervals to control the fugitive dust. The wind screen around the periphery of coal yard is covered with agro net/ jute cloth.
- AMPTPL has installed 2 cameras in coal stack yard and its online connectivity has been provided to GSPCB.
- As a precautionary measure an anemometer has been installed along with a hooter on Substation building and three different alert levels have been configured in PLC based on the Wind speed as follows:
 - For 25km/h to 27.99km/h - Hooter blows for 5 Seconds followed by a 1 Second Stop and the same repeats.
 - For 28km/h to 29.99km/h - The Hooter blows for 2 Seconds followed by a 1 second stop and the same repeats.

- For Above 30km/h - The Hooter continuously blows without any stop.
 - AMPTPL has taken continuous steps for developing the green belt area within port premises.
- Vertical gardens have also been developed as part of Environment Initiatives.

PART I

Any other particulars for improving the quality of the environment Handling of all types of waste in line with 5R (Reduce, Reuse, Recycle, Recover and Reprocess) Principle.

- Integrated Management System (ISO 9001:2015, 14001:2015, 45001:2018, 27001:2013 and ISO 50001:2018) certified Port.
- AMPTPL Port has been certified as "Zero Waste to Landfill port" by CII Delhi.
- AMPTPL is 5S Certified Port by National Productivity Council (NPC).
- AMPTPL is bestowed with the top honors and the details of accolades received during the year 2021-22 are mentioned here under.
- "Gold Award" in services sector for outstanding achievement in Energy Efficiency 2021 by Apex India Foundation.
- "Platinum Award" in Service Sector for Outstanding Achievement in Environmental Excellence 2020" by Apex India Foundation.
- "Gold Award" in Service Sector for Outstanding Achievement in Environmental Excellence 2019" by Apex India Foundation.
- "Gold Award" in services sector for outstanding achievement in Environment preservation in 10th Exceed Environment Award and Conference 2021.
- "Gold Award" in services sector for outstanding achievement in Environment preservation in 12th Exceed Environment Award and Conference 2022.
- "Bronze category accreditation" in implementation of Adani Workplace Management System (AWMS) in 2nd Cycle Adani Workplace Management Academy application 2023.
- Baffle walls have been constructed in Dump ponds to increase sedimentation of Cargo.

Remarks : Nil .